

**SECTION I
CHART CORRECTIONS**

NM 31/99

★11478	18Ed. 6/6/98	LAST NM 17/99	31/99		
Change	Legend to "12 FT FOR MID 60 FT OCT 1998"				
		28°24'33.6"N 80°38'03.0"W			
	Legend to "12 FT FOR MID 60 FT OCT 1998"				
		28°24'33.6"N 80°37'17.0"W			
	Legend to "32½ FT OCT 1998"				
		28°24'36.4"N 80°37'00.0"W			
	(Inset)				
Change	Legend to "10 FT FOR MID 60 FT OCT 1998"				
(NOS)		28°24'28"N 80°40'32"W			
11481	2Ed. 10/26/96	LAST NM 17/99	31/99		
Change	Legend to "9.9m OCT 1998"				
(NOS)		28°24'36"N 80°36'49"W			
11485	31Ed. 8/16/97	LAST NM 42/98	31/99		
	(Side B)				
Change	Legend to "10 FT FOR MID 60 FT OCT 1998"				
(NOS)		28°24'23"N 80°42'39"W			
12272	27Ed. 6/7/97	LAST NM 45/97	31/99		
Change	Legend to "31½ FT FOR A WIDTH OF 600 FT FEB 1998"				
		39°05'15"N 76°18'20"W			
	Legend to "32 FT FOR A WIDTH OF 600 FT APR-MAY 1998"				
(NOS)		39°10'15"N 76°18'18"W			
★12363	38Ed. 10/18/97	LAST NM 14/99	31/99		
Substitute	Depth 23 feet Wk for dangerous wreck				
(NOS)		40°50.8'N 73°46.3'W			
12364	30Ed. 2/15/97	LAST NM 14/99	31/99		
	(Page E)				
Delete	Dangerous wreck and legend "(26ft rep)"				
		40°50'45.0"N 73°46'16.0"W			
Add	Depth 23 feet Wk				
		40°50'45.5"N 73°46'17.0"W			
	(Page F)				
Delete	Dangerous wreck and legend "(26ft rep)"				
		40°50'45.5"N 73°46'15.0"W			
Add	Depth 23 feet Wk				
(NOS)		40°50'45.5"N 73°46'17.0"W			
12366	26Ed. 1/10/98	LAST NM 16/98	31/99		
Delete	Legend "(F Lt)"				
(NOS)		40°50'43"N 73°46'18"W			
★12371	22Ed. 7/25/92	LAST NM 31/97	31/99		
Add	Tabulation of controlling depths from Subsection I-2				
(NOS)					
★12375	20Ed. 5/6/95	LAST NM 22/99	31/99		
Add	Tabulation of controlling depths from Subsection I-2				
(NOS)					
★12377	13Ed. 5/11/96	LAST NM 12/99	31/99		
	(Side A)				
Add	Tabulation of controlling depths from Subsection I-2				
	(Side B)				
Add	Tabulation of controlling depths from Subsection I-2				
(NOS)					
13009	28Ed. 3/6/99	LAST NM 28/99	31/99		
Add	Light disk to buoy "N9"				
(NOS)		43°53.0'N 66°26.5'W			
13221	52Ed. 9/19/98	LAST NM 27/99	31/99		
Add	Legend "Shl to bare rep (1998)"				
(NOS)		41°42'55"N 71°20'40"W			
★13224	35Ed. 3/29/97	LAST NM 24/98	31/99		
Add	Legend "Shl to bare rep (1998)"				
(NOS)		41°42'55"N 71°20'40"W			
★17376	6Ed. 8/18/90	LAST NM 15/91	31/99		
Relocate	Light "1" from 56°26'59"N 134°08'19"W to 56°27'05"N 134°08'26"W				
(20/99 CG17)					
★18468	17Ed. 8/10/96	LAST NM 4/97	31/99		
Delete	Light 48°08'21.5"N 123°25'17.8"W				
	Light 48°08'23.4"N 123°25'17.8"W				
(20/99 CG13)					
★18502	83Ed. 11/30/96	LAST NM 23/99	31/99		
Change	Designation of beacon "48" to "A"				
		46°57'34"N 123°51'05"W			
	Designation of beacon "50" to "B"				
(20/99 CG13)		46°57'31"N 123°50'59"W			
★18521	66Ed. 11/7/98	LAST NM 28/99	31/99		
Add	Tabulation of controlling depths from Subsection I-2				
(NOS)					
18526	53Ed. 11/7/98	LAST NM 24/99	31/99		
Add	Tabulation of controlling depths from Subsection I-2				
(NOS)					
★18584	46Ed. 7/19/97	LAST NM 17/99	31/99		
Add	Tabulation of controlling depths from Subsection I-2				
(NOS)					
★18587	67Ed. 11/8/97	LAST NM 19/99	31/99		
Add	Tabulation of controlling depths from Subsection I-2				
(NOS)					
★21602	1Ed. 3/20/99	NEW CHART	31/99		
	(Panel B)				
Change	Range light, front to "1" FG 20m 14M (Night only)				8°57'21.4"N 79°34'30.4"W
	Range light, middle to "1A" F 29m 6M (Day), FG 29m 16M (Night)				8°57'35.7"N 79°34'41.6"W
	Range light, rear to "2" Oc 3½s 61m 6M (Day), Oc G 3½s 61m 20M (Night)				8°58'25.1"N 79°35'21.0"W
	(Plan Gamboa)				
Delete	Plan designation "C"				9°06'39"N 79°42'57"W
	(Plan Puerto Balboa)				
Delete	Plan designation "D"				8°56'33"N 79°34'33"W
Change	Range light, front to "1" FG 20m 14M (Night only)				8°57'22.2"N 79°34'30.4"W
(NIMA; NTM0006/1999)					
★21603	9Ed. 3/20/99	NEW EDITION	31/99		
Change	Range light, front to "1" FG 20m 14M (Night only)				8°57'22"N 79°34'31"W
	Range light, middle to "1A" F 29m 6M (Day), FG 29m 16M (Night)				8°57'36"N 79°34'41"W
	Range light, rear to "2" Oc 3½s 61m 6M (Day), Oc G 3½s 61m 20M (Night)				8°58'25"N 79°35'21"W
	Legend to "21602 (Plan Puerto Balboa)"				8°56'32"N 79°34'26"W
(NIMA; NTM0006/1999)					

24180	15Ed. 11/16/96	LAST NM 1/99	31/99	
	Relocate	Light from 17°53.7'S 39°22.2'W to 17°53.9'S 39°22.4'W		
		(10/56)99 Rio de Janeiro		
35008	21Ed. 10/19/96	LAST NM 19/99	31/99	
	Add	Depth 96 meters "Obstn" 58°03.7'N 1°02.1'W		
		Moored storage tanker "Ross" with light flare symbol 58°06.0'N 1°26.4'W		
		Submarine pipeline with legend "Gas" between 58°06.0'N 1°26.4'W 58°03.7'N 1°02.1'W		
		(18/1601)99 Taunton)		
★35080	16Ed. 4/17/99	NEW EDITION	31/99	
	Add	Foul ground symbol 56°21.3'N 2°44.4'W		
		(NIMA; 8(726)99 Taunton)		
35082	7Ed. 8/8/98	LAST NM 27/99	31/99	
	Delete	"Historic Wk" area bound by purple dashed-line circle, radius 100 meters, centered 56°02'24.7"N 3°14'56.8"W		
		(See 25/99-35082)		
	Add	"Historic Wk" area bound by purple composite-line circle, radius 100 meters, centered 56°02'24.7"N 3°14'51.7"W		
		(20/1767)99 Taunton)		
35086 (INT 1546)	3Ed. 9/12/87	LAST NM 30/99	31/99	
	Delete	"Historic Wk" area bound by purple dashed-line circle, radius 100 meters, centered 56°02.41'N 3°14.86'W		
		(See 25/99-35086)		
	Add	"Historic Wk" area bound by purple composite-line circle, radius 100 meters, centered 56°02.41'N 3°14.77'W		
		(20/1767)99 Taunton)		
35100	14Ed. 6/22/96	LAST NM 30/99	31/99	
	Add	Depth 96 meters "Obstn" 58°03'43"N 1°02'04"W		
		Depth 15 meters Wk (unsurveyed) (K30) 57°42'29"N 1°59'30"W		
		Moored storage tanker "Ross" with light flare symbol 58°06'00"N 1°26'25"W		
		Submarine pipeline with legend "Gas" joining 58°05'44"N 1°23'55"W 58°06'00"N 1°26'25"W 58°04'46"N 1°25'06"W 58°03'43"N 1°02'04"W		
		(18/1601), 20(1779)99 Taunton)		
35120	13Ed. 10/28/95	LAST NM 16/99	31/99	
	Add	Depth 15 meters Wk (unsurveyed) (K30) 57°42'29"N 1°59'30"W		
		Moored storage tanker "Ross" with light flare symbol 58°06'04"N 1°26'25"W		
		Submarine pipeline with legend "Gas" joining 58°05'49"N 1°23'55"W 58°06'04"N 1°26'25"W 58°04'51"N 1°25'06"W 58°03'45"N 1°05'12"W		
		(18/1601), 20(1779)99 Taunton)		
36106	7Ed. 5/2/98	LAST NM 30/99	31/99	
	Add	Legend "Less water rep (1999)" 56°00.21'N 5°26.17'W		
		(20/1770)99 Taunton)		
36163	13Ed. 11/1/97	LAST NM 25/99	31/99	
		(Plan B)		
	Substitute	Danger circle "Obstn" for beacon 51°32'21.5"N 2°58'30.0"W		
		(19/1684)99 Taunton)		
37046	18Ed. 12/13/97	LAST NM 18/99	31/99	
	Delete	Purple dashed line joining 50°25'55.8"N 3°25'55.2"W 50°25'25.8"N 3°25'55.2"W 50°25'25.8"N 3°22'49.2"W 50°25'55.8"N 3°22'49.2"W		
		Purple dashed line between 50°27'25.8"N 3°25'55.2"W 50°27'25.8"N 3°22'49.2"W		
	Relocate	Pilot station symbol from 50°23'54.0"N 3°26'36.0"W to 50°25'01.8"N 3°25'40.2"W		
	Add	Purple dashed line joining 50°27'25.8"N 3°25'55.2"W 50°27'55.8"N 3°25'55.2"W 50°27'55.8"N 3°22'49.2"W 50°27'25.8"N 3°22'49.2"W		
		Purple dashed line between 50°25'55.8"N 3°25'55.2"W 50°25'55.8"N 3°22'49.2"W		
		(18/1591)99 Taunton)		
37060	3Ed. 8/16/97	LAST NM 26/99	31/99	
	Delete	Pilot station symbol and legend "Deep Sea Pilots" 50°24.0'N 3°26.5'W		
		(18/1591)99 Taunton)		
37061	14Ed. 6/18/94	LAST NM 9/99	31/99	
	Delete	Purple dashed line joining 50°25.90'N 3°25.85'W 50°25.40'N 3°25.85'W 50°25.40'N 3°22.75'W 50°25.90'N 3°22.75'W		
		Purple dashed line between 50°27.40'N 3°25.85'W 50°27.40'N 3°22.75'W		
	Relocate	Pilot station symbol from 50°23.90'N 3°26.50'W to 50°25.00'N 3°25.60'W		
	Add	Purple dashed line joining 50°27.40'N 3°25.85'W 50°27.90'N 3°25.85'W 50°27.90'N 3°22.75'W 50°27.40'N 3°22.75'W		
		Purple dashed line between 50°25.90'N 3°25.85'W 50°25.90'N 3°22.75'W		
		(18/1591)99 Taunton)		
37075	3Ed. 7/5/97	LAST NM 26/99	31/99	
	Relocate	Pilot station symbol from 50°24'00"N 3°26'18"W to 50°25'00"N 3°25'42"W		
		(18/1591)99 Taunton)		
37081	23Ed. 10/26/96	LAST NM 19/99	31/99	
	Add	Depth 30 meters Wk 50°29'39.0"N 1°19'06.6"W		
		Depth 25 meters Wk 50°28'32.4"N 0°52'53.4"W		
		Depth 29 meters Wk 50°27'48.0"N 1°18'49.2"W		
		Depth 24 meters Wk 50°27'12.0"N 1°08'23.4"W		
		Depth 24 meters Wk 50°27'29.4"N 1°06'59.4"W		
		(18/1592)99 Taunton)		
37086	8Ed. 2/27/99	LAST NM 24/99	31/99	
	Delete	Depth 2 meters "Obstn" 50°48'43.7"N 1°05'42.0"W		
	Add	Legend "Works in progress (1999)" 50°47'44.5"N 1°06'28.8"W		
		Legend "Works in progress (1999)" 50°48'46.2"N 1°05'39.6"W		
		(19/1689, 1690)99 Taunton)		
37087	7Ed. 3/6/99	LAST NM 24/99	31/99	
	Change	Characteristic of beacon "No. 1" to QG 50°50'20"N 1°18'39"W		
		Characteristic of beacon "No. 3" to Fl G 4s 50°50'27"N 1°18'42"W		
		Characteristic of beacon "No. 5" to Fl G 4s 50°50'32"N 1°18'44"W		
		Characteristic of beacon "No 6" to QR 50°50'37"N 1°18'51"W		
		Characteristic of beacon "No. 7" to QG 50°50'36"N 1°18'42"W		
		Characteristic of beacon "No. 9" to Fl G 4s 50°50'46"N 1°18'34"W		

(continued on next page)

51160 (Continued)
 35°54.2'N 5°38.4'W
 35°55.1'N 5°38.8'W
 35°55.6'N 5°38.8'W
 35°57.1'N 5°39.5'W
 35°59.3'N 5°39.6'W
 36°00.7'N 5°39.0'W
 36°01.2'N 5°38.3'W
 (Spn CH 105; Spn LL)

52039 3Ed. 7/1/95 LAST NM 30/99 31/99
 Change Light to Fl G 5s 13m 10M 35°53.8'N 5°18.6'W
 Characteristic of light to Fl(2+1) 36°10.9'N 6°02.2'W

Add "ANCHORING AND FISHING PROHIBITED (CABLES)" area bound by shore and purple composite line joining
 36°01.7'N 5°37.2'W
 36°02.5'N 5°37.8'W
 36°02.2'N 5°38.7'W
 36°01.7'N 5°39.3'W
 36°00.8'N 5°40.2'W
 35°59.1'N 5°41.5'W
 35°56.3'N 5°41.4'W
 35°56.1'N 5°41.1'W
 35°55.1'N 5°40.9'W
 35°53.5'N 5°40.1'W
 35°51.9'N 5°38.5'W
 35°50.1'N 5°37.3'W
 35°49.9'N 5°36.4'W
 35°50.7'N 5°36.4'W
 35°51.3'N 5°36.5'W
 35°51.9'N 5°36.5'W
 35°53.7'N 5°37.6'W
 35°54.2'N 5°38.4'W
 35°55.1'N 5°38.8'W
 35°55.6'N 5°38.8'W
 35°56.1'N 5°38.9'W
 35°57.1'N 5°39.5'W
 35°59.3'N 5°39.6'W
 36°00.7'N 5°39.0'W

Light Iso G 4s 11m 4M 35°45.1'N 5°20.2'W
 (Spn CH 105; Spn LL)

52040 17Ed. 9/27/86 LAST NM 26/99 31/99
 Add "ANCHORING AND FISHING PROHIBITED (CABLES)" area bound by shore and purple composite line joining
 36°01'41"N 5°37'23"W
 36°02'27"N 5°37'47"W
 36°02'10"N 5°38'44"W
 36°01'43"N 5°39'20"W
 36°00'50"N 5°40'00"W
 35°53'10"N 5°40'00"W
 35°51'52"N 5°38'28"W
 35°50'50"N 5°37'58"W
 35°50'06"N 5°37'20"W
 35°49'52"N 5°36'26"W
 35°52'37"N 5°36'53"W
 35°55'04"N 5°38'49"W
 35°56'07"N 5°38'54"W
 35°57'04"N 5°39'30"W
 35°59'55"N 5°39'38"W
 36°01'10"N 5°38'20"W

Note: Area extends beyond chart border
 (Spn CH 105)

52048 3Ed. 11/3/90 LAST NM 28/99 31/99
 Change Light to Fl G 5s 13m 10M 35°53'45.4"N 5°18'40.8"W
 (Spn LL)

54080 5Ed. 4/2/94 LAST NM 25/99 31/99
 Add Racon to platform "FPSO Firenze" 40°55.4'N 18°19.6'E
 (See 45/98-54080)
 (BA RA)

54090 2Ed. 3/14/98 LAST NM 25/99 31/99
 Add Racon to platform 40°55.4'N 18°19.6'E
 (See 45/98-54090)
 (BA RA)

54131 1Ed. 3/21/92 LAST NM 30/99 31/99
 Add Racon to platform 40°55.4'N 18°19.6'E
 (See 45/98-54131)
 (BA RA)

54260 3Ed. 6/4/83 LAST NM 25/99 31/99
 Add Racon to platform "FPSO Firenze" 40°55.2'N 18°19.5'E
 (See 45/98-54260)
 (BA RA)

54421 5Ed. 5/4/96 LAST NM 33/96 31/99
 Add Light Fl(2) 10s to beacon 36°42.8'N 28°55.2'E
 (Trk LL)

55040 3Ed. 5/29/82 LAST NM 37/96 31/99
 Change Lines 1 and 2 of Caution No. 2 to "Landing is prohibited on Sarosadalari and along the coasts of" 40°55.0'N 26°22.7'E

Add "Prohibited Area" bound by purple composite line joining
 40°28.0'N 28°27.0'E
 40°28.0'N 28°37.0'E
 40°37.0'N 28°37.0'E
 40°37.0'N 28°27.0'E
 (8(83)99 Istanbul)

55042 1Ed. 4/12/86 LAST NM 16/99 31/99
 Delete Legend "CAUTION NO 2" 40°32'00"N 28°30'00"E

Change Caution No. 2 of CAUTIONS note to "2. Reserved." 41°04'24"N 28°02'00"E

Add "Prohibited Area" bound by purple composite line joining
 40°28'00"N 28°32'12"E
 40°28'00"N 28°27'00"E
 40°37'00"N 28°27'00"E
 40°37'00"N 28°32'12"E

Note: Area extends beyond chart border
 (8(83)99 Istanbul)

55043 2Ed. 10/19/96 LAST NM 17/99 31/99
 (Plan D)
 Delete Legend "CAUTION NO 1" 40°32'00"N 28°34'30"E

Change Caution No. 1 of CAUTIONS note to "1. Reserved." 40°30'30"N 28°58'00"E

Add "Prohibited Area" bound by purple composite line joining
 40°28'00"N 28°29'40"E
 40°28'00"N 28°37'00"E
 40°37'00"N 28°37'00"E

Note: Area extends beyond chart border
 (8(83)99 Istanbul)

55046 4Ed. 11/30/96 LAST NM 52/98 31/99
 Delete Legend "CAUTION NO 1" 40°35'00"N 28°31'30"E

Change Caution No. 1 of CAUTIONS note to "1. Reserved." 40°32'48"N 29°19'00"E

Add "Prohibited Area" bound by purple composite line joining
 40°30'51"N 28°27'00"E
 40°37'00"N 28°27'00"E
 40°37'00"N 28°37'00"E
 40°30'51"N 28°37'00"E

Note: Area extends beyond chart border
 (8(83)99 Istanbul)

55049 6Ed. 8/24/96 LAST NM 17/99 31/99
 (Panel B)
 Add Land tint to area bound by shore and solid line (quay) between 40°44'54.6"N 29°49'55.8"E
 40°44'58.8"N 29°50'01.8"E
 (11(118)99 Istanbul)

56060 8Ed. 9/27/86 LAST NM 13/99 31/99
 Delete Buoy 31°52.0'N 34°33.4'E
 (18(1619)99 Taunton)

56065 3Ed. 5/18/96 LAST NM 12/99 31/99
 Delete Buoy 31°52.00'N 34°33.67'E
 (18(1619)99 Taunton)

63380 1Ed. 9/12/87 LAST NM 34/97 31/99
 Add Light Fl(2) 20s 11m 10M 10°59'12"N 92°40'06"E
 (8(158)98 Dehra Dun)

SECTION I

NM 31/99

63390	1Ed. 5/23/87 LAST NM 32/97	31/99	
Add	Light Fl(2) 15s 11m 10M (8(157)98 Dehra Dun)	7°55'48"N 93°34'12"E	
63400	1Ed. 3/10/90 LAST NM 19/99	31/99	
Add	Light symbol Light symbol (8(157, 158)98 Dehra Dun)	7°55.8'N 93°34.2'E 10°59.2'N 92°40.0'E	
71009	3Ed. 8/10/85 LAST NM 20/99	31/99	
Change	Light to Fl 2s 391ft 12M (40(348)98 Jakarta)	0°38.5'S 98°30.5'E	
★71027	9Ed. 9/19/98 NEW EDITION	31/99	
Change	Designation of platform to "M3 DR-A" (Previously published 5/99)	5°08.3'N 111°49.1'E	
Add	Light symbol (Previously published 5/99)	1°48.3'N 110°20.1'E	
Delete	Platform "Rep (1993)" (Previously published 15/99)	4°26.0'N 105°56.0'E	
Delete	Platform	5°21.9'N 111°52.0'E	
	Purple composite line area and legend "RESTRICTED AREA" in vicinity	5°13.5'N 105°36.0'E	
	Purple composite line between	5°13.0'N 105°32.8'E 5°15.3'N 105°34.8'E	
Add	Purple composite line joining	5°13.0'N 105°32.8'E 5°12.0'N 105°36.0'E 5°13.2'N 105°37.0'E 5°15.3'N 105°34.8'E	
	(NIMA; 26(1884)91, 20(1745)98 Taunton)		
★71050	2Ed. 5/1/99 NEW EDITION	31/99	
	(NIMA)		
71247	17Ed. 12/25/93 LAST NM 16/99	31/99	
Change	Visibility (range) of light to 20M (4(374)99 Taunton)	1°18'32.8"N 103°55'58.1"E	
71255	4Ed. 7/10/93 LAST NM 15/99	31/99	
Change	Visibility (range) of light to 20M (4(373)99 Taunton)	1°14'22.9"N 103°38'52.9"E	
71257	2Ed. 6/29/96 LAST NM 16/99	31/99	
Change	Visibility (range) of light to 20M (4(373)99 Taunton)	1°14'24"N 103°38'53"E	
71259	2Ed. 2/27/99 LAST NM 29/99	31/99	
Change	Visibility (range) of light to 20M Visibility (range) of light to 20M (4(374, 376)99 Taunton)	1°18'33"N 103°58'56"E 1°19'48"N 104°24'20"E	
★71262	7Ed. 4/3/99 NEW EDITION	31/99	
	(NIMA)		
71265	2Ed. 2/10/96 LAST NM 21/99	31/99	
Change	Visibility (range) of light to 20M Visibility (range) of light to 20M Visibility (range) of light to 20M Visibility (range) of light to 20M (4(372-374, 376)99 Taunton)	1°28'12"N 103°15'22"E 1°14'24"N 103°38'48"E 1°18'33"N 103°56'00"E 1°19'48"N 104°24'24"E	
71275	2Ed. 12/26/98 LAST NM 21/99	31/99	
Change	Visibility (range) of light to 20M (4(372)99 Taunton)	1°28'12"N 103°15'24"E	
★71348	3Ed. 5/1/99 NEW EDITION	31/99	
	(NIMA)		
71430	2Ed. 9/9/95 LAST NM 14/98	31/99	
Change	Visibility (range) of light to 20M (4(376)99 Taunton)	1°19.8'N 104°24.4'E	
71440	1Ed. 8/29/87 LAST NM 48/98	31/99	
Change	Visibility (range) of light to 20M Visibility (range) of light to 20M (4(374, 376)99 Taunton)	1°18.5'N 103°56.0'E 1°19.8'N 104°24.4'E	
74182	12Ed. 2/13/99 LAST NM 26/99	31/99	
Delete	Dangerous wreck and buoy (See 22/99-74182) (6(189)99 Wollongong)	27°34'14"S 153°18'46"E	
74190	7Ed. 6/14/97 LAST NM 40/98	31/99	
Add	Dangerous wreck (6(191)99 Wollongong)	25°48.2'S 153°06.7'E	
74206	2Ed. 5/2/98 LAST NM 19/99	31/99	
Add	(Plan B) Legend "Works in Progress (1999)" (6(196)99 Wollongong)	23°47'10.0"S 151°10'27.0"E	
74240	8Ed. 7/22/95 LAST NM 18/99	31/99	
Delete	Wreck (Supersedes 47/98-74240) (6(197)99 Wollongong)	18°38.3'S 146°49.5'E	
74550	4Ed. 6/14/97 LAST NM 34/97	31/99	
Delete	Depth 6.4 meters	29°09.8'S 114°50.0'E	
Substitute	Depth 5.2 meters for 5.6 meters	29°12.7'S 114°52.7'E	
Add	Depth 4.5 meters (6(181)99 Wollongong)	29°10.2'S 114°49.9'E	
74560	10Ed. 7/18/98 LAST NM 45/98	31/99	
Delete	Depth 6.4 meters	29°09.8'S 114°50.0'E	
Substitute	Depth 5.2 meters for 5.6 meters	29°12.7'S 114°52.7'E	
Add	Depth 4.5 meters (6(181)99 Wollongong)	29°10.2'S 114°49.9'E	
74561	2Ed. 4/12/97 LAST NM 23/97	31/99	
Delete	Depth 6.4 meters	29°09'48"S 114°49'58"E	
Substitute	Depth 5.2 meters for 5.6 meters	29°12'44"S 114°52'41"E	
Add	Depth 4.5 meters (6(181)99 Wollongong)	29°10'11"S 114°49'53"E	
74582	9Ed. 2/10/96 LAST NM 35/98	31/99	
Substitute	Buoy Y, can, "X" topmark, QY for depth 1.3 meters Obstn (6(182)99 Wollongong)	32°03'13.1"S 115°43'59.4"E	
75130	16Ed. 8/26/95 LAST NM 39/98	31/99	
Change	Light to Q Height of light to 12m (6(184), 8(246)99 Wollongong)	35°39.4'S 137°38.7'E 35°43.2'S 137°56.9'E	
94188	2Ed. 5/25/96 LAST NM 15/98	31/99	
Add	Legend "Works in progress (1998)" (10(957)99 Taunton)	29°56'00"N 121°54'06"E	
94207	5Ed. 4/6/96 LAST NM N17/99	N31/99	
Add	Legend "Works in progress (1998)" (10(957)99 Taunton)	29°56'00"N 121°54'06"E	
95016	8Ed. 12/16/95 LAST NM 21/99	30/99	
Substitute	Depth 24 meters Rk for 28 meters (23(969)99 Tokyo)	37°37.9'N 137°23.9'E	

