

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
715	<i>Nantucket Traffic Lane Lighted Whistle Buoy NB</i>	40 26 24 N 73 38 48 W	FI Y 4s		6	Yellow.	
		*					46/99
720	Ambrose Light	40 27 00 N 73 48 00 W	FI W 5s	77	18	Tower on red square worded AMBROSE.	Emergency light of reduced intensity when main light is extinguished. Obstruction lights showing FI W from all four corners. Piles floodlighted from sunset to sunrise. RACON: N (-•). HORN: 1 blast ev 15s (2s bl).
		*		*	*	*	46/99
735	<i>Barneгат Traffic Lane Lighted Whistle Buoy BA</i>	40 19 54 N 73 47 36 W	FI Y 6s		7	Yellow.	
		*					46/99
Marblehead Channel							
10455	Kettlebottom Daybeacon 1					SG on pile.	
	*					*	46/99
*13173	<i>Cape Cod Wreck Lighted Buoy WR1</i>	41 49 42 N 20 08 36 W	FI W 2.5s		5	Black and red with two black spherical topmarks.	
							46/99

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7585	<i>USN Aerial Gunnery Area Lighted Bell Buoy D</i>	38 13 06 N 76 19 12 W	FI Y 2.5s		4	Yellow.	Replaced by nun when endangered by ice.
		*					46/99
7800	<i>Chesapeake Channel Lighted Buoy 88</i>	38 56 06 N 76 22 54 W	FI R 2.5s		4	Red.	Removed from station when endangered by ice.
					*		46/99
17000	Potomac River Buoy 12	38 12 18 N 77 40 00 W				Red nun.	
		*					46/99
EASTERN BAY AND SOUTH RIVER (Chart 12270)							
West River							
19450	SAUNDERS POINT SHOAL JUNCTION LIGHT	38 52 54 N 76 28 36 W	FI (2+1) R 6s	10	4	JR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
	*						46/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
19455	Saunders Point Warning Daybeacon 10 yards, 140° from wreck.	38 52 54 N 76 28 54 W				NW on pile.	
	*						46/99
Locust Point West Channel							
21240	- Buoy 1LW	39 15 24 N 76 35 54 W				Green can.	
		*					46/99
21245	- Buoy 2	39 15 24 N 76 35 42 W				Red nun.	
		*					46/99
24815	Sharps Island Junction Buoy SI	38 38 06 N 76 20 42 W				Green with red band; can.	
		*					46/99
24965	- Lighted Buoy 19		FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
				*	*		46/99
25030	- Lighted Buoy 1		FI G 4s		4	Green.	Replaced by can when endangered by ice.
					*		46/99
Eastern Bay							
26000	- Lighted Bell Buoy 1	38 49 06 N 76 22 06 W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
		*					46/99
*Add Heading: *Fountain Powerboats Factory							
*33367.1	- LIGHT 1F	35 31 48 N 77 02 36 W	FI G 4s	13		SG on pile.	Private aid.
							46/99
*33367.2	- Daybeacon 3					SG on pile.	Private aid.
							46/99
*33367.3	- Daybeacon 4					TR on pile.	Private aid.
							46/99
*33367.4	- Daybeacon 5					SG on pile.	Private aid.
							46/99
*33367.5	- Daybeacon 6					TR on pile.	Private aid.
							46/99
*33367.6	- Daybeacon 7					SG on pile.	Private aid.
							46/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*33367.7	- Daybeacon 8					TR on pile.	Private aid. 46/99
*33367.8	- Daybeacon 9					SG on pile.	Private aid. 46/99
*33367.9	- Daybeacon 10					TR on pile.	Private aid. 46/99
	*Add Heading: *Pamlico River						
33370	- CHANNEL LIGHT 19 25 feet outside channel limit.		FI G 2.5s	16	3	SG on slatted pile structure.	 46/99

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1335 21460	<i>Big Sarasota Pass Lighted Buoy 1</i>	27 15 36 N 82 33 48 W	FI G 4s		4	Green.	 46/99
		*					
1345 21585	<i>NEW PASS ENTRANCE LIGHT 2</i>	27 18 54 N 82 35 54 W	FI R 4s	16	4	TR on pile.	 46/99
	*	*		*		*	
	Big Sarasota Pass						
21460 1335	<i>- Lighted Buoy 1</i>	27 15 36 N 82 33 48 W	FI G 4s	16	4	Green.	 46/99
		*					
	New Pass						
21585 1345	<i>- ENTRANCE LIGHT 2</i>	27 18 54 N 82 35 54 W	FI R 4s	16	4	TR on pile.	 46/99
	*	*		*		*	
*21757	- Daybeacon 1					SG on pile.	 46/99

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9860	- LIGHT 5	30 15 36 N 89 56 54 W	FI G 2.5s	17	4	SG on pile.	Ra ref. 46/99
		*				*	*

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Delete Headings: *CHANDELEUR AND BRETON SOUNDS (Chart 11363) *Breton Sound *Breton Sound Gas Field Channel							
11175	- ENTRANCE LIGHT 1						Remove from list. * 46/99
11180	- Daybeacon 3						Remove from list. * 46/99
11185	- Daybeacon 5						Remove from list. * 46/99
11190	- Daybeacon 7						Remove from list. * 46/99
11195	- Daybeacon 9						Remove from list. * 46/99
11200	- Daybeacon 11						Remove from list. * 46/99
11205	- Daybeacon 13						Remove from list. * 46/99
11210	- Daybeacon 15						Remove from list. * 46/99
11215	- Daybeacon 17						Remove from list. * 46/99
11220	- Daybeacon 19						Remove from list. * 46/99
11225	- Daybeacon 21						Remove from list. * 46/99
11230	- Daybeacon 23						Remove from list. * 46/99
11235	- Daybeacon 25						Remove from list. * 46/99
11240	- Daybeacon 27						Remove from list. * 46/99
11245	- Daybeacon 29						Remove from list. * 46/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
 Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
11250	- Daybeacon 31						<i>Remove from list.</i>
							* 46/99
11255	- Daybeacon 33						<i>Remove from list.</i>
							* 46/99
11260	- Daybeacon 35						<i>Remove from list.</i>
							* 46/99
11265	- Daybeacon 37						<i>Remove from list.</i>
							* 46/99
11270	- Daybeacon 39						<i>Remove from list.</i>
							* 46/99
11275	- Daybeacon 41						<i>Remove from list.</i>
							* 46/99
11280	- Daybeacon 43						<i>Remove from list.</i>
							* 46/99
11285	- Daybeacon 45						<i>Remove from list.</i>
							* 46/99
11290	- Daybeacon 47						<i>Remove from list.</i>
							* 46/99
11295	- Buoy 49						<i>Remove from list.</i>
							* 46/99
11300	- Buoy 51						<i>Remove from list.</i>
							* 46/99
11305	- Buoy 52						<i>Remove from list.</i>
							* 46/99
	*Change Headings to Read: *CHANDELEUR AND BRETON SOUNDS (Chart 11363) *Breton Sound						
11475	BRETON ISLAND LIGHT	29 29 06 N 89 09 42 W	FI W 4s	35		On pipe.	Private aid.
							46/99
	*Delete Heading: *Freeport Sulphur Mine						
11480	- Buoy A						<i>Remove from list.</i>
							* 46/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Delete Heading: *Breton Sound							
11485	- Buoy B						<i>Remove from list.</i> * 46/99
11490	- Buoy C						<i>Remove from list.</i> * 46/99
11495	- Lighted Buoy D						<i>Remove from list.</i> * 46/99
17430	CAILLOU BAY LIGHT 4	29 07 00 N 90 54 42 W	F I R 4s	17	4	TR on pile.	Ra ref. * 46/99
Bayou Grand Caillou							
17440	- ENTRANCE LIGHT 1	29 09 06 N 90 58 54 W	F I G 6s	17	4	SG on pile.	Ra ref. * 46/99
20235	- Daybeacon 4	29 59 18 N 92 47 36 W				TR on pile.	Ra ref. * 46/99
22395	- LIGHT 30	30 01 00 N 93 57 42 W	Q R	17	4	TR on pile.	Ra ref. * 46/99
25895	- Daybeacon 7 Mile 6.9.	28 45 30 N 96 00 00 W				SG on pile.	Ra ref. * 46/99
26215	LAVACA PIPELINE LIGHT A	28 33 12 N 96 30 18 W	F I G 4s	15		On dolphin.	Private aid. * 46/99
26220	LAVACA PIPELINE LIGHT B		F I R 4s	15		On dolphin.	Private aid. * 46/99
33722.1	- Daybeacon 1						<i>Remove from list.</i> * 46/99
*Add Heading: *Gibbstown							
33722.2	- Daybeacon 2					TR-TY on pile.	46/99
33722.3	- Daybeacon 3						<i>Remove from list.</i> * 46/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
33722.5	- Daybeacon 5						<i>Remove from list.</i>
							* 46/99

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12295	- Buoy 29	45 39 54 N 120 51 54 W				Green can.	
		*					46/99
28576	CAPE HALAWA LIGHT	21 09 33 N 156 42 45 W	FI W 2.5s	321	6	Steel pole on concrete base.	Obscured from 350° to 140°.
				*			46/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.