

CHART 57472

NM 13/00

CAUTION

Crayfishing occurs within three miles of the coast from 1 November to 30 June. Fish traps are marked by floating recovery lines and unlit buoys. Mariners should be particularly vigilant at night as small, poorly lit fishing vessels at anchor or adrift may be encountered.

CHART 57483

NM 13/00

CAUTION

Crayfishing occurs within three miles of the coast from 1 November to 30 June. Fish traps are marked by floating recovery lines and unlit buoys. Mariners should be particularly vigilant at night as small, poorly lit fishing vessels at anchor or adrift may be encountered.

CHART 57484

NM 13/00

CAUTION

Crayfishing occurs within three miles of the coast from 1 November to 30 June. Fish traps are marked by floating recovery lines and unlit buoys. Mariners should be particularly vigilant at night as small, poorly lit fishing vessels at anchor or adrift may be encountered.

CHART 11516

NM 13/00

PORT ROYAL SOUND AND BEAUFORT RIVER CHANNEL DEPTHS TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF MAY 1999 AND SURVEYS TO MAY 1999								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
ENTRANCE CHANNEL	24.6	26.1	22.2	17.0	4-99	500	4.2	27
BAYPOINT REACH	26.5	26.5	28.2	29.1	3-84	500	6.3	27
FORT FREMONT REACH	25.0	25.2	24.4	24.2	3-84	300	3.3	24
COWEN REACH	23.3	23.6	24.5	22.5	9-85	300	1.8	24
CAT ISLAND REACH	23.7	23.9	24.3	22.0	4-99	300	1.4	24
PORT ROYAL REACH	22.5	24.2	24.4	23.6	4-99	300	0.98	24
TURNING BASIN	25.7	25.9	26.6	26.4	4-99	600	0.2	27

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

SECTION I

NM 13/00

CHART 11532

NM 13/00

WINYAH BAY AND GEORGETOWN HARBOR								
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF OCT 1999 AND SURVEYS TO JAN 1999								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
ENTRANCE CHANNEL	25.8	25.8	25.6	22.8	12-98	600	2.0	27
RANGE B	25.5	28.9	29.0	25.7	12-98	600	0.9	27
SOUTH ISLAND BEND	32.1	31.6	28.2	23.2	12-98; 1-99	600	1.2	27
RANGE C	23.1	24.2	28.3	29.5	1-99	400	1.4	27
RANGE D	28.7	28.6	28.8	27.4	1-99	300	1.5	27
RANGE E	20.8	25.0	24.7	24.4	11-98; 1-99	300	4.6	27
FRAZIER PT. BEND	29.2	28.5	27.5	28.7	9, 11-98	300-700	1.0	27
RABBIT ISLAND CHANNEL	28.6	28.0	27.0	25.4	9, 11-98	300-500	1.8	27
SAMPIT PT. CHANNEL	15.5	18.8	20.9	20.5	11-98	300-700	0.7	27

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

CHART 18652 (PAGE E)

NM 13/00

SUISUN BAY AND SAN JOAQUIN RIVER								
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO DEC 1999								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)	
SUISUN PT. REACH	45.2	45.8	47.9	11,12-97	300	0.8	35	
BULLS HEAD CHANNEL	31.1	32.8	34.7	11,12-97	300-350	1.2	35	
EAST BULLS HEAD CHANNEL	33.1	32.2	32.1	8-99	350	1.1	35	
PT. EDITH CROSSING RANGE	38.0	34.5	24.8	8-99	350	1.1	35	
PRESTON PT. REACH	36.0	34.5	25.3	8-99	350	0.9	35	
ROE ISLAND CHANNEL	32.3	33.5	32.9	8,11-99	350	1.1	35	
PORT CHICAGO REACH	37.2	36.9	36.7	11-99	350	0.52	35	
MIDDLE GROUND CHANNEL								
WEST REACH	35.6	36.2	35.6	11-99	350	1.29	35	
EAST REACH	35.0	36.1	34.5	11-99	350	1.09	35	
NEW YORK SLOUGH								
WEST REACH	26.9	31.3	34.4	12-99	400	1.3	35	
EAST REACH	31.2	31.7	28.4	3-99/12-99	400	1.7	35	
SAN JOAQUIN RIVER								
ANTIOCH REACH	30.1	31.3	30.1	3-99	400	3.3	35	

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

CHART 18656

NM 13/00

SUISUN BAY								
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO DEC 1999								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)	
SUISUN PT. REACH	45.2	45.8	47.9	11,12-97	300	0.8	35	
BULLS HEAD CHANNEL	31.1	32.8	34.7	11,12-97	300-350	1.2	35	
EAST BULLS HEAD CHANNEL	33.1	32.2	32.1	8-99	350	1.1	35	
PT. EDITH CROSSING RANGE	38.0	34.5	24.8	8-99	350	1.1	35	
PRESTON PT. REACH	36.0	34.5	25.3	8-99	350	0.9	35	
ROE ISLAND CHANNEL	32.3	33.5	32.9	8,11-99	350	1.1	35	
PORT CHICAGO REACH	37.2	36.9	36.7	11-99	350	0.52	35	
MIDDLE GROUND CHANNEL								
WEST REACH	35.6	36.2	35.6	11-99	350	1.29	35	
EAST REACH	35.0	36.1	34.5	11,12-97/11-99	350	1.09	35	
NEW YORK SLOUGH								
WEST REACH	26.9	31.3	34.4	12-99	400	1.3	35	
EAST REACH	31.2	31.7	28.4	3-99/12-99	400	1.7	35	

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

SECTION I

NM 13/00

CHART 18657

NM 13/00

SUISUN BAY							
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO AUG 1999							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
SUISUN PT. REACH	45.2	45.8	47.9	11,12-97	300	0.8	35
BULLS HEAD CHANNEL	31.1	32.8	34.7	11,12-97	300-350	1.2	35
EAST BULLS HEAD CHANNEL	33.1	32.2	32.1	8-99	350	1.1	35
PT. EDITH CROSSING RANGE	36.0	34.5	24.8	8-99	350	1.1	35

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

CHART 18658

NM 13/00

SUISUN BAY							
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO NOV 1999							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
EAST BULLS HEAD CHANNEL	33.1	32.2	32.1	8-99	350	1.1	35
PT. EDITH CROSSING RANGE	36.0	34.5	24.8	8-99	350	1.1	35
PRESTON PT. REACH	36.0	34.5	25.3	8-99	350	0.9	35
ROE ISLAND CHANNEL	32.3	33.5	32.9	8,11-99	350	1.1	35
PORT CHICAGO REACH	37.2	36.9	36.7	11-99	350	0.52	35
MIDDLE GROUND CHANNEL							
WEST REACH	35.6	36.2	35.6	11-99	350	1.29	35
EAST REACH	35.0	36.1	34.5	11,12-97; 11-99	350	1.09	35

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

CHART 18659

NM 13/00

SUISUN BAY							
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO DEC 1999							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
NEW YORK SLOUGH							
WEST REACH	28.9	31.3	34.4	12-99	400	1.3	35
EAST REACH	31.2	31.7	28.4	3-99/12-99	400	1.7	35

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION