

SECTION I

NM 22/00

CHART 11441

NM 22/00

KEY WEST HARBOR CHANNEL DEPTHS							
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF JAN 2000 AND SURVEYS TO OCT 1999							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
MAIN CHANNEL RANGE	33.9	33.7	33.3	10-99	300	2.68	34
CUT A RANGE	33.1	33.9	33.2	10-99	800	1.03	34
CUT B RANGE	29.5	34.9	34.8	10-99	800-300	1.16	34
THENCE TO BUOY 23	34.3	34.0	34.2	10-99	300	.75	34
BUOY 23 TO TURNING BASIN	31.4	31.7	31.2	10-99	300	.24	30
KEY WEST BIGHT CHANNEL	18.7	17.0	16.1	10-99	150	.50	12
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION							

CHART 11447

NM 22/00

KEY WEST HARBOR CHANNEL DEPTHS							
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF JAN 2000 AND SURVEYS TO OCT 1999							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
MAIN CHANNEL RANGE	33.9	33.7	33.3	10-99	300	2.68	34
CUT A RANGE	33.1	33.9	33.2	10-99	800	1.03	34
CUT B RANGE	29.5	34.9	34.8	10-99	800-300	1.16	34
THENCE TO BUOY 23	34.3	34.0	34.2	10-99	300	.75	34
BUOY 23 TO TURNING BASIN	31.4	31.7	31.2	10-99	300	.24	30
KEY WEST BIGHT CHANNEL	18.7	17.0	16.1	10-99	150	.50	12
TURNING BASIN	13.8	15.0	15.0	10-99	125-300	.10	12
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION							

CHART 11532

NM 22/00

WINYAH BAY AND GEORGETOWN HARBOR								
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF MAR 2000 AND SURVEYS TO FEB 2000								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS			
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
ENTRANCE CHANNEL	27.0	27.8	28.0	16.1	1,2-00	600	2.0	28
RANGE B	26.2	30.6	30.2	28.4	1,2-00	600	0.9	28
SOUTH ISLAND BEND	31.1	30.0	28.5	26.5	12-98; 2-00	600	1.2	29
RANGE C	25.2	26.9	26.6	29.4	12-98; 1-00	400	1.4	28
RANGE D	28.7	28.6	28.8	27.4	1-99	300	1.5	27
RANGE E	24.9	26.2	26.0	25.3	9-98; 1-00	300	4.6	27
FRAZIER PT. BEND	29.2	28.5	27.5	28.7	9, 11-98	300-700	1.0	27
RABBIT ISLAND CHANNEL	28.6	28.0	27.0	25.4	9, 11-98	300-500	1.8	27
SAMPIT PT. CHANNEL	15.5	18.8	20.9	20.5	11-98	300-700	0.7	27
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION								

CHART 62395

NM 22/00

INTAKE PIPELINES

Mariners are warned that charted depths may be reduced by the presence of three 2 meter diameter submarine intake pipelines along the route indicated. Furthermore, mariners should not anchor or trawl in the vicinity of these pipelines; they may risk prosecution if damage is caused.