

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2000

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4480	Long Cove Ledge Isolated Danger Buoy DLC					Black over red with two black spherical topmarks.	
	*						19/01
	Muscongus Bay Approach						
4960	Moser Ledge Isolated Danger Buoy DM South of ledge.	43 48 40 N 69 25 44 W				Black and red with two black spherical topmarks.	
						*	19/01
23945	Quarry Range Rear Daybeacon					KRW on skeleton tower.	Private aid.
						*	19/01
	*Delete Heading: *Shelter Island Sound South Channel						
28230	- Buoy 2 On east point of bar.						<i>Remove from list.</i>
							* 19/01
	*Add Heading: *Shelter Island Sound South Channel						
28235	- Buoy 1					Green can.	
							19/01
*28242	Nicoll Point Rock Buoy					White can with orange bands.	
							19/01
29260	- Lighted Buoy 10	40 39 03 N 73 10 57 W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
		*					19/01
30495	- Buoy 3						<i>Remove from list.</i>
							* 19/01
30505	- Buoy 6						<i>Remove from list.</i>
							* 19/01
30525	- Lighted Buoy 6						<i>Remove from list.</i>
							* 19/01
30530	- Buoy 8						<i>Remove from list.</i>
							* 19/01
36760	- Channel Lighted Buoy 15		FI G 2.5s		4	Green.	
						*	19/01
36780	- Channel Lighted Buoy 20		FI R 2.5s		4	Red.	
						*	19/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2000

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
36845	- <i>Channel Lighted Buoy 43</i>	40 37 24 N 74 12 16 W	FI G 4s		4	Green.	19/01
		*					

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*347	<i>Navy Surface Gunnery Area 8 Lighted Buoy GA</i>	37 12 00 N 74 52 00 W	FI Y 4s		5	Yellow	19/01
465	- <i>Lighted Buoy 11</i>	36 53 07 N 75 53 19 W	FI G 2.5s		4	Green.	11/01
		*					
480	- <i>Lighted Buoy 14</i>	36 54 12 N 75 54 10 W	FI R 4s		4	Red.	11/01
		*					
500	<i>Rudee Inlet Lighted Whistle Buoy RI</i>	36 49 47 N 75 56 57 W	Mo (A) W		5	Red and white stripes.	11/01
		*					
975	- Buoy 16					Red nun.	Maintained from May 1 to Nov. 15. * 15/01
985	- Buoy 18 Marks submerged piles.					Red nun.	Maintained from May 1 to Nov. 15. * 15/01
987	- Buoy 18A						Remove from list. * 15/01
995	- Buoy 20					Red nun.	Maintained from May 1 to Nov. 15. * 15/01
1290	- <i>Lighted Buoy GH</i>	39 18 10 N 74 32 40 W	FI (2+1) R 6s		4	Red.	14/01
		*					
1575	Fourteen Foot Bank Light	39 02 54 N 75 11 00 W	FI (2) W 20s (R sector) 2s fl 2s ec. 2s fl 14s ec.	59	W 15 R 12	White tower and dwelling on black cylindrical pier.	Red from 332°.5 to 151°, covers Brown and Joe Flogger Shoals. HORN: 1 blast ev 30s (3s bl). Maintained from Mar. 15 to Dec. 15. * 15/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2305	- RANGE FRONT LIGHT	39 03 30 N 75 23 48 W	FI G 2.5s	25		On dolphin. On same structure as Murderkill River Light 7.	Visible all around; higher intensity on rangeline. Lighted throughout 24 hours.
	*		*		*	*	19/01
*2306	- LIGHT 7	39 03 30 N 75 23 48 W	FI G 2.5s	25	5	SG on dolphin. On same structure as Murderkill River Range Front Light.	
							19/01
	Bulkhead Shoal Channel						
2765	- RANGE FRONT LIGHT		Q W	37		KRW on orange skeleton structure.	Lighted throughout 24 hours. Private aid.
						*	* 19/01
2770	- RANGE REAR LIGHT 1,000 yards, 306° from front light.		F W	71		KRW on orange skeleton structure.	Lighted throughout 24 hours. Private aid.
						*	* 19/01
2880	- FRONT LIGHT	39 39 18 N 75 34 24 W	Iso R 2s	42		On black skeleton tower on small white house.	Visible on range line only. Lighted throughout 24 hours.
			*				17/01
2975	- FRONT LIGHT	39 45 00 N 75 29 42 W	Iso R 2s	38		On skeleton tower.	Visible on range line only. Lighted throughout 24 hours.
			*				17/01
3250	CHESTER INTAKE LIGHT Marks water intake.	39 50 30 N 75 21 24 W	Oc Y 1.5s	16		On pile.	Private aid.
						*	17/01
3285	TINICUM RANGE FRONT LIGHT	39 50 54 N 75 15 12 W	Iso R 2s	38		White square framework tower, concrete base.	Visible on range line only. Lighted throughout 24 hours.
			*				17/01
	Mifflin Range						
3370	- FRONT LIGHT	39 50 54 N 75 15 12 W	Iso G 2s	48		On same structure as Tinicum Range Front Light.	Visible on range line only. Lighted throughout 24 hours.
			*				17/01
3577	<i>Pier 34 Wreck Lighted Buoy WR3</i>		Q G			Green.	Private aid.
			*				19/01
3880	BEVERLY UPPER RANGE FRONT LIGHT	40 04 13 N 74 54 09 W	Q W	25		KRW on white skeleton tower.	Visible on range line only.
		*					19/01
4105	FLORENCE UPPER RANGE REAR LIGHT 283 yards, 111° from front light.		Oc W 4s	49		KRW on skeleton tower.	Visible on range line only. Lighted throughout 24 hours.
	*						19/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5310	- Lighted Buoy 10	37 52 45 N 75 24 54 W	Q R		3	Red.	
	*	*					19/01
7050	- Lighted Buoy 4 75 feet outside channel limit.		F I R 4s		4	Red.	13/01
7290	RAPPAHANNOCK SHOAL CHANNEL SOUTH RANGE FRONT LIGHT	37 32 18 N 76 00 54 W	F W	31		Red monopod with white equipment hut on top.	Lighted throughout 24 hours.
			*	*	*		* 19/01
*7291	RAPPAHANNOCK SHOAL CHANNEL SOUTH RANGE FRONT PASSING LIGHT		Q W	33	5	On same structure as Rappahannock Shoal Channel South Range Front Light.	19/01
7295	RAPPAHANNOCK SHOAL CHANNEL SOUTH RANGE REAR LIGHT 7,300 yards, 140° from front light.		F W	220		On skeleton tower on caisson.	Lighted throughout 24 hours.
			*	*	*		* 19/01
*7296	RAPPAHANNOCK SHOAL CHANNEL SOUTH RANGE REAR PASSING LIGHT		Q W	33	5	On same structure as Rappahannock Shoal Channel South Range Light.	19/01
7515	- Lighted Bell Buoy 68		F I R 2.5s		4	Red.	Replaced by nun when endangered by ice. RACON: X(-••-) * 15/01
7670	Chesapeake Bay Buoy 77A	38 28 34 N 76 27 17 W				Green can.	17/01
		*					17/01
SANDY POINT TO SUSQUEHANNA RIVER (Chart 12273)							
Craighill Channel							
<i>Channel buoys located 75 feet outside channel limit.</i>							
7995	- ENTRANCE RANGE FRONT LIGHT	39 06 07 N 76 24 23 W	Oc W 4s	24		On multi-pile.	Lighted throughout 24 hours. Visible all around; higher intensity on range line.
			*	*			* 19/01
8050	- RANGE REAR LIGHT 4800 yards, 000° from front light.		F W	105		Square, pyramidal tower lower part white, upper part brown.	Lighted throughout 24 hours. * 19/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8220	- RANGE FRONT LIGHT	39 15 48 N 76 34 42 W	Iso G 6s	41		On skeleton tower.	Lighted throughout 24 hours. * 19/01
8225	- RANGE REAR LIGHT 1,840 yards, 320.5° from front light.		Iso R 10s	113		On skeleton tower.	Lighted throughout 24 hours. * 19/01
8325	SWAN POINT NORTH RANGE FRONT LIGHT	39 07 12 N 76 16 36 W	Iso W 6s	18		White cylindrical house on dolphin.	Visible all around; higher intensity on rangeline. Lighted throughout 24 hours. * 19/01
8330	SWAN POINT NORTH RANGE REAR LIGHT 1,306 yards, 035° from front light.		F W	52		White cylindrical house on skeletal tower.	Visible all around; higher intensity on rangeline. Lighted throughout 24 hours. * 19/01
8390	- RANGE FRONT LIGHT	39 07 42 N 76 16 18 W	F R	30		White cylindrical house on skeletal tower. On same structure as Swan Point North Range Rear Light.	Lighted throughout 24 hours. * 19/01
8395	- RANGE REAR LIGHT 3,850 yards, 111° from front light.		F W	110		On skeleton tower.	Lighted throughout 24 hours. * 19/01
8410	- <i>Lighted Buoy 4</i>	39 09 15 N 76 21 04 W	FI R 4s		4	Red.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15. * 14/01
8555	POOLES ISLAND SOUTH RANGE FRONT LIGHT	39 17 30 N 76 14 12 W	Q W	37		On caisson.	Lighted throughout 24 hours. Visible all around; higher intensity on rangeline. * 19/01
8560	POOLES ISLAND SOUTH RANGE REAR LIGHT 1,183 yards, 000° from front light.		Oc W 4s	72		On skeleton tower on caisson.	Lighted throughout 24 hours. * 19/01
*8561	POOLES ISLAND SOUTH RANGE REAR PASSING LIGHTS (2)		FI W 4s	46	5	On same structure as Pooles Island South Range Rear Light.	19/01
8595	- RANGE FRONT LIGHT	39 19 12 N 76 13 00 W	FI W 2.5s	35		On caisson.	Lighted throughout 24 hours. Visible all around; higher intensity on range line. * 19/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8600	- RANGE REAR LIGHT 864 yards, 013° from front light.		Oc W 4s	61		On skeleton tower on caisson.	Lighted throughout 24 hours.
			*	*	*		* 19/01
*8601	- RANGE REAR PASSING LIGHT		Oc W 4s	35	4	On same structure as Upper Chesapeake Channel Range Rear Light.	19/01
8615	- Lighted Buoy 37		FI G 6s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
							* 19/01
8620	- Lighted Buoy 38		FI R 6s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
							* 19/01
8630	- Lighted Buoy 40		Q R		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
							* 19/01
8635	- Lighted Buoy 41		Q G		4	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
							* 19/01
8640	- Lighted Buoy 42		FI R 2.5s		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
							* 19/01
8695	POOLES ISLAND NORTH RANGE FRONT LIGHT	39 18 18 N 76 13 24 W	FI W 2.5s	33		On caisson.	Lighted throughout 24 hours. Visible all around; higher intensity on range line.
			*	*	*		* 19/01
8700	POOLES ISLAND NORTH RANGE REAR LIGHT 1,221 yards, 226° from front light.		Oc W 4s	72		On skeleton tower on caisson.	Lighted throughout 24 hours.
			*	*	*		* 19/01
*8701	POOLES ISLAND NORTH RANGE REAR PASSING LIGHTS		FI W 4s	46	5	On same structure as Pooles Island North Range Rear Light.	19/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8770	- Lighted Buoy 44		Q R		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
8780	- Lighted Buoy 45		FI G 4s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
8785	- Lighted Buoy 46		FI R 4s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
8795	- Lighted Buoy 49		FI G 2.5s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
8800	- Lighted Buoy 50	39 20 51 N 76 10 14 W	FI R 2.5s		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
8860	- Lighted Buoy 51	*	FI G 4s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
8865	- Lighted Buoy 52		FI R 4s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
8870	- Lighted Buoy 53		FI G 2.5s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
8875	- Lighted Buoy 54	39 22 06 N 76 07 41 W	FI R 2.5s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
8885	GROVE POINT RANGE FRONT LIGHT	39 24 12 N 76 02 18 W	FI W 2.5s	31		KRW on platform.	Lighted throughout 24 hours. Visible all around; higher intensity on range line. * 19/01
			*	*	*		* 19/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8890	GROVE POINT RANGE REAR LIGHT 1,762 yards, 066° from front light.		Oc W 4s	69		KRW on skeleton tower.	Lighted throughout 24 hours.
			*	*	*		* 19/01
*8891	GROVE POINT RANGE REAR PASSING LIGHTS		Oc W 4s	30	4	On same structure as Grove Point Range Rear Light.	19/01
8895	- Lighted Buoy 55		FI G 4s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
							* 19/01
8900	- Lighted Buoy 56		FI R 4s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
							* 19/01
8905	- Lighted Buoy 57		FI G 6s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
							* 19/01
8910	SHAD BATTERY SHOAL RANGE FRONT LIGHT	39 20 18 N 76 11 30 W	FI W 2.5s	27		On caisson.	Lighted throughout 24 hours. Visible all around; higher intensity on range line.
			*	*	*		* 19/01
8915	SHAD BATTERY SHOAL RANGE REAR LIGHT 2,586 yards, 236° from front light.		Oc W 4s	61		On caisson.	Lighted throughout 24 hours.
			*	*	*		* 19/01
*8916	SHAD BATTERY SHOAL RANGE REAR PASSING LIGHT		Oc W 4s	35	4	On same structure as Shad Battery Shoal Range Rear Light.	19/01
8920	- Lighted Buoy 58		FI R 6s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
							* 19/01
Elk River Channel							
<i>Channel buoys located 75 feet outside channel limit.</i>							
8925	- Lighted Buoy 1ER	39 23 51 N 76 03 17 W	FI G 2.5s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
			*				* 19/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8930	- Lighted Buoy 2		Q R		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
8945	- Lighted Buoy 3	39 24 06 N 76 02 51 W	Q G		4	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
		*					
8950	- Lighted Buoy 5		FI G 4s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
8955	- Lighted Buoy 6		FI R 4s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
8960	- Lighted Buoy 7		FI G 2.5s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
8965	- Lighted Buoy 8		FI R 2.5s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
8980	- Lighted Buoy 9		FI G 4s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
8985	- Lighted Buoy 10		FI R 4s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
9005	- Lighted Buoy 11		FI G 2.5s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
9010	- Lighted Buoy 12		FI R 2.5s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9015	- Lighted Buoy 13		FI G 6s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
9020	- Lighted Buoy 14		FI R 6s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
9035	- Lighted Buoy 15		FI G 4s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
9040	- Lighted Buoy 16	39 29 26 N 75 56 11 W	FI R 4s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
		*					
9045	- Lighted Buoy 18		Q R		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
9050	- Lighted Buoy 19		Q G		4	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
9075	- Lighted Buoy 20		FI R 2.5s		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
9080	- Lighted Buoy 21		Q G		4	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
9085	- Lighted Buoy 22		Q R		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
9095	- Lighted Buoy 23		FI G 2.5s		4	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9100	- Lighted Buoy 24		Q R		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
Elk River Channel							
9155	- Lighted Buoy 25		FI G 4s		4	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
Back Creek Channel							
9180	- Lighted Buoy 28		FI R 2.5s		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
9195	- Lighted Buoy 31 75 feet outside channel limit.		FI G 4s		5	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
9200	- Lighted Buoy 32 75 feet outside channel limit.		FI R 2.5s		5	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15. * 19/01
9665	- CREEK LIGHT 2CI	36 52 51 N 76 20 28 W	Q R	19	3	TR on pile.	 * 18/01
9668	- CREEK LIGHT 4 100 feet outside channel limit.	36 52 52 N 76 20 40 W	FI R 4s	15	3	TR on pile.	 * 18/01
9675	- CREEK LIGHT 6 80 feet outside channel limit.		Q R	15	3	TR on pile.	 * 18/01
*9677	- Creek Daybeacon 7					SG on pile.	18/01
9678	- CREEK LIGHT 8		FI R 2.5s	15	3	TR on pile.	 * 18/01
9680	- Creek Daybeacon 9					SG on pile.	 * 18/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9683	- CREEK LIGHT 10		FI R 4s	15	3	TR on pile.	
	*		*	*	*		18/01
*9684	- Creek Daybeacon 11					SG on pile.	18/01
9685	- Creek Daybeacon 12						<i>Remove from list.</i>
							* 18/01
9690	- Creek Daybeacon 13						<i>Remove from list.</i>
							* 18/01
9695	- CREEK LIGHT 12		FI R 2.5s	15	3	TR on pile.	
	*			*			18/01
Elizabeth River							
Portsmouth Marine Terminal							
9800	- RANGE FRONT LIGHT	36 51 24 N 76 19 30 W	Iso R 4s	46		KRB on light pole.	Private aid.
			*				19/01
9805	- RANGE REAR LIGHT 185 yards, 194° from front light.		Iso R 6s	62		KRB on light pole.	Private aid.
			*				19/01
11565	Days Point Wreck Buoy WR2						<i>Remove from list.</i>
							* 16/01
11690	- Channel Lighted Buoy 22	37 06 20 N 76 37 37 W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
	*	*		*		*	* 15/01
11880	- Channel Buoy 3					Green can.	
	*					*	15/01
12130	SWANN POINT SHOAL CHANNEL RANGE FRONT LIGHT	37 13 19 N 76 47 42 W	FI W 2.5s	16		KWR on dolphin.	Lighted throughout 24 hours. Visible all around; higher intensity on range line.
		*	*				* 14/01
12135	SWANN POINT SHOAL CHANNEL RANGE REAR LIGHT 1,030 yards, 083° from front light.		ISO R 6s	62		KWR on white tower.	Lighted throughout 24 hours.
							13/01
12145	- Channel Buoy 8	37 14 17 N 76 52 18 W				Red nun.	Maintained from Mar. 15 to Dec. 15.
		*					12/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12505	STONE CONTAINER CORP. DOCK LIGHT A	37 18 18 N 77 15 36 W	FI Y 4s	9		On pier.	Private aid.
	*						19/01
12510	STONE CONTAINER CORP. DOCK LIGHT B		FI Y 4s	9		On pier.	Private aid.
	*						19/01
*13015.5	- Daybeacon 13					SG on pile.	Private aid.
							19/01
	Davis Creek						
14125	- CHANNEL LIGHT 1	37 19 13 N 76 17 59 W	FI G 4s	15	4	SG on dolphin.	
		*					16/01
19635	- LIGHT 12		FI R 4s	15	3	TR on pile.	
	*		*	*	*		17/01
19650	- LIGHT 16		FI R 2.5s	15	3	TR on pile.	
	*		*	*	*		17/01
19655	- LIGHT 17		FI G 2.5s	15	3	SG on pile.	
	*		*	*	*		18/01
19660	- LIGHT 18		FI R 4s	15	3	TR on pile.	
	*		*	*	*		17/01
21080	- RANGE FRONT LIGHT	39 14 48 N 76 32 18 W	Q G	45		On pile.	Lighted throughout 24 hours. Private aid.
							* 19/01
21085	- RANGE REAR LIGHT 95 yards, 030° from front light.		Iso G 6s	55		On pile.	Lighted throughout 24 hours. Private aid.
							* 19/01
	Kiptopeke Beach						
21420	- BREAKWATER SOUTH LIGHT A		FI Y 4s	14		NY on black skeleton tower.	Private aid.
	*					*	15/01
21425	- BREAKWATER NORTH LIGHT B		FI Y 4s	14		NY on black skeleton tower.	Private aid.
	*					*	15/01
*21427	- BOAT RAMP ENTRANCE LIGHT 1		Q G	15		SG on pile.	Private aid.
							15/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*21429	- BOAT RAMP ENTRANCE LIGHT 2		FI R 2.5s	15		TR on pile.	Private aid. 15/01
22545	- Channel Buoy 10					Red nun.	
	*		*	*	*	*	*
							19/01
24075	- LIGHT 14	38 21 23 N 75 51 20 W	FI R 4s	14	4	TR on pile.	Light equipment removed when endangered by ice. 18/01
		*					
Broad Creek							
24200	- Daybeacon 2	38 34 07 N 75 40 27 W				TR on pile.	
		*					18/01
28141	- CHANNEL LIGHT 41		Q G	15	4	SG on pile.	
							13/01
28650	- Lighted Buoy 4		FI R 2.5s		3	Red.	
	*		*		*	*	*
							19/01
28670	- Lighted Buoy 8						Remove from list. *
							12/01
28671	- Buoy 8A						Remove from list. *
							12/01
28672	- Buoy 8B						Remove from list. *
							12/01
28673	- Buoy 8C						Remove from list. *
							12/01
*28699.1	- South Ferry Terminal Lighted Buoy 1SF		FI G 2.5s		3	Green.	
							12/01
28700	- South Ferry Terminal Lighted Buoy 2SF		Q R		3	Red.	
	*						12/01
28750	- LIGHT 16	35 12 10 N 75 43 36 W	FI R 4s	12	3	TR on pile.	Ra ref. 14/01
		*		*			
29000	Silver Lake Warning Buoy A						Remove from list. *
							14/01
29005	Silver Lake Warning Buoy B						Remove from list. *
							14/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
29060	- LIGHT 10	35 08 35 N 76 00 20 W	FI R 4s	15	4	TR on pile.	Ra ref. * 17/01
29336	- CHANNEL RANGE FRONT PASSING LIGHT		FI W 2.5s	16	3	On same structure as Beaufort Inlet Channel Range Front Light.	Marks corner of platform nearest channel. * * * 19/01
29341	- CHANNEL RANGE REAR PASSING LIGHT		FI W 2.5s	16	3	On same structure as Beaufort Inlet Channel Range Rear Light.	Marks corner of platform nearest channel. * * * 19/01
MOREHEAD CITY HARBOR (Chart 11547)							
Beaufort Inlet							
29345	- Channel Lighted Buoy 7		Q G		4	Green.	* 16/01
29350	- Channel Lighted Buoy 8		Q R		4	Red.	* 16/01
29460	- Lighted Buoy 24	34 42 30 N 76 41 16 W	FI R 2.5s		4	Red.	* 14/01
29525	- Buoy 6						Remove from list. * 13/01
29705	- Buoy 8A						Remove from list. * 11/01
30475 40020	- Channel Lighted Buoy 19 50 feet outside channel limit.	33 55 16 N 78 00 16 W	FI G 4s		4	Green with yellow triangle.	Marks pile of stone ballast. * 14/01
30491 39966	FEDERAL POINT RANGE FRONT LIGHT	38 58 12 N 77 56 48 W	FI W 2.5s	22		On multi-pile.	Visible all around; higher intensity on range line. Lighted throughout 24 hours. * 19/01
30535 39950	HORSESHOE SHOAL CHANNEL RANGE FRONT LIGHT	33 56 35 N 77 57 49 W	Q W	22		On skeleton tower. On same structure as Lower Swash Channel Range Front Light.	Visible all around; higher intensity on range line. Lighted throughout 24 hours. * * * 19/01
30540 39955	HORSESHOE SHOAL CHANNEL RANGE REAR LIGHT 1,482 yards, 203° from front light.		Iso W 6s	42		On skeleton tower.	Lighted throughout 24 hours. * * * 14/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
30740	UPPER LILIPUT RANGE REAR LIGHT 1,900 yards, 173° from front light.		Iso W 6s	42		KWR on skeleton tower.	
				*			19/01
30840	- Channel Lighted Buoy 58 50 feet outside channel limit.	34 09 41 N 77 57 35 W	Q R		3	Red.	
		*					14/01
33515	- LIGHT A	35 02 06 N 76 25 16 W	FI W 4s	24	5	Rectangular structure.	Maintained for Marine Corps Air Station.
		*					14/01
Turnagain Bay							
33630	- LIGHT 1A	35 00 26 N 76 30 11 W	FI G 4s	15	4	SG on pile.	
	*						15/01
33996	Northwest Creek Entrance Light 1N	35 03 36 N 76 57 54 W	FI G 4s	15		SG on pile.	Private aid.
							* 11/01
33997	Northwest Creek Channel Daybeacon 3	35 03 18 N 76 57 54 W				SG on pile.	Private aid.
							* 11/01
33998	Northwest Creek Channel Daybeacon 4	35 03 18 N 76 57 30 W				TR on pile.	Private aid.
							* 11/01
*33998.1	Northwest Creek Channel Daybeacon 5	35 03 23 N 76 58 01 W				SG on pile.	Private aid.
							11/01
OCRACOKE INLET AND NORTHERN CORE SOUND (Chart 11550)							
Core Sound							
34320	Harbor Island Warning Daybeacon	35 00 30 N 76 13 18 W				NW on multiple pile structure.	
	*		*	*	*	*	17/01
*34741	- Buoy 56C					Red nun.	
							16/01
Taylor Creek							
34780	- Daybeacon 2TC					TR on pile.	
	*					*	12/01
*34790	- Buoy 4					Red nun.	
							15/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
35125	- LIGHT 40	39 51 42 N 74 07 21 W	FI R 2.5s	17	3	TR-TY on multi-pile structure.	Maintained year round.
		*				*	* 18/01
35130	BARNEGAT BAY LIGHT BB	39 49 21 N 74 08 47 W	Mo (A) W	17	5	MR-I on multi-pile structure.	Maintained year round.
		*					* 18/01
35135	BARNEGAT INLET LIGHT BI	39 47 32 N 74 09 55 W	Mo (A) W	17	5	MR-I on multi-pile structure.	Maintained year round.
		*					* 18/01
35155	- LIGHT 42	39 45 46 N 74 10 14 W	FI R 4s	17	3	TR-TY on multi-pile structure.	Maintained year round.
		*					* 18/01
35570	- LIGHT 139		Q G	15	3	SG-SY on multi-pile structure.	Maintained year round.
							* 18/01
39025	- LIGHT 41	34 40 35 N 77 02 14 W	Q G	15	4	SG-SY on dolphin.	
		*	*				14/01
*39726	- Daybeacon 154A					TR-TY on pile.	
							14/01
Wilmington Short Cut							
<i>Structures 35 feet outside channel limit.</i>							
39785	- Daybeacon 1	34 03 13 N 77 55 16 W				SG on pile	
		*					14/01
39950 30535	HORSESHOE SHOAL CHANNEL RANGE FRONT LIGHT	33 56 36 N 77 57 48 W	Q W	22		On skeleton tower. On same structure as Lower Swash Channel Range Front Light.	Visible all around; higher intensity on range line. Lighted throughout 24 hours.
						*	* 14/01
39955 30540	HORSESHOE SHOAL CHANNEL RANGE REAR LIGHT 1,482 yards, 203° from front light.		Iso W 6s	42		On skeleton tower.	Lighted throughout 24 hours.
						*	* 14/01
40020 30475	- Channel Lighted Buoy 19 50 feet outside channel limit.	33 55 16 N 78 00 16 W	FI G 4s		4	Green with yellow triangle.	Marks pile of stone ballast.
		*					14/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2000

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Newfound Harbor Key							
1003	- Buoy A	24 37 06 N 81 23 20 W				Yellow can.	Private aid.
		*					19/01
St. Marys Entrance							
6525	- RANGE FRONT LIGHT	30 42 28 N 81 27 54 W	FI W 2.5s(Day) FI W 2.5s(Night)	26 30		KRW on tower. On same structure as Cumberland Sound Obstruction Light.	DAY: Visible 0.5° each side of range line. NIGHT: Visible 2° each side of range line.
		*	*				19/01
*6525.5 37920	- RANGE FRONT PASSING LIGHT	30 42 28 N 81 27 54 W	FI W 2.5s	30	5	On same structure as St. Marys Entrance Range Front Light.	
							19/01
Amelia River							
7045 37925	- Lighted Buoy 2	30 42 15 N 81 27 51 W	FI R 2.5s		3	Red with yellow triangle.	
		*					19/01
10125	- Buoy 5	27 09 58 N 80 09 08 W				Green can.	
		*					19/01
Puerto Arecibo							
30725	- Buoy 1	18 28 49 N 66 42 17 W				Green can.	
		*					19/01
37920 6525.5	- CUMBERLAND SOUND PASSING LIGHT	30 42 28 N 81 27 54 W	FI W 2.5s	30	5	On same structure as St. Marys Entrance Range Front Light.	
		*	*				19/01
ST. SIMONS SOUND - TOLOMATO RIVER (Chart 11489)							
St. Simons to Fernandina Beach							
Amelia River							
37925 7045	- Lighted Buoy 2	30 42 15 N 81 27 51 W	FI R 2.5s		3	Red with yellow triangle.	
		*					19/01
47980	Biscayne Point North Shoal Daybeacon	25 51 53 N 80 08 48 W				NW on pile worded DANGER SHOAL.	Private aid.
		*					19/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Change Heading to Read: *Sealine Marina							
48400	- Daybeacon 1	25 47 29 N 80 10 55 W				SG on pile.	Private aid.
		*					19/01
*55895.5	- Daybeacon 45					SG-SY on pile.	
							19/01
55900	- LIGHT 45A		FI G 4s	12	4	SG-SY on pile.	
	*			*			19/01

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2820 29090	- JUNCTION LIGHT TM	29 43 12 N 84 58 49 W	FI (2+1) G 6s	17	3	JG-SY on pile.	Ra ref.
		*					19/01
*Delete Headings: *St. Louis Bay *Bayou Portage Channel							
8975	- LIGHT 1						<i>Remove from list.</i>
							* 19/01
*Add Headings: *St. Louis Bay *Bayou Portage Channel							
8980	- Daybeacon 2					TR on pile.	Private aid.
							19/01
14927	FORMOSA PLASTICS LOWER DOCK LIGHTS (2) LDB Mile 233.5	30 30 04 N 91 11 39 W	FI R 2.5s	50		On dolphins.	Private aids.
	*						19/01
*Delete Headings: *MISSISSIPPI RIVER - New Orleans to Baton Rouge (Chart 11370) *New Orleans to Baton Rouge							
14930	FORMOSA PLASTICS UPPER DOCK LIGHTS (3) LDB mile 233.7	30 30 18 N 91 11 39 W	FI R 2.5s			On dock.	Private aids.
	*	*					19/01
*Add Heading: *University Beach							
*27927	- Danger Daybeacon A	27 42 54 N 97 19 10 W				NW on pile worded DANGER ROCK GROIN.	Private aid.
							19/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*27927.1	- Danger Daybeacon B					NW on pile worded DANGER BREAKWATER.	Private aid. 19/01
*27927.2	- Danger Daybeacon C					NW on pile worded DANGER BREAKWATER.	Private aid. 19/01
*Delete Headings: *CORPUS CHRISTI BAY (Chart 11309) *Corpus Christi Bay							
27927.3	- LIGHT 1		FI G 2.5s	7		SG on pile.	Private aid. 19/01
*27927.4	- Danger Daybeacon D					NW on pile worded DANGER BREAKWATER.	Private aid. 19/01
*27927.5	- Danger Daybeacon E					NW on pile worded DANGER ROCK GROIN.	Private aid. 19/01
*27927.6	- Danger Daybeacon F	27 42 59 N 97 19 22 W				NW on pile worded DANGER ROCK GROIN.	Private aid. 19/01
*Change Heading to Read: *Corpus Christi Bay							
27930	ALTA VISTA REEF LIGHT	27 45 55 N 97 21 11 W	FI W 2.5s	17	5	NR on pile.	Ra ref. 19/01
29090 2820	- JUNCTION LIGHT TM	29 43 12 N 84 58 49 W	FI (2+1) G 6s	17	3	JG-SY on pile.	Ra ref. 19/01
*							
32375	- RANGE A FRONT LIGHT	30 17 38 N 88 07 17 W	Q R Q W	17 18	W 5	KRW-I on dolphin.	Visible 2° each side of rangeline. Passing light visible all around. 19/01
*							
36750	- Buoy 5						Remove from list. * 19/01

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2000

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Channel Islands Harbor							
3630	- BREAKWATER SOUTH LIGHT 1	34 09 16 N 119 13 46 W	FI G 6s	54	6	SG on square platform on white column.	 19/01
*							

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3765	- LIGHT 4	34 24 29 N 119 41 06 W	FI R 6s	25	7	On post.	*
		*					* 19/01
19615	- NORTH BREAKWATER LIGHT 1	48 32 25 N 123 00 57 W	FI G 4s	8	3	SG on pedestal.	
	*						19/01
24472	Point Amargura Ledge Buoy 1	55 26 35 N 133 21 42 W				Green.	
	*	*					19/01

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Ogdensburg Harbor							
985	- East Entrance Lighted Buoy 2		FI R 4s			Red.	S.L.S.D.C.
	*						19/01
990	- East Entrance Lighted Buoy 4		FI R 4s			Red.	S.L.S.D.C.
	*						19/01
Avon Lake							
<i>Launch Basin aids maintained from Apr. 1 to Nov. 1.</i>							
4270	- INTAKE BREAKWATER LIGHT	41 30 30 N 82 03 18 W	FI W 2.5s	12 4		NB on pedestal.	Private aid.
						*	19/01
4365	- EAST BREAKWATER MIDDLE LIGHT		FI Y 4s	25 8	8	NY on post.	
					*		19/01
16770	Middle Island Passage Lighted Bell Buoy 2	48 05 27 N 88 34 20 W	FI R 4s		4	Red.	Maintained from May 28 to Oct. 14.
		*					19/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.