

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Add Heading: *Norwalk Channel							
*17951	Newport Security Zone Buoy A					White and orange.	14/02
*17952	Newport Security Zone Buoy B					White and orange.	14/02
*Add Headings: *Narragansett Bay *East Passage							
17955	Gould Island Southwest Shoal Buoy 2					Red nun.	14/02

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9625	- Entrance Channel Lighted Buoy 10		Q R		3	Red.	14/02
			*				14/02
19230	- Buoy 31					Green can.	Private aid. 14/02
	*					*	14/02
21615	- Channel Daybeacon 6	27 19 23 N 82 35 27 W				TR on pile.	14/02
		*					14/02
36275	HELL GATE RANGE FRONT LIGHT	31 51 50 N 81 04 49 W	Q W	11		KRW-I on pile.	Visible all around; higher intensity on rangeline. 14/02
		*					14/02
Coral Gables Waterway							
49285	- LIGHT 1	25 41 54 N 80 14 30 W	FIG 4s	16	4	SG on dolphin.	Private aid. 14/02
							*
52155.5	- Denaud Daybeacon 2	26 44 43 N 81 29 08 W				TR on pile.	14/02
		*					14/02

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2390	- Lighted Buoy 5	29 45 36 N 84 39 42 W	FIG 4s		4	Green.	14/02
	*						14/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3471	GULF POWER COMPANY STRUCTURE LIGHT A	30 11 24 N 85 44 18 W	Q W	30		On skeleton tower.	Private aid. 14/02
*3471.1	GULF POWER COMPANY STRUCTURE LIGHT B		Q W	30		On skeleton tower.	Private aid. 14/02
*Add Heading: *Woodlawn Bayou Channel							
*3473	- Daybeacon 1	30 11 32 N 85 44 59 W				SG on pile.	Private aid. 14/02
*3473.1	- Daybeacon 2			8		TR on pile.	Private aid. 14/02
*3473.2	- Daybeacon 3			8		SG on pile.	Private aid. 14/02
*3473.3	- Daybeacon 4			8		TR on pile.	Private aid. 14/02
*3473.4	- Daybeacon 5	30 11 33 N 85 45 04 W		8		SG on pile.	Private aid. 14/02
*3473.5	- Daybeacon 6			8		TR on pile.	Private aid. 14/02
*3473.6	- Daybeacon 7			8		SG on pile.	Private aid. 14/02
*3473.7	- Daybeacon 8			8		TR on pile.	Private aid. 14/02
*3473.8	- Daybeacon 9			8		SG on pile.	Private aid. 14/02
*3473.9	- Daybeacon 10	30 11 35 N 85 45 08 W		8		TR on pile.	Private aid. 14/02

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
765 16150	Duntze Rock Lighted Whistle Buoy 2D	48 24 44 N 124 45 07 W	FI R 4s		5	Red.	
		*			*		14/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*11211	- CHANNEL LIGHT 42	45 39 27 N 122 46 01 W	Q R	50	4	On pile structure with skeleton tower. On same structure as Vancouver Directional Light.	14/02
	Vancouver						
11215	- DIRECTION LIGHT	45 39 27 N 122 46 01 W	Iso W 6s (G & R sectors)	50		On pile structure with skeleton tower. On same structure as Morgan Channel Light 42.	Centerline bearing 308°. White visible .5° each side of centerline. Green visible from 305.9° to 307.5°. Red visible from 308.5° to 310.1°.
		*				*	14/02
16150 765	<i>Duntze Rock Lighted Whistle Buoy 2D</i>	48 24 44 N 124 45 07 W	FI R 4s		5	Red.	14/02
		*			*		14/02
23460 1025	CAPE OMMANEY LIGHT	56 09 36 N 134 39 40 W	FI W 6s	195	8	NR on monopile.	Obscured from 293° to 061°.
							* 14/02

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3343	NIAGARA SAFETY ZONE LIGHT	43 04 41 N 79 01 35 W	Q Y	25 8	4	Safety Zone sign on monopile.	Marks Niagara Safety Zone above Niagara Falls.
							14/02
4490	- Entrance Buoy 2					Red nun.	* 14/02
4495	- Entrance Buoy 3					Green can.	* 14/02
8530	- Lighted Buoy 24		FI R 2.5s		4	Red.	* 14/02
			*				14/02
	Lake Huron Cut						
	<i>Lighted buoys maintained from Apr. 1 to Dec. 21 unless otherwise noted.</i>						
10035	- Lighted Buoy 1		Q G		4	Green.	Replaced by LIB of reduced intensity from Dec. 21 to Apr. 1.
							* 14/02
18680	- Lighted Buoy 11	43 23 04 N 86 22 42 W	FI G 6s		3	Green.	Maintained from Apr. 21 to Nov. 14.
		*					14/02

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.