

**SECTION II**

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*21391	- UCONN Research Telemetry Lighted Buoy		FI Y 4s			Yellow.	Marked: Data Buoy University of Connecticut Marine Sciences.  16/02

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200)</b>							
225 4720	OCEAN CITY INLET JETTY LIGHT	38 19 27 N 75 05 06 W	<b>Iso W</b> 6s	28	8	NB on skeleton tower.	HORN: 1 blast ev 15s (2s bl).  * 16/02
245	Ocean City Wreck Buoy WR2						Remove from list.  * 13/02
275	<b>Assateague Light</b>	37 54 40 N 75 21 22 W	<b>FI (2) W</b> 5s 0.1s fl 1s ec. 0.1s fl 3.8s ec.	154	22	Conical tower with red and white bands. 142	* 16/02
305 6600	<i>Wachapreague Inlet Lighted Whistle Buoy W</i>	37 34 54 N 75 33 37 W	<b>Mo (A) W</b>		5	Red and white stripes with red spherical top.  *	16/02
350	<b>Cape Charles Light</b>	37 07 23 N 75 54 23 W	<b>FI W</b> 5s	180	24	Octagonal, pyramidal skeleton tower, upper part black, lower part white. 191	Operates 24 hours.  * 16/02
360	<b>Chesapeake Light</b>	36 54 17 N 75 42 46 W	<b>FI (2) W</b> 15s 0.1s fl 2.9s ec. 0.1s fl 11.9s ec.	117	24	Blue tower on white square superstructure on four black piles, CHESAPEAKE on sides.	Emergency light of lower intensity will be displayed when main light is inoperative. RACON: N (-*); HORN: 1 blast ev 30s (3s bl). Operates continuously.  * 16/02
370	<b>Cape Henry Light</b>	36 55 35 N 76 00 26 W	<b>Mo (U) W</b> 20s <b>(R sector)</b> 1s fl 2s ec. 1s fl 2s ec. 7s fl 7s ec.	164	W 17 R 15	Octagonal pyramidal tower, upper and lower half of each face alternately black and white. 163	Red from 154° to 233°, covers shoals outside Cape Charles and Middle Ground inside bay. Emergency light of lower intensity will be displayed when main light is extinguished.  * 16/02
400	<i>North Chesapeake Entrance Lighted Gong Buoy NCD</i>	36 56 49 N 75 55 05 W	<b>FI Y</b> 2.5s		7	Yellow.  *	10/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200)</b>							
555	<b>Currituck Beach Light</b>	36 22 37 N 75 49 47 W	<b>FI W 20s</b>	158	18	Red conical tower. 163	
		*					16/02
590	<b>Bodie Island Light</b>	35 49 07 N 75 33 48 W	<b>FI (2) W 30s</b> 2.5s fl 2.5s ec. 2.5s fl 22.5s ec.	156	18	Conical tower, white and black bands above granite base, black ironwork. 166	
		*					16/02
*Delete Heading: *CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520)							
640	<b>Diamond Shoal Light</b>					<i>Remove from list.</i>	*
							16/02
*Add Heading: *CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520)							
645 28625	<b>Hatteras Inlet Light</b>	35 11 52 N 75 43 56 W	<b>Iso W 6s</b>	48	10	Skeleton tower on black house.	
							16/02
660	<b>Ocracoke Light</b>	35 06 32 N 75 59 10 W	<b>F W</b>	75	14	White tower.	
		*					16/02
670	<b>Cape Lookout Light</b>	34 37 22 N 76 31 28 W	<b>FI W 15s</b>	156	25	Black and white diagonally checkered tower. 169	
		*					*
							16/02
675	<i>Cape Lookout Slough East Lighted Whistle Buoy E</i>	34 34 55 N 76 30 05 W	<b>Mo (A) W</b>		6	Red and white stripes with red spherical topmark.	
							10/02
<b>Camp Lejeune Danger Zone</b>							
740	<i>- Lighted Buoy A</i>	34 36 19 N 77 05 45 W	<b>FI Y 4s</b>		6	Yellow.	
		*					16/02
760	<i>- Lighted Buoy E</i>	34 22 34 N 77 11 00 W	<b>FI Y 4s</b>		6	Yellow.	
		*					11/02
*812	Sensor Lighted Buoy A	33 53 39 N 78 05 05 W	<b>FI Y 6s</b>		5	Yellow.	Private aid.
							11/02
1095	<i>- Lighted Buoy 40</i>		<b>Q R</b>		3	Red.	Repaced by nun from Nov 15 to May 1.
	*		*		*	*	*
							16/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*1292	- Buoy 10					Red nun.	Private aid.  13/02
*1293	- Buoy 12					Red nun.	Private aid.  13/02
1965	<i>Hog Shoal Lighted Buoy 6</i>	39 15 24 N 75 15 23 W	<b>FI R 4s</b>		4	Red.	Replaced by nun from Nov. 15 to Apr. 1.  * 10/02
<b>FENWICK ISLAND TO CHINCOTEAGUE INLET (Chart 12211)</b>							
<b>Ocean City Inlet</b>							
4720 225	- JETTY LIGHT	38 19 27 N 75 05 06 W	<b>Iso W 6s</b>	28	8	NB on skeleton tower.	HORN: 1 blast ev 15s (2s bl).  16/02
7135	- <i>Lighted Buoy 19</i> 75 feet outside channel limit.		<b>FI G 4s</b>		4	Green.	*  13/02
7185	- <i>Lighted Buoy 31</i> 75 feet outside channel limit.		<b>FI G 4s</b>		4	Green.	*  13/02
7630	<b>Cove Point Light</b>	38 23 11 N 76 22 54 W	<b>F W</b>	45	12	White tower.	Obscured from 040° to 110°. HORN: 1 blast ev 15s (2s bl).  * * 12/02
7760	<b>Thomas Point Shoal Light</b>	38 53 56 N 76 26 09 W	<b>F W (2 R sectors)</b>	43	W 16 R 11	White hexagonal tower on piles.	Red from 011° to 051.5° and 096.5° to 202°. HORN: 1 blast ev 15s (2s bl).  * 12/02
7765	<i>Chesapeake Channel Lighted Buoy WR 87</i>	38 55 58 N 76 23 33 W	<b>Q G</b>		5	Green.	*  12/02
8005	- <i>Entrance Lighted Buoy 1C</i>	39 01 23 N 76 22 41 W	<b>Q G</b>		5	Green.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  * 12/02
8120	SEVENFOOT KNOLL LIGHT	39 09 19 N 76 24 33 W	<b>FI W 6s (R sector)</b>	58	W 9 R 7	On skeleton tower.	Red from 134° to 344°.  * 15/02
8475	- <i>Lighted Buoy 17</i>	39 11 33 N 76 16 25 W	<b>FI G 2.5s</b>		4	Green.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.  * * 16/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8480	- Lighted Buoy 18		F I R 2.5s		4	Red.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
	*		*			*	16/02
8485	- Lighted Buoy 19	39 12 21 N 76 15 31 W	F I G 2.5s		4	Green.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
	*	*	*				16/02
8490	- Lighted Buoy 20	39 12 25 N 76 15 13 W	Q R		4	Red.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
	*	*	*				16/02
8495	- Lighted Buoy 24						Remove from list.
							*
							16/02
8505	- Lighted Buoy 21	39 12 37 N 76 15 17 W	F I G 2.5s		4	Green.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
	*	*					16/02
8510	- Lighted Buoy 27						Remove from list.
							*
							16/02
8515	- Buoy 21A	39 12 44 N 76 15 46 W				Green can.	
	*						16/02
8520	- Lighted Buoy 28						Remove from list.
							*
							16/02
8535	- Lighted Buoy 23	39 13 26 N 76 14 49 W	Q G		4	Green.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
	*	*					16/02
8540	- Lighted Buoy 24	39 13 23 N 76 14 49 W	F I R 4s		4	Red.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
	*	*	*				16/02
8545	- Lighted Buoy 25	39 14 06 N 76 14 26 W	F I G 2.5s		4	Green.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
	*						16/02
8547	- Channel Lighted Buoy 31A						Remove from list.
							*
							16/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8550	- Lighted Buoy 26		<b>Q R</b>		4	Red.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
	*						16/02
*8553	- Lighted Buoy 27		<b>FI G 2.5s</b>			Green.	Replaced by LIB of lower intensity from Dec. 1 Mar. 15.
							16/02
8580	- Lighted Buoy 29	39 15 45 N 76 14 17 W	<b>FI G 2.5s</b>		4	Green.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
	*						16/02
8585	- Buoy 29A	39 16 14 N 76 14 21 W				Green can.	
	*						16/02
8590	- Lighted Buoy 30	39 15 45 N 76 14 07 W	<b>Q R</b>		4	Red.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
	*						16/02
8605	- Lighted Buoy 31	39 16 46 N 76 13 54 W	<b>FI G 4s</b>		4	Green.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
	*						16/02
8610	- Lighted Buoy 32	39 16 43 N 76 13 47 W	<b>FI R 4s</b>		4	Red.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
	*						16/02
8615	- Lighted Buoy 33		<b>FI G 6s</b>		4	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*				*		16/02
8620	- Lighted Buoy 34		<b>FI R 6s</b>		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*				*		16/02
8625	- Buoy 34A	39 18 11 N 76 12 46 W				Red nun.	
	*	*					16/02
8630	- Lighted Buoy 36		<b>Q R</b>		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*						16/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8635	- Lighted Buoy 37		Q G		4	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*				*		16/02
8640	- Lighted Buoy 38		FI R 2.5s		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*				*		16/02
8770	- Lighted Buoy 38A		Q R		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*						16/02
8780	- Lighted Buoy 39		FI G 4s		4	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*				*		16/02
8785	- Lighted Buoy 40		FI R 4s		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*				*		16/02
8790	- Buoy 40A					Red nun.	
	*						16/02
8795	- Lighted Buoy 41		FI G 2.5s		4	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*				*		16/02
8800	- Lighted Buoy 42	39 20 51 N 76 10 14 W	FI R 2.5s		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*						16/02
8860	- Lighted Buoy 43		FI G 4s		4	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*				*		16/02
8865	- Lighted Buoy 44		FI R 4s		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*				*		16/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8870	- Lighted Buoy 45		FI G 2.5s		4	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*				*		16/02
8875	- Lighted Buoy 46	39 22 06 N 76 07 41 W	FI R 2.5s		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*				*		16/02
8895	- Lighted Buoy 47		FI G 4s		4	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*				*		16/02
8900	- Lighted Buoy 48		FI R 4s		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*				*		16/02
8905	- Lighted Buoy 49		FI G 6s		4	Green.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*				*		16/02
8920	- Lighted Buoy 50		FI R 6s		4	Red.	Replaced by LIB of lower intensity from the first Tuesday after Thanksgiving to Mar. 15.
	*				*		16/02
9545	- Channel Lighted Buoy 15	36 54 44 N 76 20 17 W	Q G		4	Green.	
		*					10/02
*9925	NAUTICUS PIER LIGHT A	36 50 55 N 76 17 50 W	FI Y 4s	5		On post.	Private aid.
							12/02
*9927	NAUTICUS PIER LIGHT B	36 50 55 N 76 17 50 W	FI Y 4s	5		On post.	Private aid.
							12/02
*10622	NAVAL BASE AREA A FISHING PIER LIGHT	36 57 48 N 76 19 19 W	FI Y 4s	15		On post.	Maintained by U.S. Navy.
							12/02
	<b>*Add Heading: *Hurricane Pass</b>						
*11007	Old Point Comfort Marina Sea Wall Light A	37 00 12 N 75 18 55 W	FI Y 2.5s	9		On platform above sea wall.	Private aid.
							16/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*11007.1	Sea Wall Light B		FI Y 4s	9		On platform above sea wall.	Private aid.  16/02
*11007.2	Sea Wall Light C		FI Y 4s	9		On platform above sea wall.	Private aid.  16/02
*11007.3	Sea Wall Light D		FI Y 2.5s	9		On platform above sea wall.	Private aid.  16/02
<b>*Add Headings: *Hampton River *Phoebus Channel</b>							
11010	- Daybeacon 4 10 feet outside channel limit.					TR on pile.	  16/02
<b>James River</b>							
11240	- Anchorage I Buoy A	36 56 04 N 76 24 36 W				Yellow can.	  10/02
*							
11245	- Anchorage I Buoy B	36 57 28 N 76 26 09 W				Yellow can.	  10/02
*							
11250	- Anchorage I Buoy C	36 58 24 N 76 27 10 W				Yellow can.	  10/02
*							
11255	EXXON SEWELLS POINT TERMINAL DOCK LIGHT						Remove from list.  * 12/02
11270	NEWPORT NEWS POINT PIER LIGHTS (2)	36 57 37 N 76 25 00 W	F Y	12		On dolphins.	Private aid.  12/02
* * * * *							
11695	- Channel Lighted Buoy 23	37 07 01 N 76 38 14 W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice.  10/02
*							
<b>Skiffes Creek Channel</b>							
11825	- Entrance Lighted Buoy 2	37 09 52 N 76 37 45 W	Q R		4	Red.	Replaced by nun when endangered by ice.  10/02
* * * * *							
11830	- Entrance Buoy 1	37 09 56 N 76 37 45 W				Green can.	  10/02
*							

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
11840	- Daybeacon 3	37 09 57 N 76 37 21 W				SG on multi-pile structure.	
		*				*	10/02
11850	- LIGHT 5	37 09 57 N 76 36 55 W	<b>FI G</b> 4s	15	3	SG on pile.	
		*				*	10/02
11855	- LIGHT 6	37 09 55 N 76 36 48 W	<b>FI R</b> 4s	15	4	TR on pile.	Ra ref.
		*				*	10/02
11860	- Daybeacon 7	37 10 01 N 76 36 42 W				SG on pile.	
		*					10/02
11865	- Daybeacon 8	37 09 54 N 76 36 38 W				TR on pile.	
		*					10/02
11870	- Daybeacon 9	37 10 05 N 76 36 33 W				SG on pile.	
		*					10/02
<b>James River</b>							
11895	- Channel Lighted Buoy 27 180 feet outside channel limit.		<b>FI G</b> 4s		4	Green.	
						*	10/02
12355	- Channel Lighted Buoy 82 90 feet outside channel limit.	37 18 17 N 77 04 50 W	<b>FI R</b> 4s		4	Red.	
		*					13/02
12380	- Channel Lighted Buoy 87	37 18 40 N 77 06 04 W	<b>FI G</b> 4s		4	Green.	
		*					10/02
12425	- Channel Lighted Buoy 93	37 18 13 N 77 09 20 W	<b>FI G</b> 4s		4	Green.	
		*					10/02
13750	- LIGHT 3		<b>FI G</b> 4s	15	4	SG on pile.	Light equipment removed when endangered by ice.
				*			12/02
14010	- LIGHT 29		<b>FI G</b> 4s	15	4	SG on pile.	Light equipment removed when endangered by ice.
				*			12/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
14505	- LIGHT 16		FI R 6s	14	4	TR on pile.	
				*			12/02
	<b>Jackson Creek</b>						
14700	- LIGHT 1	37 32 42 N 76 19 19 W	FI G 4s	15	4	SG on pile.	
	*	*					13/02
	<b>Mill Creek</b>						
15075	- ENTRANCE LIGHT 2		FI R 4s	15	4	TR on pile.	
				*	*	*	13/02
15150	- EASTERN BRANCH LIGHT 1		FI G 4s	15	4	SG on pile.	
				*		*	13/02
	<b>*Delete Heading: *Rappahannock River</b>						
15340	- LIGHT 9						<i>Remove from list.</i>
							*
							12/02
18445	- Lighted Buoy 8		FI R 1s			Red.	Private aid.
	*		*			*	15/02
	<b>*Add Heading: *Little Hunting Creek Northern Extension</b>						
*18511.1	- Buoy 1A	38 42 24 N 77 03 38 W				Green can.	Private aid.
							15/02
*18511.2	- Buoy 2A					Red nun.	Private aid.
							15/02
*18511.3	- Buoy 3A					Green can.	Private aid.
							15/02
*18511.4	- Buoy 4A					Red nun.	Private aid.
							15/02
*18511.5	- Buoy 5A					Green can.	Private aid.
							15/02
*18511.6	- Buoy 6A					Red nun.	Private aid.
							15/02
*18511.7	- Lighted Buoy 7A		FI G 4s			Green.	Private aid.
							15/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
19285	- LIGHT 1 50 feet outside channel limit.	38 41 30 N 76 31 17 W	FI G 4s	15	4	SG on pile.	
		*					16/02
19300	- LIGHT 2		FI R 4s	15	4	TR on pile.	
				*	*		13/02
19305	- LIGHT 3		FI G 6s	15	4	SG on pile.	
				*			13/02
19590	- SOUTH BASIN LIGHT 2	38 54 12 N 76 30 23 W	FI R 4s	15	4	TR on pile.	
		*					10/02
<b>Lake Ogleton Entrance</b>							
19815	- LIGHT 1L	38 57 08 N 76 27 28 W	FI G 4s	15	4	SG on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					15/02
19945	- LIGHT 2	39 00 15 N 76 29 42 W	FI R 4s	15	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*			*		15/02
19950	- LIGHT 2A	39 01 08 N 76 31 12 W	Q R	15	4	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					15/02
19955	- LIGHT 4		FI R 2.5s	15	4	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
					*		13/02
19965	- LIGHT 6	39 02 07 N 76 32 10 W	FI R 4s	15	4	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					15/02
20100	- LIGHT 3 On point of shoal off Persimmon Point.		FI G 4s	18	4	SG on multi-pile structure.	
				*		*	15/02
20185	- LIGHT 9		FI G 4s	15	4	SG on pile.	
				*			15/02
20200	- LIGHT 10		FI R 4s	15	4	TR on pile.	
				*			15/02
20885	- Channel Lighted Buoy 4		FI R 6s		4	Red.	
					*		13/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
20905	- Channel Lighted Buoy 8		Q R		4	Red.	
					*		13/02
20915	- Channel Lighted Buoy 10		FI R 4s		4	Red.	
					*		13/02
22255	GUILFORD FLATS JUNCTION LIGHT	37 50 57 N 75 46 38 W	FI (2+1) R 6s	18	4	JR on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
		*				*	16/02
22345	- LIGHT 2	37 53 14 N 75 43 52 W	FI R 4s	15	5	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					16/02
22505	POCOMOKE RIVER ENTRANCE LIGHT 1PR	37 57 12 N 75 43 18 W	FI G 4s	15	4	SG on multi-pile structure.	Higher intensity beam downstream.
				*	*	*	16/02
22515	- Buoy 3	37 57 26 N 75 42 48 W				Green can.	
		*					15/02
22570	- CHANNEL LIGHT 15	37 58 01 N 75 40 41 W	FI G 2.5s	15	3	SG on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
		*				*	15/02
22590	- CHANNEL LIGHT 20	37 57 36 N 75 39 48 W	FI R 4s	15	3	TR on multi-pile structure.	
						*	15/02
22590	- CHANNEL LIGHT 20	37 57 38 N 75 39 49 W	FI R 4s	15	3	TR on multi-pile structure.	
		*					16/02
22600	- CHANNEL LIGHT 23		FI G 4s	15	4	SG on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
				*		*	15/02
<b>SMITH POINT TO COVE POINT (Chart 12230)</b>							
<b>Pocomoke River</b>							
<b>Upper Pocomoke River</b>							
22605	- LIGHT 2	38 08 01 N 75 25 59 W	FI R 2.5s	15	3	TR on multi-pile structure.	
		*				*	15/02
22625	- LIGHT 6		FI R 4s	15	3	TR on multi-pile structure.	
						*	15/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
22640	- LIGHT 10		<b>FI R</b> 2.5s	15	3	TR on multi-pile structure.	
						*	15/02
22645	- LIGHT 11		<b>FI G</b> 4s	15	4	SG on multi-pile structure.	
						*	15/02
22650	- LIGHT 12		<b>FI R</b> 4s	15	3	TR on multi-pile structure.	
						*	15/02
22660	- LIGHT 14	38 10 18 N 75 24 35 W	<b>FI R</b> 4s	15	3	TR on multi-pile structure.	
		*				*	15/02
<b>POCOMOKE AND TANGIER SOUNDS (Chart 12228)</b>							
<b>Pocomoke Sound</b>							
<b>Broad Creek</b>							
22665	- SOUTH ENTRANCE LIGHT 2	37 55 00 N 75 50 44 W	<b>FI R</b> 2.5s	15	4	TR on multi-pile structure.	
		*		*		*	15/02
22700	- Channel Daybeacon 13	37 56 19 N 75 51 29 W				SG on pile.	
		*					15/02
22735	- LIGHT 4	37 49 56 N 75 59 55 W	<b>FI R</b> 4s	15	3	TR on pile.	
		*		*	*		15/02
<b>Tangier Island East Channel</b>							
22740	- LIGHT 1	37 50 24 N 75 58 16 W	<b>FI G</b> 2.5s	15	4	SG on multi-pile structure.	HORN: 1 blast ev 30s (3s bl). Maintained from Sept. 15 to June 1.
		*				*	15/02
22825	- LIGHT 2		<b>Q R</b>	19	4	TR on multi-pile structure.	Higher intensity beam down channel.
						*	* 15/02
22840	- LIGHT 7	37 58 00 N 75 52 39 W	<b>FI G</b> 4s	40	4	SG on skeleton tower on piles.	Obscured from 112° to 202°.
		*			*		15/02
22850	BROAD CREEK NORTH ENTRANCE LIGHT 1	37 57 10 N 75 51 56 W	<b>FI G</b> 2.5s	16	3	SG on pile.	
		*			*		15/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>Little Annemessex River</b>							
22890	- CHANNEL LIGHT 10		<b>FI R 4s</b>	18	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
						*	15/02
22905	CRISFIELD HARBOR JUNCTION LIGHT CH	37 59 00 N 75 51 49 W	<b>FI (2+1) R 6s</b>	15	4	JR on pile.	
		*		*			15/02
22920	Brick Kiln Channel Daybeacon 2	37 59 30 N 75 51 37 W				TR on pile.	
		*					15/02
<b>Big Thorofare</b>							
23015	- CHANNEL LIGHT 1	37 58 24 N 75 58 47 W	<b>FI G 2.5s</b>	14	5	SG on multi-pile structure.	Higher intensity beam toward Little Annemessex River. HORN: 1 blast ev 30s (3s bl). Operates continuously from Sept. 15 to June 1.
		*				*	15/02
<b>Tyler Creek</b>							
23125	- Channel Daybeacon 1	37 59 27 N 76 01 03 W				SG on pile.	Ra ref.
		*					15/02
23200	- LIGHT 1		<b>FI G 4s</b>	15	4	SG on multi-pile structure.	HORN: 1 blast ev 30s (3s bl). Baffled 341° to 064°. Operates continuously from Sept. 15 to June 1.
						*	13/02
23205	- LIGHT 2		<b>FI R 6s</b>	15	4	TR on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
				*	*	*	13/02
23220	- LIGHT 4		<b>FI R 4s</b>	15	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
				*			13/02
23235	- LIGHT 9		<b>FI G 2.5s</b>	15	3	SG on pile.	Light equipment removed from Dec. 1 to Mar. 15.
				*			13/02
23260	- LIGHT 15		<b>FI G 4s</b>	15	3	SG on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
				*		*	13/02
<b>Tangier Sound</b>							
23270	- Lighted Buoy 8	37 51 55 N 75 55 47 W	<b>FI R 2.5s</b>		4	Red.	Replaced by nun when endangered by ice.
		*					13/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>Big Annemessex River</b>							
23280	- LIGHT 1		<b>FI G 2.5s</b>	18	4	SG on multi-pile structure.	
						*	* 13/02
<b>Daugherty Creek</b>							
23360	- LIGHT 1	38 03 09 N 75 52 09 W	<b>FI W 4s</b>	19	4	SG on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
		*				*	13/02
23365	- CHANNEL LIGHT 3		<b>FI G 4s</b>	15	4	SG on pile.	
						*	13/02
<b>Manokin River</b>							
23375	- Junction Lighted Buoy MR	38 02 14 N 75 55 26 W	<b>FI (2+1) R 6s</b>		3	Red and green bands.	Replaced by nun when endangered by ice.
		*					13/02
23380	- CHANNEL LIGHT 2	38 04 11 N 75 53 20 W	<b>FI R 2.5s</b>	18	4	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					13/02
23385	MINE CREEK ENTRANCE LIGHT 2	38 05 00 N 75 52 22 W	<b>FI R 4s</b>	15	4	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					13/02
23390	- LIGHT 4		<b>Q R</b>	15	4	TR on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
						*	13/02
<b>Goose Creek Channel</b>							
23395	- ENTRANCE LIGHT 1	38 05 41 N 75 52 19 W	<b>FI G 2.5s</b>	19	3	SG on multi-pile structure.	
		*				*	* 13/02
<b>St. Peters Creek</b>							
23435	- ENTRANCE LIGHT 1	38 08 28 N 75 49 54 W	<b>FI G 4s</b>	15	5	SG on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
		*				*	13/02
23445	- LIGHT 3	38 08 51 N 75 49 06 W	<b>Q G</b>	19	3	SG on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					13/02
<b>Kedges Straits</b>							
23460	FOG POINT LIGHT 30 yards west of obstruction.	38 02 12 N 76 02 35 W	<b>Q W</b>	15	5	NB on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
		*				*	13/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
23465	- Buoy 2	38 03 12 N 76 03 21 W				Red nun.	
		*					13/02
	<b>Lower Thorofare</b>						
23495	- CHANNEL LIGHT 2		<b>FI R</b> 4s	15	4	TR on multi-pile structure.	HORN: 1 blast ev 30s (3s bl). Operates continuously from Sept. 15 to June 1.
				*		*	* 13/02
23500	- CHANNEL LIGHT 4		<b>Q R</b>	16	4	TR on multi-pile structure.	
						*	13/02
	<b>Upper Thorofare</b>						
23550	HAINES POINT LIGHT	38 10 19 N 75 57 52 W	<b>FI W</b> 4s	14	5	NR on multi-pile structure.	
		*				*	* 13/02
23560	- CHANNEL LIGHT 1		<b>FI G</b> 2.5s	15	3	SG on multi-pile structure.	
						*	13/02
23565	- CHANNEL LIGHT 4	38 10 12 N 75 57 00 W	<b>FI R</b> 6s	19	4	TR on multi-pile structure.	
		*				*	13/02
23605	OKAHANIKAN POINT LIGHT	38 11 42 N 76 05 35 W	<b>FI Y</b> 6s	25	5	On concrete pile.	
		*		*			13/02
23700	GREAT SHOALS LIGHT	38 12 52 N 75 52 46 W	<b>FI W</b> 6s	37	8	NB on white skeleton tower on piles.	BELL: 1 stroke ev 15s. Operates continuously from Sept. 15 to June 1.
		*					13/02
23750	- CHANNEL LIGHT 10		<b>FI R</b> 4s	15	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
				*	*		13/02
23760	- CHANNEL LIGHT 12		<b>FI R</b> 2.5s	15	3	TR on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
				*		*	13/02
23767	- CHANNEL LIGHT 14		<b>FI R</b> 4s	15	3	TR on multi-pile structure.	
				*		*	* 13/02
23780	- CHANNEL LIGHT 16		<b>FI R</b> 4s	19	3	TR on multi-pile structure.	
						*	* 13/02
23785	- CHANNEL LIGHT 17		<b>FI G</b> 4s	15	4	SG on multi-pile structure.	
						*	* 13/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>Webster Cove</b>							
23795	- Channel Buoy 1	38 15 06 N 75 50 05 W				Green can.	
		*					13/02
23800	- CHANNEL LIGHT 3		<b>FI G 2.5s</b>	15	4	SG on multi-pile structure.	Higher intensity beam down channel.
						*	* 13/02
23820	- CHANNEL LIGHT 23		<b>FI G 4s</b>	15	4	SG on multi-pile structure.	Ra ref.
						*	13/02
23830	- CHANNEL LIGHT 25		<b>FI G 2.5s</b>	15	3	SG on multi-pile structure.	Ra ref.
						*	13/02
23835	- CHANNEL LIGHT 26		<b>FI R 4s</b>	19	3	TR on multi-pile structure.	
						*	* 13/02
23840	- CHANNEL LIGHT 27	38 16 00 N 75 47 46 W	<b>FI G 2.5s</b>	15	3	SG on multi-pile structure.	
		*			*	*	* 13/02
23845	- CHANNEL LIGHT 28		<b>FI R 6s</b>	15	4	TR on multi-pile structure.	
						*	* 13/02
23850	- CHANNEL LIGHT 29		<b>FI G 4s</b>	15	4	SG on multi-pile structure.	Light equipment removed from Dec. 1 to Mar. 15.
						*	13/02
23880	- CHANNEL LIGHT 32	38 18 19 N 75 45 44 W	<b>FI R 2.5s</b>	15	3	TR on multi-pile structure.	Light equipment removed when endangered by ice.
		*				*	13/02
23890	- CHANNEL LIGHT 35		<b>FI G 2.5s</b>	15	3	SG on multi-pile structure.	
				*		*	* 13/02
23895	- CHANNEL LIGHT 37		<b>FI G 4s</b>	15	4	SG on multi-pile structure.	
						*	* 13/02
23900	- CHANNEL LIGHT 38	38 19 48 N 75 44 07 W	<b>FI R 4s</b>	15	4	TR on multi-pile structure.	
		*				*	* 13/02
23905	- CHANNEL LIGHT 39	38 20 24 N 75 42 47 W	<b>FI G 4s</b>	15	4	SG on multi-pile structure.	Light equipment removed when endangered by ice.
		*			*	*	13/02
23910	- Channel Daybeacon 41					SG on multi-pile structure.	
						*	13/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
23915	- CHANNEL LIGHT 43	38 20 25 N 75 41 59 W	FI G 2.5s	15	3	SG on multi-pile structure.	Light equipment removed when endangered by ice.
		*				*	13/02
23920	- CHANNEL LIGHT 45	38 20 23 N 75 40 12 W	FI G 4s	15	3	SG on multi-pile structure.	
		*			*	*	* 13/02
23930	- CHANNEL LIGHT 47	38 20 27 N 75 39 19 W	FI G 2.5s	15	3	SG on multi-pile structure.	
		*				*	* 13/02
23945	- CHANNEL LIGHT 51		FI G 2.5s	18	3	SG on multi-pile structure.	
						*	* 13/02
<b>Nanticoke River</b>							
23965	- ENTRANCE LIGHT 1	38 13 04 N 75 56 34 W	FI G 2.5s	15	4	SG on multi-pile structure.	Ra ref.
		*		*		*	* 10/02
24000	- JUNCTION LIGHT B	38 17 06 N 75 55 15 W	FI (2+1) R 6s	16	5	JR on pile.	
		*			*		10/02
24005	- LIGHT 7	38 17 41 N 75 55 56 W	FI G 6s	14	4	SG on multi-pile structure.	
		*				*	* 10/02
<b>Bivalve Channel</b>							
24045	- LIGHT 1	38 18 44 N 75 53 47 W	FI G 6s	15	4	SG on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*				*	10/02
24060	- LIGHT 5	38 18 39 N 75 53 29 W	FI G 4s	15	4	SG on pile.	
		*				*	10/02
24075	- LIGHT 14	38 21 23 N 75 51 20 W	FI R 4s	15	4	TR on pile.	Light equipment removed when endangered by ice.
				*			10/02
24080	- LIGHT 15	38 22 48 N 75 51 58 W	FI G 4s	15	4	SG on pile.	Light equipment removed when endangered by ice.
		*			*	*	10/02
24095	- LIGHT 18	38 23 12 N 75 50 16 W	FI R 4s	14	4	TR on pile.	Light equipment removed when endangered by ice.
		*					10/02
24100	- LIGHT 20	38 24 14 N 75 50 57 W	FI R 4s	15	4	TR on pile.	Light equipment removed when endangered by ice.
		*				*	10/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
24105	- LIGHT 22	38 25 21 N 75 50 36 W	<b>FI R</b> 4s	15	4	TR on pile.	Light equipment removed when endangered by ice.  10/02
		*		*			
24110	- LIGHT 23	38 25 27 N 75 49 46 W	<b>FI G</b> 4s	15	4	SG on pile.	Light equipment removed when endangered by ice.  10/02
		*				*	
24115	- LIGHT 25	38 26 15 N 75 49 24 W	<b>FI G</b> 2.5s	15	3	SG on pile.	Light equipment removed when endangered by ice.  10/02
		*					
24120	- LIGHT 26		<b>FI R</b> 4s	15	3	TR on pile.	Light equipment removed when endangered by ice.  10/02
						*	
24125	- LIGHT 28	38 27 26 N 75 49 56 W	<b>FI R</b> 4s	15	4	TR on pile.	Light equipment removed when endangered by ice.  10/02
		*				*	
24130	- LIGHT 30		<b>FI R</b> 4s	15	3	TR on pile.	Light equipment removed when endangered by ice.  10/02
					*	*	
24140	- LIGHT 32	38 28 41 N 75 49 24 W	<b>FI R</b> 4s	15	4	TR on pile.	Light equipment removed when endangered by ice.  10/02
		*					
24145	- LIGHT 34		<b>FI R</b> 4s	15	3	TR on pile.	Light equipment removed when endangered by ice.  10/02
					*	*	
24150	- LIGHT 35	38 30 14 N 75 46 51 W	<b>FI G</b> 4s	15	4	SG on dolphin.	Light equipment removed when endangered by ice.  10/02
		*					
24155	- LIGHT 36		<b>FI R</b> 4s	15	4	TR on pile.	Light equipment removed when endangered by ice.  10/02
						*	
24160	- LIGHT 38		<b>FI R</b> 4s	15	4	TR on pile.	Light equipment removed when endangered by ice.  10/02
						*	
24165	- LIGHT 39		<b>FI G</b> 4s	15	4	SG on pile.	Light equipment removed when endangered by ice.  10/02
						*	
24175	- LIGHT 43		<b>FI G</b> 4s	15	4	SG on pile.	Light equipment removed when endangered by ice.  10/02
						*	
24180	- LIGHT 45		<b>FI G</b> 4s	15	4	SG on pile.	Light equipment removed when endangered by ice.  10/02
						*	

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
24190	- CHANNEL LIGHT 48		<b>FI R</b> 4s	15	4	TR on pile. *	10/02
24195	- CHANNEL LIGHT 50		<b>FI R</b> 4s	16	4	TR on pile. *	10/02
24290	- LIGHT 54		<b>FI R</b> 4s	15	4	TR on pile. * *	10/02
24300	- LIGHT 57		<b>FI G</b> 4s	15	4	SG on pile. * *	10/02
24305	- LIGHT 58		<b>FI R</b> 4s	15	4	TR on pile. *	10/02
24315	- LIGHT 61		<b>FI G</b> 4s	15	4	SG on pile. *	10/02
24320	- LIGHT 62		<b>FI R</b> 4s	15	4	TR on pile. *	10/02
24325	- CHANNEL LIGHT 63		<b>FI G</b> 4s	15	4	SG on pile. *	10/02
24330	- CHANNEL LIGHT 65		<b>Q G</b>	15	3	SG on pile. *	10/02
24335	- CHANNEL LIGHT 66		<b>FI R</b> 4s	15	4	TR on pile. *	10/02
24345	- CHANNEL LIGHT 68		<b>FI R</b> 4s	15	3	TR on pile. * *	10/02
24350	- Channel Daybeacon 70					TR on pile. *	10/02
24420	McCREADY'S CREEK LIGHT 1	38 18 00 N 76 00 21 W	<b>FI G</b> 4s	15	4	SG on pile. * *	13/02
25125	- LIGHT 31	38 34 42 N 76 01 32 W	<b>FI G</b> 4s	15	4	SG on pile. *	Light equipment removed from Dec. 1 to Mar. 15. 13/02
<b>Knapps Narrows</b>							
25920	- WEST CHANNEL LIGHT 1	38 43 17 N 76 20 46 W	<b>FI G</b> 4s	15	3	SG on pile. *	Light equipment removed from Dec. 1 to Mar. 15. 15/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
26650	NICHOLS POINT LIGHT	39 05 34 N 76 09 52 W	FI W 6s	15	6	NR on cylindrical base.	
						*	10/02
27055	- LIGHT 5		FI G 6s		4	SG on multi-pile structure.	* 10/02
27130	SUE ISLAND ENTRANCE LIGHT 1	39 17 42 N 76 23 53 W	FI G 2.5s	15	4	SG on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*		*			15/02
30185	- Lighted Buoy 8		Q R		3	Red.	
			*				15/02
<b>Cape Fear River</b>							
30561.1	-WARNING LIGHT A		FI Y 4s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30561.2	-WARNING LIGHT B		FI Y 2.5s	15		NW on pile worded WARNING RESTRICTED AREA.	Army maintained
	*		*	*			* 15/02
30561.3	-WARNING LIGHT C		FI Y 4s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30561.4	-WARNING LIGHT D		FI Y 2.5s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30561.5	-WARNING LIGHT E		FI Y 4s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30561.6	-WARNING LIGHT F		FI Y 2.5s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30561.7	-WARNING LIGHT G		FI Y 4s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30561.8	-WARNING LIGHT H		FI Y 2.5s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
30561.9	-WARNING LIGHT I		FI Y 4s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30562.1	-WARNING LIGHT J		FI Y 2.5s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30562.2	-WARNING LIGHT K		FI Y 4s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30562.3	-WARNING LIGHT L		FI Y 2.5s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30562.4	-WARNING LIGHT M		FI Y 4s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30562.5	WARNING LIGHT N		FI Y 2.5s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30562.6	-WARNING LIGHT O		FI Y 4s	15		NW on pile worded: WARNING RESTRICTED AREA.	Army maintained.
	*		*	*			* 15/02
30770	- Channel Lighted Buoy 47 50 feet outside channel limit.		FI G 4s		4	Green.	
	*			*		*	* 16/02
30785	- Channel Lighted Buoy 49 50 feet outside channel limit.		FI G 2.5s		4	Green.	Ra ref.
						*	* 16/02
30790	- Channel Lighted Buoy 51 50 feet outside channel limit.		Q G		4	Green.	
	*					*	* 16/02
30795	- CHANNEL LIGHT 52 50 feet outside channel limit.		FI R 4s		4	Red.	
	*			*		*	* 16/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
30810	- Channel Lighted Buoy 54 50 feet outside channel limit.		<b>FI R</b> 2.5s		3	Red.	
	*						16/02
30815	- CHANNEL LIGHT 55 50 feet outside channel limit.		<b>FI G</b> 4s		4	Green.	
	*			*		*	* 16/02
30830	- Channel Lighted Buoy 56 50 feet outside channel limit.		<b>FI R</b> 4s		4	Red.	
	*				*		16/02
*31020	- Buoy 3					Green can.	15/02
31035	- Buoy 7						<i>Remove from list.</i>
							* 15/02
*31047	- Buoy 12					Red nun.	15/02
<b>CAPE HENRY TO PAMLICO SOUND (Chart 12205)</b>							
<b>Currituck Sound</b>							
31160	MONKEY TAIL SHOAL LIGHT 1	36 24 01 N 75 52 11 W	<b>FI G</b> 4s	15	4	SG on multi-pile structure.	
						*	11/02
31165	WATERLILY LIGHT 1W	36 22 46 N 75 55 01 W	<b>FI G</b> 4s	15	5	SG on multi-pile structure.	
				*	*		11/02
31170	WHALE HEAD BAY LIGHT 1	36 21 55 N 75 51 05 W	<b>FI G</b> 4s	15	5	SG on multi-pile structure.	
					*		11/02
*31931	- Buoy 6A					Red nun.	13/02
31935	- Lighted Buoy 8	35 52 01 N 75 42 40 W	<b>FI R</b> 4s		4	Red.	
	*	*		*		*	* 13/02
32020	- CHANNEL LIGHT 7		<b>FI G</b> 4s	15	4	SG on pile.	Light equipment removed when endangered by ice.
			*		*		13/02
<b>Pamlico Sound</b>							
32180	HOG ISLAND SHOAL LIGHT		<b>FI R</b> 4s	15	3	TR on slatted pile structure.	
				*			10/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
32375	ROYAL SHOAL LIGHT 5RS	35 09 17 N 76 09 35 W	<b>Q G</b>	15	4	SG on multi-pile structure.	Ra ref.  13/02
32420	OUTFALL CANAL ENTRANCE LIGHT	35 21 22 N 76 06 23 W	<b>Mo (A) W</b>	15	6	MR on multi-pile structure.	Higher intensity beam toward Bluff Shoal Light.  10/02
34741	- Buoy 56B					Red nun.	16/02
36950	- Daybeacon 5					SG-SY on pile.	10/02
38400	- RANGE FRONT LIGHT	34 46 21 N 76 41 08 W	<b>Q W</b>	16		KRW on small red house on multi-pile structure.	Visible all around; higher intensity on rangeline.  13/02
*38407	- LIGHT 24		<b>Q W</b>	16	5	TR-TY on same structure as Core Creek Range Front Light.	13/02
	<b>*Add Heading: *Wood Island Harbor</b>						
*38627	-Daybeacon A					NB on pile.	10/02
*38629	-Daybeacon B					NB on pile.	10/02

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
	<b>*Add Heading: *Toms Harbor Channel</b>						
*13541	- Daybeacon 1	24 45 30 N 80 56 04 W				TR on pile.	Private aid.  16/02
*13541.1	- Daybeacon 2					TR on pile.	Private aid.  16/02
*13541.2	- Daybeacon 3					SG on pile.	Private aid.  16/02
*13541.3	- Daybeacon 4					TR on pile.	Private aid.  16/02
*13541.4	- Daybeacon 6					TR on pile.	Private aid.  16/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*13541.5	- Daybeacon 7					SG on pile.	Private aid.  16/02
*13541.6	- Daybeacon 8					TR on pile.	Private aid.  16/02
*13541.7	- Daybeacon 10					TR on pile.	Private aid.  16/02
*13541.8	- Daybeacon 11					SG on pile.	Private aid.  16/02
*13541.9	- Daybeacon 12					TR on pile.	Private aid.  16/02
*Add Heading: *Sembler Marine North Channel							
*43630.1	- Daybeacon 2	27 49 53 N 80 28 08 W				TR on pile.	Private aid.  16/02
*43630.2	- Daybeacon 3					SG on pile.	Private aid.  16/02
*43630.3	- Daybeacon 4					TR on pile.	Private aid.  16/02
*43630.4	- Daybeacon 5					SG on pile.	Private aid.  16/02
*43630.5	- Daybeacon 6					TR on pile.	Private aid.  16/02
*43630.6	- Daybeacon 7					SG on pile.	Private aid.  16/02
*43630.7	- Daybeacon 8					TR on pile.	Private aid.  16/02
*43630.8	- Daybeacon 9					SG on pile.	Private aid.  16/02

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3775	- Entrance Buoy 5					Green can.	
	*					*	16/02
3795	- Entrance Buoy 9					Green can.	
	*					*	16/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8595 32755	- LIGHT 41		FI G 2.5s	17	7	SG-SY on dolphin.	Ra ref.
				*			16/02
14843	Baton Rouge General Anchorage Lower Daybeacon 225.8	30 23 32 N 91 13 27 W				NY on pile.	Ra ref.
		*					16/02
32755 8595	GULFPORT SHIP CHANNEL LIGHT 41		FI G 2.5s	17	7	SG-SY on dolphin.	Ra ref.
				*			16/02

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>SAN DIEGO BAY (Chart 18773)</b>							
<b>San Diego Bay</b>							
1500	- Entrance Range Front Light	32 42 18 N 117 14 01 W	Q G	22	15	KRW on white column.	Visible 1.5° each side of rangeline. HORN: 1 blast ev 10s (1s bl).
							16/02
23460 1025	CAPE OMMANEY LIGHT	56 09 36 N 134 39 40 W	FI W 6s	195	8	NR on monopile.	Obscured from 113° to 241°.
							* 16/02

### SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3343	NIAGARA SAFETY ZONE LIGHT	43 04 41 N 79 01 35 W	Q Y	25 8	4	Safety Zone sign on monopile.	Marks Niagara Safety Zone above Niagara Falls.
							14/02
4490	- Entrance Buoy 2					Red nun.	* 14/02
4495	- Entrance Buoy 3					Green can.	* 14/02
8530	- Lighted Buoy 24		FI R 2.5s		4	Red.	* 14/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>Lake Huron Cut</b>							
<i>Lighted buoys maintained from Apr. 1 to Dec. 21 unless otherwise noted.</i>							
10035	- Lighted Buoy 1		<b>Q G</b>		4	Green.	Replaced by LIB of reduced intensity from Dec. 21 to Apr. 1.
							* 14/02
18680	- Lighted Buoy 11	43 23 04 N 86 22 42 W	<b>FIG 6s</b>		3	Green.	Maintained from Apr. 21 to Nov. 14.
		*					14/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.