

**SECTION II**

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>Pungoteague Creek</b>							
21845	- LIGHT	37 39 48 N 75 53 53 W	<b>Q W</b>	15	5	NB on multi-pile.	
		*		*		*	20/02
21850	- LIGHT 1		<b>Q G</b>	15	4	SG on multi-pile.	
				*			20/02
21860	- LIGHT 4		<b>FI R 4s</b>	15	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
				*			20/02
21905	- LIGHT 13	37 40 10 N 75 49 57 W	<b>FI G 4s</b>	15	3	SG on multi-pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*				*	20/02
21910	- Daybeacon 14	37 40 03 N 75 49 50 W				TR on pile.	
		*					20/02
21955	- CHANNEL LIGHT 9		<b>FI G 4s</b>	15	4	SG on multi-pile.	
						*	20/02
21990	- LIGHT 6	37 43 18 N 75 48 28 W	<b>FI R 4s</b>	19	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					20/02
22115	WATTS ISLAND WARNING LIGHT	37 46 46 N 75 53 43 W	<b>Q W</b>	15	6	NW on pile worded DANGER SUBMERGED ROCKS.	
		*					20/02
<b>Chesconessex Creek</b>							
22120	- Approach Buoy	37 45 30 N 75 50 47 W				Red and white stripes with red spherical topmark.	
		*					20/02
22130	- LIGHT 2	37 45 18 N 75 48 52 W	<b>FI R 4s</b>	15	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*				*	20/02
<b>Pocomoke Sound</b>							
22185	- LIGHT 6	37 47 49 N 75 50 19 W	<b>FI R 4s</b>	18	4	TR on multi-pile.	
		*		*			20/02
22195	- LIGHT 3	37 49 10 N 75 47 22 W	<b>FI G 6s</b>	15	4	SG on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					20/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
22275	- LIGHT 6		F I R 4s	15	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
				*			20/02
22310	- Daybeacon 4	37 51 24 N 75 42 11 W				TR on pile.	
		*					20/02
22325	Young Creek Daybeacon 2	37 50 00 N 75 41 12 W				TR on pile.	
		*					20/02
22330	Muddy Creek Daybeacon 1	37 51 01 N 75 40 56 W				SG on pile.	
		*					20/02
<b>Messongo Creek</b>							
22340	- Entrance Buoy 1	37 52 06 N 75 47 47 W				Green can.	
		*					20/02
22345	- LIGHT 2	37 53 14 N 75 43 52 W	F I R 4s	15	5	TR on multi-pile.	Light equipment removed from Dec. 1 to Mar. 15.
						*	20/02
22355	- LIGHT 5	37 53 46 N 75 42 03 W	F I G 4s	15	4	SG on multi-pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*				*	20/02
22360	- LIGHT 6	37 54 06 N 75 41 17 W	F I R 4s	15	3	TR on multi-pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*				*	20/02
<b>Pocomoke Sound</b>							
22365	- SHOAL LIGHT 8	37 52 28 N 75 49 24 W	F I R 4s	16	4	TR on multi-pile.	
		*					20/02
<b>Starling Creek</b>							
22455	- LIGHT 1	37 55 29 N 75 44 11 W	F I G 4s	15	4	SG on multi-pile.	HORN: 1 blast ev 30s (3s bl). Maintained from Sept. 15 to June 1.
		*		*	*		20/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>Anna Maria Sound</b>							
21860	- LIGHT 1	27 32 06 N 82 42 48 W	<b>FI G</b> 6s	12	4	SG on dolphin.	
			*				20/02
23565	- LIGHT 7		<b>Q G</b>			SG on pile.	
						*	20/02
CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4010	FORT BARRANCAS RANGE REAR LIGHT 350 yards, 000° from front light.		<b>FI G</b> 2.5s	54		On skeleton tower.	Lighted throughout 24 hours.
				*			20/02
6270	- Anchorage Daybeacon B	30 31 07 N 88 05 18 W				NG on pile.	Ra ref.
		*					20/02
<b>WAVELAND TO CATAHOULA BAY (Chart 11367)</b>							
9165	THE RIGOLETS BRIDGE APPROACH RANGE FRONT LIGHT	30 09 41 N 89 38 30 W	<b>Q W</b>	25	5	KRW on skeleton tower on piles.	
		*			*		* 20/02
9170	THE RIGOLETS BRIDGE APPROACH RANGE REAR LIGHT 1.076 yards, 301.5° from front light.		<b>Iso W</b> 6s	47		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
	*						20/02
13205	FREEPORT SULPHUR CO. INTAKE WHARF LIGHT RDB mile 39.4.	29 28 41 N 89 41 24 W	<b>FI G</b> 2.5s				Private aid.
	*	*	*				* 20/02
20115	- Buoy 19						Remove from list.
							* 20/02
20125	- Buoy 23						Remove from list.
							* 20/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
718 15533	<i>Scripps Institute Wave Recorder Buoy</i>	46 51 24 N 124 14 40 W	<b>Q (5) Y 20s</b>			Yellow sphere shaped buoy.	Private aid.
	*					*	* 20/02
<b>Vancouver</b>							
11215	- DIRECTION LIGHT	45 39 27 N 122 46 01 W	<b>Iso W 6s (G &amp; R sectors)</b>	50		On same pile structure with skeleton tower as Morgan Channel Light 42.	Centerline bearing 308°. White visible 0.5° each side of centerline. Green visible from 305.9° to 307.5°. Red visible from 308.5° to 310.1°.
							* 20/02
15533 718	<i>Scripps Institute Wave Recorder Buoy</i>	46 51 24 N 124 14 40 W	<b>Q (5) Y 20s</b>			Yellow sphere shaped buoy.	Private aid.
	*					*	* 20/02
<b>Cultus Bay</b>							
16575	- Entrance Buoy 1	47 54 26 N 122 24 08 W				Green can.	Private aid.
		*					20/02
16580	- Entrance Buoy 2	47 54 26 N 122 24 07 W				Red nun.	Private aid.
		*					20/02
16583	- Daybeacon 3	47 54 25 N 122 24 08 W				Numbered pile.	Private aid.
		*					20/02
16585	- Daybeacon 4	47 54 28 N 122 24 05 W				Numbered pile.	Private aid.
		*					20/02
16587	- Daybeacon 5	47 54 31 N 122 24 01 W				Numbered pile.	Private aid.
		*					20/02
16590	- Daybeacon 6	47 54 34 N 122 24 01 W				Numbered pile.	Private aid.
		*					20/02
16595	- Daybeacon 7	47 54 37 N 122 23 58 W				Numbered pile.	Private aid.
		*					20/02
16598	- Daybeacon 8	47 54 40 N 122 23 56 W				Numbered pile.	Private aid.
		*					20/02
16600	- Daybeacon 9	47 54 44 N 122 23 55 W				Numbered pile.	Private aid.
		*					20/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
16605	- Daybeacon 10	47 54 45 N 122 23 52 W				Numbered pile.	Private aid.  20/02
		*					
16610	- Daybeacon 11	47 54 47 N 122 23 52 W				Numbered pile.	Private aid.  20/02
		*					
16615	- Daybeacon 12	47 54 49 N 122 23 49 W				Numbered pile.	Private aid.  20/02
		*					
16620	- Daybeacon 13	47 54 51 N 122 23 49 W				Numbered pile.	Private aid.  20/02
		*					
16625	- Daybeacon 14	47 54 51 N 122 23 49 W				Numbered pile.	Private aid.  20/02
		*					
16630	- Daybeacon 15	47 54 56 N 122 23 47 W				Numbered pile.	Private aid.  20/02
		*					
16633	- Daybeacon 16	47 54 56 N 122 23 46 W				Numbered pile.	Private aid.  20/02
		*					
16635	- Daybeacon 17	47 55 02 N 122 23 45 W				Numbered pile.	Private aid.  20/02
		*					
16640	- Daybeacon 18	47 55 01 N 122 23 44 W				Numbered pile.	Private aid.  20/02
		*					
16645	- Daybeacon 19	47 55 09 N 122 23 38 W				Numbered pile.	Private aid.  20/02
		*					
16650	- Daybeacon 20	47 55 09 N 122 23 40 W				Numbered pile.	Private aid.  20/02
		*					
16655	- Daybeacon 21	47 55 11 N 122 23 37 W				Numbered pile.	Private aid.  20/02
		*					
16665	- Daybeacon 23	47 55 11 N 122 23 32 W				Numbered pile.	Private aid.  20/02
		*					

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
16670	- Daybeacon 24						<i>Remove from list.</i> * 20/02
23460 1025	CAPE OMMANEY LIGHT	56 09 36 N 134 39 40 W	FI W 6s	195	8	NR on monopile.	Obscured from 293° to 061°. * 20/02
<b>CROSS SOUND TO YAKUTAT BAY (Chart 16760)</b>							
<b>Lituya Bay</b>							
25405	- ENTRANCE CHANNEL RANGE FRONT LIGHT	58 37 36 N 137 39 30 W	Q W	22		KRW on skeleton tower.	Obscured from 048° to 348°; higher intensity on rangeline. * 20/02
25410	- ENTRANCE CHANNEL RANGE REAR LIGHT 475 yards, 007.5° from front light.	58 37 54 N 137 39 24 W	Iso W 6s	37		KRW on skeleton tower.	Obscured from 170° to 222°; higher intensity on rangeline. * 20/02

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3359.1	- Safety Buoy 1 Marks safety zone above Niagra Falls. (C)	42 03 48 N 79 02 30 W				White can with orange bands and danger symbols.	Maintained from May 1 to Oct. 7. * 20/02
3359.2	- Safety Buoy 2 Marks safety zone above Niagra Falls. (C)					White can with orange bands and danger symbols.	Maintained from May 1 to Oct. 7. * 20/02
3359.3	- Safety Buoy 3 Marks safety zone above Niagra Falls. (C)					White can with orange bands and danger symbols.	Maintained from May 1 to Oct. 7. * 20/02
3359.4	- Safety Buoy 4 Marks safety zone above Niagra Falls. (C)					White can with orange bands and danger symbols.	Maintained from May 1 to Oct. 7. * 20/02
3359.5	- Safety Buoy 5 Marks safety zone above Niagra Falls. (C)					White can with orange bands and danger symbols.	Maintained from May 1 to Oct. 7. * 20/02

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3359.6	- Safety Buoy 6 Marks safety zone above Niagra Falls. (C)					White can with orange bands and danger symbols.	Maintained from May 1 to Oct. 7.  20/02
	*					*	
19780	- PARK 101ST STREET PIER LIGHT		F R	28 9	7	TR on post.	   20/02
					*		

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.