

**SECTION I
CHART CORRECTIONS**

1113A	Ed. 1/13/01 LAST NM 42/02 Add Danger circle [K46.2] "(Fish Haven) (auth min 7fms)" Danger circle [K46.2] "(Fish Haven) (auth min 7fms)" (NOS)	4/03 26°55.1'N 82°27.9'W 26°52.2'N 82°26.5'W	★11363 38Ed. 3/30/02 LAST NM 51/02 Add Tabulation of controlling depths from (NOS) Subsection I-2	4/03
1114A	Ed. 11/17/01 LAST NM 39/02 Delete Buoy "S" Buoy "O"	4/03 28°15.4'N 82°57.5'W 28°17.7'N 83°01.2'W	11364 39Ed. 11/02 LAST NM 3/03 Add Tabulation of controlling depths from (NOS) Subsection I-2	4/03
	Buoy "P" Note: Fish Haven remains Buoy "C" Note: Fish Haven remains (50/02 CG7)	28°15.1'N 82°57.5'W 28°17.5'N 83°01.2'W	11369 43Ed. 3/10/01 LAST NM 49/02 Add Tabulation of controlling depths from (NOS) Subsection I-2	4/03
★11322	27Ed. 9/1/01 LAST NM 49/02 (Side B) Add Tabulation of controlling depths from (NOS) Subsection I-2	4/03	11400 34Ed. 11/17/01 LAST NM 39/02 Delete Buoy "S" Buoy "O"	4/03 28°15.4'N 82°57.5'W 28°17.7'N 83°01.2'W
★11325	34Ed. 2/16/02 LAST NM 49/02 Add Tabulation of controlling depths from (NOS) Subsection I-2	4/03	Buoy "P" Note: Fish Haven remains Buoy "C" Note: Fish Haven remains (50/02 CG7)	28°15.1'N 82°57.5'W 28°17.5'N 83°01.2'W
★11328	22Ed. 6/2/01 LAST NM 49/02 Add Tabulation of controlling depths from (NOS) Subsection I-2	4/03	★11409 27Ed. 1/30/99 LAST NM 38/01 Delete Buoy "S" Buoy "O"	4/03 28°15'20"N 82°57'26"W 28°17'43"N 83°01'14"W
			Buoy "P" Note: Fish Haven remains Buoy "C" Note: Fish Haven remains (50/02 CG7)	28°15'05"N 82°57'26"W 28°17'29"N 83°01'14"W
★11329	34Ed. 1/12/02 LAST NM 1/03 Add Tabulation of controlling depths from (NOS) Subsection I-2	4/03	11420 26Ed. 1/13/01 LAST NM 42/02 Add Danger circle [K46.2] "(Fish Haven) (auth min 7fms)" Danger circle [K46.2] "(Fish Haven) (auth min 7fms)"	4/03 26°55.1'N 82°27.9'W 26°52.2'N 82°26.5'W
11330	14Ed. 11/02 LAST NM 2/03 Substitute Depth 40 feet Obstn [K41] for 42 feet Obstn (NOS)	4/03 29°27.2'N 93°04.7'W	(NOS)	
★11342	51Ed. 9/30/00 LAST NM 49/02 Add Tabulation of controlling depths from (NOS) Subsection I-2	4/03	11423 7Ed. 8/10/96 LAST NM N42/02 Add Danger circle [K46.2] "(Fish Haven) (auth min 7fms)" Danger circle [K46.2] "(Fish Haven) (auth min 7fms)"	N4/03 26°55.1'N 82°27.9'W 26°52.2'N 82°26.5'W
★11343	36Ed. 9/15/01 LAST NM 49/02 Add Tabulation of controlling depths from (NOS) Subsection I-2	4/03	(NOS)	
★11344	34Ed. 8/25/01 LAST NM 51/02 Substitute Depth 40 feet Obstn [K41] for 42 feet Obstn (NOS)	4/03 29°27'14"N 93°04'39"W	★11424 17Ed. 10/5/96 LAST NM 42/02 Add Danger circle [K46.2] "(Fish Haven) (auth min 43ft)" Danger circle [K46.2] "(Fish Haven) (auth min 43ft)"	4/03 26°55'06"N 82°27'53"W 26°52'14"N 82°26'27"W
	Add Tabulation of controlling depths from Subsection I-2		(NOS)	
★11347	33Ed. 7/02 LAST NM 49/02 (Side A) Substitute Depth 28 feet Obstn [K41] (PA) for 35 feet Wk 29°26'41.2"N 93°14'07.6"W	4/03	11425 34Ed. 9/02 LAST NM 49/02 (Side A) Add Danger circle [K46.2] "(Fish Haven) (auth min 43ft)" Danger circle [K46.2] "(Fish Haven) (auth min 43ft)"	4/03 26°55'06"N 82°27'53"W 26°52'14"N 82°26'27"W
	Add Tabulation of controlling depths from Subsection I-2		(NOS)	
	(Side B) Add Tabulation of controlling depths from (NOS) Subsection I-2			
11353	2Ed. 3/16/02 LAST NM 49/02 Add Tabulation of controlling depths from (NOS) Subsection I-2	4/03	★11467 37Ed. 9/02 LAST NM 50/02 (Side A, Inset 1) Change Legend to "30 FT SEP 2002" Legend to "39 1/2 FT SEP 2002" Legend to "40 FT SEP 2002" Legend to "35 FT SEP 2002" Legend to "32 1/2 FT SEP 2002"	4/03 26°05'35"N 80°06'00"W 26°05'35"N 80°06'33"W 26°05'40"N 80°07'15"W 26°05'32"N 80°07'15"W 26°05'23"N 80°07'16"W
			(NOS)	
			★11470 35Ed. 10/20/01 LAST NM 27/02 Change Legend to "40 FT SEP 2002" Legend to "35 FT SEP 2002" Legend to "32 1/2 FT SEP 2002"	4/03 26°05'42.2"N 80°07'18.0"W 26°05'35.0"N 80°07'19.0"W 26°05'27.4"N 80°07'19.3"W

(continued on next page)

SECTION I

11470	(Continued)		
Add	Tabulation of controlling depths from Subsection I-2 (NOS)		
11505	1Ed. 9/23/00 LAST NM 1/03 Add Tabulation of controlling depths from Subsection I-2 (NOS)	4/03	
★11512	58Ed. 11/17/01 LAST NM 1/03 Add Tabulation of controlling depths from Subsection I-2 (NOS)	4/03	
11514	26Ed. 7/02 LAST NM 49/02 (Side A) Add Tabulation of controlling depths from Subsection I-2 (NOS)	4/03	
11520	40Ed. 6/02 LAST NM 51/02 Add Ball topmark to buoy "LW" (48/02 CG5)	4/03 33°54.8'N 78°13.5'W	
★11524	45Ed. 1/19/02 LAST NM 52/02 Relocate Buoy "49" from 32°50'35.9"N 79°55'46.2"W to 32°50'36.1"N 79°55'47.8"W (48/02 CG7)	4/03	
11525	6Ed. 9/23/00 LAST NM N51/02 Add Ball topmark to buoy "LW" (48/02 CG5)	N4/03 33°54.0'N 78°13.2'W	
★11536	15Ed. 2/23/02 LAST NM 40/02 Add Ball topmark to buoy "LW" (48/02 CG5)	4/03 33°54'55"N 78°13'27"W	
★11537	33Ed. 12/1/01 LAST NM 50/02 Add Tabulation of controlling depths from Subsection I-2 (NOS)	4/03	
★12221	73Ed. 10/02 LAST NM 1/03 Add Tabulation of controlling depths from Subsection I-2 (NOS)	4/03	
12225	53Ed. 4/27/02 LAST NM 47/02 Relocate Light "4" from 37°43'09"N 76°17'58"W to 37°43'13"N 76°17'53"W and delete legend "PA" Light "7" from 37°43'21"N 76°18'22"W to 37°43'25"N 76°18'23"W (48/02 CG5)	4/03	
★12233	35Ed. 11/02 LAST NM 3/03 Substitute Depth 41 feet Obstn [K41] for 52 feet (NOS)	4/03 38°07'57"N 76°32'08"W	
★12235	29Ed. 12/8/01 LAST NM 47/02 Relocate Light "4" from 37°43'08"N 76°18'00"W to 37°43'13"N 76°17'53"W and delete legend "PA" Light "7" from 37°43'21"N 76°18'23"W to 37°43'25"N 76°18'23"W and delete legend "PA" Light "4" from 37°40'38"N 76°18'56"W to 37°40'37"N 76°18'59"W and delete legend "PA" Light "10" from 37°41'28"N 76°20'37"W to 37°41'31"N 76°20'35"W (48/02 CG5)	4/03	
12238	37Ed. 9/02 LAST NM 1/03 Add Tabulation of controlling depths from Subsection I-2 (NOS)		4/03
★12248	39Ed. 2/9/02 LAST NM 50/02 Relocate Light "27" from 37°10'06"N 76°38'00"W to 37°10'04"N 76°38'02"W Light "29" from 37°10'46"N 76°37'55"W to 37°10'45"N 76°37'57"W (48/02 CG5)		4/03
★12251	23Ed. 5/12/01 LAST NM 35/02 Relocate Light "98" from 37°18'30"N 77°10'47"W to 37°18'27"N 77°10'46"W (48/02 CG5)		4/03
★12252	23Ed. 5/12/01 LAST NM 34/02 Delete Light "132" Relocate Light "108" from 37°18'31.2"N 77°14'34.0"W to 37°18'35.6"N 77°14'24.7"W Light "120" from 37°19'20.3"N 77°16'35.0"W to 37°19'21.5"N 77°16'35.9"W Light "133" from 37°21'08.5"N 77°16'40.1"W to 37°21'06.5"N 77°16'40.9"W Light "121" from 37°19'31.9"N 77°16'40.8"W to 37°19'32.0"N 77°16'40.9"W and delete legend "PA" (See 45/01-12252)		4/03
	Add Light "132" Fl R 4s 15ft 3M (48/02 CG5)		37°21'11"N 77°16'29"W
12285	34Ed. 6/9/01 LAST NM 1/03 (Page A) Add Depth 41 feet Obstn [K41] (Page B, Inset 3) Substitute Depth 41 feet Obstn [K41] for 52 feet (NOS)		4/03 38°07'57"N 76°32'08"W
12286	29Ed. 11/02 LAST NM 2/03 Delete Depth 52 feet Add Depth 41 feet Obstn [K41] (NOS)		4/03 38°07'57"N 76°32'06"W
★12312	51Ed. 9/8/01 LAST NM 52/02 Add Depth 38 feet Rk [K14.2] (NOS)		4/03 39°50'26"N 75°21'00"W
★12323	23Ed. 3/11/00 LAST NM 40/02 Add "Obstructions" area [K40] bound by dotted line joining 40°08'54"N 73°55'00"W 40°09'06"N 73°55'12"W 40°08'36"N 73°55'30"W 40°08'42"N 73°55'42"W (48/02 CG5)		4/03
12326	48Ed. 4/21/01 LAST NM 28/02 Add "Obstructions" area [K40] bound by dotted line joining 40°08'54"N 73°55'00"W 40°09'06"N 73°55'12"W 40°08'36"N 73°55'30"W 40°08'42"N 73°55'42"W (48/02 CG5)		4/03
12364	33Ed. 2/16/02 LAST NM 51/02 (Page B, Inset 2) Relocate Buoy "3" from 41°09'44.5"N 73°06'00.0"W to 41°09'47.5"N 73°06'03.9"W (NOS)		4/03
★14826	27Ed. 11/02 NEW EDITION (NOS)		4/03

SECTION I

NM 4/03

14842	12Ed. 6/23/01 LAST NM 2/03 (Page 26)	4/03	★18584	47Ed. 8/25/01 LAST NM 49/02	4/03
Add	Tabulation of controlling depths from Subsection I-2		Add	Tabulation of controlling depths from Subsection I-2	
(NOS)			(NOS)		
14844	31Ed. 1/6/01 LAST NM 18/02	4/03	★18587	68Ed. 8/25/01 LAST NM 42/02	4/03
Add	Tabulation of controlling depths from Subsection I-2		Add	Tabulation of controlling depths from Subsection I-2	
(NOS)			(NOS)		
★14845	26Ed. 1/18/97 LAST NM 18/02	4/03	★18649	62Ed. 8/11/01 LAST NM 41/02	4/03
Add	Tabulation of controlling depths from Subsection I-2		Delete	Buoy "A"	37°43'22.1"N 122°15'35.0"W
(NOS)				Buoy "B"	37°42'55.0"N 122°15'11.8"W
				Buoy "C"	37°42'34.8"N 122°14'44.2"W
				Buoy "D"	37°42'13.8"N 122°14'15.1"W
				(See 12/02-18649)	
★14865	16Ed. 6/26/99 LAST NM 43/01	4/03	Add	Buoy Fl 2s (Priv)	37°49'41.7"N 122°21'05.8"W
Add	Buoy "21" Y, Fl Y	43°02'40"N 82°24'43"W		Buoy Fl 2s (Priv)	37°49'58.0"N 122°21'12.6"W
	Buoy "20" Y, Fl Y	43°02'35"N 82°24'42"W		Buoy Fl 2s (Priv)	37°50'10.8"N 122°21'27.1"W
(39/02 CG9)				Buoy Fl 2s (Priv)	37°50'22.5"N 122°21'37.5"W
14880	30Ed. 5/16/98 LAST NM 33/02	4/03		Tabulation (2) of controlling depths from Subsection I-2	
Add	Depth 24 feet "Rep Oct (2002)"	45°45.7'N 85°09.0'W		(NOS; 37, 47/02 CG11)	
(39/02 CG9)					
14902	28Ed. 4/7/01 LAST NM 31/02	4/03	★18650	51Ed. 4/20/02 LAST NM 41/02	4/03
Add	Depth 24 feet "Rep Oct (2002)"	45°45.7'N 85°09.0'W	Delete	Buoy "A"	37°43'22.1"N 122°15'35.0"W
(39/02 CG9)				Buoy "B"	37°42'55.0"N 122°15'11.8"W
				Buoy "C"	37°42'34.8"N 122°14'44.2"W
★14911	20Ed. 7/14/01 LAST NM 41/01	4/03	Add	Buoy Fl 2s (Priv)	37°49'41.7"N 122°21'05.8"W
Add	Depth 24 feet "Rep Oct (2002)"	45°45.7'N 85°09.0'W		Buoy Fl 2s (Priv)	37°49'58.0"N 122°21'12.6"W
(39/02 CG9)				Buoy Fl 2s (Priv)	37°50'10.8"N 122°21'27.1"W
★14928	21Ed. 11/02 NEW EDITION	4/03		Buoy Fl 2s (Priv)	37°50'22.5"N 122°21'37.5"W
(NOS)					
★16549	14Ed. 6/23/90 LAST NM 36/01	4/03	★18651	41Ed. 6/30/01 LAST NM 12/02	4/03
Delete	Light (Fl R)	55°03'24"N 162°19'24"W	Delete	Buoy "A"	37°43'22.1"N 122°15'35.0"W
(48/02 CG17)				Buoy "B"	37°42'55.0"N 122°15'11.8"W
				Buoy "C"	37°42'34.8"N 122°14'44.2"W
★18473	7Ed. 12/02 NEW EDITION	4/03		Buoy "D"	37°42'13.8"N 122°14'15.1"W
(NOS)				Buoy "A"	37°38'01.2"N 122°21'46.0"W
				Buoy "B"	37°37'37.2"N 122°21'12.0"W
★18521	69Ed. 6/1/02 LAST NM 49/02	4/03		Buoy "C"	37°37'11.0"N 122°20'46.3"W
Add	Tabulation (2) of controlling depths from Subsection I-2			Buoy "D"	37°36'45.0"N 122°20'41.7"W
(NOS)				(Supersedes 12/02-18651)	
			(37/02 CG11)		
★18523	53Ed. 9/15/01 LAST NM 33/02	4/03	18652	31Ed. 9/29/01 LAST NM 49/02	4/03
Add	Tabulation of controlling depths from Subsection I-2			(Page B, Inset 5)	
(NOS)			Add	Buoy Fl 2s (Priv)	37°49'42"N 122°21'06"W
				Buoy Fl 2s (Priv)	37°49'58"N 122°21'13"W
				Buoy Fl 2s (Priv)	37°50'11"N 122°21'27"W
				Buoy Fl 2s (Priv)	37°50'23"N 122°21'38"W
★18524	33Ed. 2/23/02 LAST NM 33/02	4/03		(Page E)	
Add	Tabulation of controlling depths from Subsection I-2		Add	Tabulation of controlling depths from Subsection I-2	
(NOS)				(NOS; 47/02 CG11)	
★18525	33Ed. 6/30/01 LAST NM 33/02	4/03	★18653	9Ed. 9/30/00 LAST NM 41/02	4/03
Add	Tabulation of controlling depths from Subsection I-2		Add	Tabulation of controlling depths from Subsection I-2	
(NOS)				(NOS)	
18526	55Ed. 5/26/01 LAST NM 33/02	4/03	★18656	52Ed. 3/31/01 LAST NM 30/02	4/03
Add	Tabulation of controlling depths from Subsection I-2		Add	Tabulation of controlling depths from Subsection I-2	
(NOS)				(NOS)	
★18581	17Ed. 9/02 LAST NM 49/02	4/03	18657	18Ed. 3/17/01 LAST NM 30/02	4/03
Add	Tabulation of controlling depths from Subsection I-2		Add	Tabulation of controlling depths from Subsection I-2	
(NOS)				(NOS)	

SECTION I

18658	29Ed. 3/13/99 LAST NM 27/02 Add Tabulation of controlling depths from Subsection I-2 (NOS)	4/03	Add Light Fl 10s 6m 10M with obscured sector 241°-032°, 4.4 miles 325.2° (1(5), 3(35)02 Valparaiso)
★18661	26Ed. 2/17/01 LAST NM 30/02 (Side A) Add Tabulation of controlling depths from Subsection I-2	4/03	22420 2Ed. 7/26/97 LAST NM 46/01 Add Light Fl 10s 10M (3(35)02 Valparaiso)
	(Side B) Add Tabulation of controlling depths from Subsection I-2 (NOS)		★25649 18Ed. 11/2/96 LAST NM 35/02 Delete Depth 32 feet Depth 17 feet Depth 22 feet Buoy (mooring) Buoy (mooring)
18663	4Ed. 8/28/99 LAST NM 27/02 Add Tabulation of controlling depths from Subsection I-2 (NOS)	4/03	Danger circle "Obstn rep 1995" 18°20'06.0"N 64°55'38.0"W
18700	21Ed. 7/29/00 LAST NM 37/02 Relocate Buoy "MB" from 35°21.6'N 120°52.5'W to 35°21.6'N 120°52.8'W (37/02 CG11)	4/03	Substitute Depth 29 feet Obstn [K41] for 30 feet Obstn 18°19'18.3"N 64°55'41.0"W
★18703	24Ed. 1/26/02 LAST NM 37/02 Relocate Buoy "MB" from 35°21'39"N 120°52'32"W to 35°21'36.0"N 120°52'50.0"W (37/02 CG11)	4/03	Add Depth 21 feet Depth 20 feet Depth 17 feet Buoy (mooring) [Q40] Buoy (mooring) [Q40]
			(NOS) Position circle "Dol" [F20]
18720	31Ed. 7/29/00 LAST NM 35/02 Add Dangerous wreck [K28] (48/02 CG11)	4/03	★25670 41Ed. 4/13/02 LAST NM 49/02 Relocate Buoy "A" from 18°27'14.0"N to 18°27'14.2"N 66°06'23.9"W
★18725	26Ed. 10/11/97 LAST NM 35/02 Add Dangerous wreck [K28] (48/02 CG11)	4/03	Change Period of buoy "4" to 6s Period of buoy "5" to 6s (See 26/02-25670)
			(47, 48/02 CG7)
21014	72Ed. 1/21/84 LAST NM 3/03 Delete Light	4/03	★25681 15Ed. 3/25/00 LAST NM 4/02 Delete Buoy "7" (47/02 CG7)
	Change Visibility (range) of light to 6M Visibility (range) of light to 10M		
	Add Light Fl(2) 9M (Mex LL; US CH 21017)		
21017	50Ed. 3/16/85 LAST NM 50/02 Change Visibility (range) of light to 6M Visibility (range) of light to 10M Visibility (range) of light to 9M Visibility (range) of light to 13M Visibility (range) of light to 9M Visibility (range) of light to 12M Visibility (range) of light to 8M (See 35/89-21017) (Mex LL)	4/03	35040 18Ed. 5/10/97 LAST NM 45/02 Add Foul ground symbol [K31] (49(5204)02 Taunton)
22090	2Ed. 5/25/96 LAST NM 43/02 Add Depth 3.6 meters "Rep" [I4] (NTM0007/2002)	4/03	35041 8Ed. 2/8/97 LAST NM 35/02 Add Foul ground symbol [K31] (49(5204)02 Taunton)
22172	8Ed. 10/12/02 LAST NM 48/02 Add Light Fl R 5s 12m 8M (NTM0007/2002)	4/03	35042 9Ed. 1/18/97 LAST NM 44/02 Add Foul ground symbol [K31] (49(5204)02 Taunton)
22222	1Ed. 4/14/90 LAST NM 45/01 Delete Rocks and enclosing danger circle (1(3)02 Valparaiso)	4/03	36125 7Ed. 5/2/98 LAST NM 51/99 (Panel A) Add Depth 6.3 meters, blue tint and enclosing depth contour (10-meter) 53°22'48.4"N 2°59'27.5"W Depth 7.7 meters, blue tint and enclosing depth contour (10-meter) 53°22'31.6"N 2°59'10.0"W
22407	1Ed. 1/1/52 LAST NM N1/02 Add Light Fl 10s 6m 10M with obscured sector 241°-032° Buoy G, pillar, can topmark, Fl G 5s 51°10.8'S 74°18.1'W (Plan Canal Sarmiento) Distance and bearing from I Bonduca light	N4/03	36138 3Ed. 5/9/98 LAST NM 39/02 Add Buoy R, can, QR (47(4973)02 Taunton)
			36139 4Ed. 7/25/98 LAST NM 16/00 Add Buoy R, can, QR (47(4973)02 Taunton)

SECTION I

NM 4/03

36140	12Ed. 8/16/97 LAST NM 41/02 Add Depth 45 meters Wk (unsurveyed) [K30]	4/03 49°55.9'N 5°25.6'W (50(5349)02 Taunton)	37120	2Ed. 3/22/97 LAST NM 51/02 Add Light 2 Fl Y 5s 13m 5M HORN Ra Ref, FR 77m	4/03 51°26.8'N 1°04.7'E (50(5343)02 Taunton)
36141	7Ed. 4/11/98 LAST NM 16/00 Add Buoy R, can, QR	4/03 51°42'22.2"N 5°02'12.0"W (47(4973)02 Taunton)	37127	11Ed. 1/18/86 LAST NM 49/02 Delete Fog signal from buoy "E8"	4/03 51°05.43'N 2°28.58"E (26(19)00 Brest)
36161	10Ed. 3/7/98 LAST NM 50/02 Substitute Depth 8.1 meters enclosed by depth contour (10-meter) for 18 meters	4/03 51°23'59"N 3°08'05"W	37129	6Ed. 5/31/97 LAST NM 49/02 Delete WHIS from buoy "E8"	4/03 51°05'24.0"N 2°28'32.0"E (26(19)00 Brest)
	Add Depth 5.2 meters	51°23'49"N 3°07'44"W	37140	33Ed. 5/25/96 LAST NM 51/02 Add Light 2 Fl Y 5s 13m 5M HORN Ra Ref, FR 77m	4/03 51°26.8'N 1°04.7'E (50(5343)02 Taunton)
	Depth 4.8 meters, blue tint and enclosing depth contour (5-meter)	51°24'46"N 3°06'49"W	37141	29Ed. 10/21/95 LAST NM 1/03 Change Height of light to 18m	4/03 51°22'54"N 1°06'54"E
	(48(5105)02 Taunton)			Add Depth 6 meters	51°32'13"N 1°00'25"E
				Depth 6.2 meters	51°32'00"N 1°00'24"E
36162	10Ed. 9/5/98 LAST NM 50/02 Delete Depth 18 meters	4/03 51°23'59.2"N 3°08'03.0"W		Depth 5.8 meters	51°31'59"N 1°00'54"E
	Depth 12.2 meters	51°24'08.2"N 3°07'38.9"W			
				Light 2 Fl Y 5s 13m 5M HORN Ra Ref, FR 77m	51°26'47"N 1°04'41"E
	Add Depth 8.1 meters enclosed by depth contour (10-meter)	51°23'58.8"N 3°08'04.8"W		(48(5097), 50(5343, 5344)02 Taunton)	
	Depth 7.7 meters enclosed by depth contour (10-meter)	51°24'07.2"N 3°07'42.0"W	37145	23Ed. 8/22/98 LAST NM 50/02 Change Legend to "Maintained depth 12.5m"	4/03 51°27'58"N 0°48'28"E
	Depth 4.8 meters, blue tint and enclosing depth contour (5-meter)	51°24'45.6"N 3°06'49.2"W		(48(5097)02 Taunton)	
	Drying height [I15] 5.3 meters, uncovers tint and enclosing depth contour (0-meter)	51°25'04.2"N 3°07'00.0"W	37148	13Ed. 4/26/97 LAST NM 38/02 Add Depth 6.7 meters	4/03 52°03'48"N 1°33'25"E
				Depth 4.9 meters	52°02'38"N 1°31'41"E
	Depth 5.2 meters	51°23'49"N 3°07'44"W			
				Depth 9.7 meters enclosed by depth contour (10-meter)	52°03'22"N 1°33'37"E
	Add Depth 5.2 meters	51°23'49"N 3°07'44"W		(47(4968)02 Taunton)	
			37362	6Ed. 7/12/97 LAST NM 2/03 Change Sectors of light between 149° and 050° to green 149°-030°, white-050°	4/03 47°14'01"N 2°10'57"W (15(11)00 Brest)
			37363	8Ed. 8/23/97 LAST NM 48/02 Change Sectors of light between 149° and 050° to green 149°-030°, white-050°	4/03 47°14'01.5"N 2°10'56.8"W (15(11)00 Brest)
36163	13Ed. 11/1/97 LAST NM 50/02 Substitute Depth 8.1 meters enclosed by depth contour (10-meter) for 18 meters	4/03 51°23'59"N 3°08'05"W	37401	9Ed. 1/31/98 LAST NM 44/02 Add Depth 5.2 meters Obstn [K41]	4/03 46°07'34.5"N 1°13'58.9"W
				Depth 5.8 meters Obstn [K41]	46°07'26.3"N 1°13'43.9"W
				(12(10)00 Brest)	
	Add Depth 5.2 meters	51°23'49"N 3°07'44"W	37402	7Ed. 11/1/97 LAST NM 50/02 Add Depth 5.2 meters Obstn [K41]	4/03 46°07'34.5"N 1°13'58.9"W
				Depth 5.8 meters Obstn [K41]	46°07'26.3"N 1°13'43.9"W
				(12(10)00 Brest)	
			43384	1Ed. 9/14/91 LAST NM 48/02 (Plan B)	4/03
				Delete Buoy	58°20'38.0"N 11°54'04.0"E
				Add Buoy R, spar, QR	58°20'38.4"N 11°54'04.8"E
				(40(1088)99 Norrkoping)	
36180	23Ed. 10/14/95 LAST NM 50/02 Add Depth 45 meters Wk (unsurveyed) [K30]	4/03 49°55.9'N 5°25.6'W (50(5349)02 Taunton)	44030	7Ed. 6/14/97 LAST NM 46/02 Delete Submarine cable between	4/03 61°16.7'N 17°15.2'E 61°16.6'N 17°23.9'E
				Change Visibility (range) of light to 12-8M	61°10.1'N 17°20.1'E
36181	18Ed. 11/1/97 LAST NM 50/02 Add Depth 45 meters Wk (unsurveyed) [K30]	4/03 49°55'54"N 5°25'36"W (50(5349)02 Taunton)			
				Visibility (range) of light to 10-6M	60°38.3'N 17°59.1'E
				(40(1074, 1076)99, 27(638)00 Norrkoping; Swd LL)	
37080	3Ed. 12/28/96 LAST NM 1/03 Substitute Depth 12.7 meters for 14 meters	4/03 48°48.1'N 2°06.3'W (26(21)00 Brest)			
37086	8Ed. 2/27/99 LAST NM 50/02 Add Light QG to beacon	4/03 50°48'48.6"N 1°07'11.3"W (48(5106)02 Taunton)			
37089	12Ed. 8/17/91 LAST NM 28/02 Substitute Depth 9.4 meters, blue tint and enclosing contour (10-meter) for 13.6 meters	4/03 50°44'01"N 0°33'45"W			
	Depth 10.7 meters for 12.2 meters	50°42'08"N 0°32'17"W (48(5107)02 Taunton)			

44042	7Ed. 8/22/92 LAST NM 49/02 Relocate Range light, front from 57°42'26.8"N 11°39'27.0"E to 57°42'23.3"N 11°39'28.9"E Range light, rear from 57°42'25.8"N 11°39'23.9"E to 57°42'24.2"N 11°39'22.9"E	4/03	44360	9Ed. 10/12/96 LAST NM 42/02 Delete Racon at light (12(1565)02 St. Petersburg)	4/03 60°02.2'N 27°49.6'E
Add	Range line extending in 105°30' direction from above rear light, dashed for 130 meters, thence solid for 1400 meters Legend "Lts in line 285°30'" along above range line 57°42'18.0"N 11°40'09.0"E (22(546)00 Norrkoping)		44361	6Ed. 7/13/96 LAST NM 27/02 (Plan) Delete Depth 7.8 meters Depth 7 meters Substitute Depth 7.5 meters Rk [K14.1] for dangerous submerged rock	4/03 59°54'49.7"N 30°13'48.4"E 59°54'38.9"N 30°13'22.7"E 59°54'37.7"N 30°13'21.6"E
			Add	Dashed line (dredged area) with legend "10.5m (1996)" joining and delete hydrography within above limits Purple dashed line (swept area) with legend "8m (1996)" joining	59°54'58.6"N 30°14'20.0"E 59°55'05.4"N 30°14'40.9"E 59°55'07.3"N 30°14'41.2"E 59°55'06.1"N 30°14'49.5"E 59°54'57.0"N 30°14'35.5"E 59°54'32.3"N 30°13'17.8"E 59°54'44.2"N 30°13'27.5"E 59°54'50.0"N 30°13'37.1"E 59°54'48.1"N 30°13'41.2"E 59°54'42.8"N 30°13'31.7"E 59°54'31.6"N 30°13'22.6"E 59°54'27.0"N 30°13'20.4"E
44160	7Ed. 4/5/97 LAST NM 1/03 (Plan A) Add Beacon 57°15'52"N 16°28'48"E Beacon, R 57°15'57"N 16°27'20"E (42(960)00 Norrkoping)	4/03		Buoy "2" G, conical, cone topmark 59°54'48.5"N 30°13'33.9"E Buoy "4" G, conical, cone topmark 59°54'42.5"N 30°13'24.9"E Buoy "6" G, conical, cone topmark 59°54'34.5"N 30°13'17.9"E (17(2394)98 St. Petersburg; Rus CH 27047)	
44200	9Ed. 7/20/96 LAST NM 52/02 Change Visibility (range) of light to 10-6M 60°38.3'N 17°59.1'E (40(1076)99 Norrkoping; Swd LL)	4/03	44204	1Ed. 12/27/86 LAST NM 2/03 Change Visibility (range) of light to 10-6M 60°38'20"N 17°59'06"E (40(1076)99 Norrkoping; Swd LL)	4/03
44206	1Ed. 12/27/86 LAST NM 46/02 Delete Submarine cable between 61°16'42"N 17°15'00"E 61°16'36"N 17°23'54"E Change Visibility (range) of light to 12-8M 61°10'04"N 17°20'04"E (40(1074)99, 27(638)00 Norrkoping)	4/03	44207	1Ed. 11/22/86 LAST NM 24/01 (Plan A) Delete Submarine cable between 61°16'44.0"N 17°15'10.0"E 61°16'37.0"N 17°23'48.0"E Change Visibility (range) of light to 12-8M 61°10'04.0"N 17°20'04.0"E (40(1074)99, 27(638)00 Norrkoping)	4/03
44220	5Ed. 8/23/97 LAST NM 46/02 Delete Submarine cable between 61°16.7'N 17°15.2'E 61°16.6'N 17°23.9'E Change Visibility (range) of light to 12-8M 61°10.1'N 17°20.1'E (Plan) Delete Submarine cable between 61°16'42"N 17°15'12"E 61°16'30"N 17°22'00"E (40(1074)99, 27(638)00 Norrkoping)	4/03	44240	8Ed. 7/19/97 LAST NM 50/02 Change Visibility (range) of light to 6-3M 63°32.6'N 19°50.2'E Sectors of light between 231° and 258° to green 231°-246°54', white-258° 63°32.2'N 20°46.5'E (40(1072, 1073)99, 26(502)01 Norrkoping; Swd LL; BA LL)	4/03
44319	2Ed. 2/15/97 LAST NM 42/02 Delete Racon at light (12(1565)02 St. Petersburg)	4/03	44340	11Ed. 8/10/96 LAST NM 37/02 Change Height of range light, front to 36m 59°29.6'N 24°56.7'E Height of range light, rear to 54m 59°29.4'N 24°56.4'E (Est LL; BA LL)	4/03
44352	2Ed. 4/27/96 LAST NM 43/01 Add Submarine cable (power) [L31.1] joining 59°26'55.2"N 24°45'13.2"E 59°26'58.2"N 24°45'15.6"E 59°27'02.4"N 24°45'13.2"E 59°27'02.8"N 24°45'10.2"E (10(58)02 Tallinn)	4/03	51160	20Ed. 9/22/90 LAST NM 1/03 Change Period of buoy to 9s Add Fish haven area with blue tint [K46.1] bound by dotted line (limiting danger line) joining 36°29.3'N 6°24.7'W 36°28.4'N 6°20.2'W 36°20.7'N 6°18.4'W 36°19.8'N 6°19.5'W (52(700)00, 27(518)01 Cadiz)	4/03 36°35.9'N 6°24.0'W
			51163	4Ed. 2/4/84 LAST NM 17/01 Substitute Beacon YBY, double cone topmark points together, Q(9) 15s 10m 5M for light (28(536)01 Cadiz; Spn LL)	4/03 36°44'16.8"N 6°28'39.0"W

SECTION I

NM 4/03

51164	18Ed. 2/5/00	LAST NM 2/03	4/03	
Delete	Buoy		36°44'20"N 6°28'40"W	36°28'25"N 6°20'11"W 36°29'10"N 6°21'59"W
Change	Beacon to YBY, double cone topmark points together, Q(9) 15s 10m 5M	36°44'21"N 6°28'37"W		Fish haven area with blue tint [K46.1] bound by dotted line (limiting danger line) joining 36°26'30"N 6°23'47"W 36°23'50"N 6°22'04"W 36°23'46"N 6°19'35"W 36°26'25"N 6°20'39"W
Add	Fish haven area with blue tint [K46.1] bound by dotted line (limiting danger line) joining 36°29'15"N 6°24'43"W 36°27'31"N 6°24'34"W 36°27'26"N 6°21'41"W 36°28'25"N 6°20'11"W 36°29'10"N 6°21'59"W			Fish haven area with blue tint [K46.1] bound by dotted line (limiting danger line) joining 36°23'50"N 6°19'10"W 36°22'19"N 6°21'05"W 36°19'47"N 6°19'28"W 36°20'43"N 6°18'22"W
	Fish haven area with blue tint [K46.1] bound by dotted line (limiting danger line) joining 36°26'30"N 6°23'47"W 36°23'50"N 6°22'04"W 36°23'46"N 6°19'35"W 36°26'25"N 6°20'39"W			Can topmark to buoy Legend "ODAS" to buoy (See 2/03-51168) (52(700)00, 12(207), 27(518), 28(536), 39(697)01 Cadiz)
	Fish haven area with blue tint [K46.1] bound by dotted line (limiting danger line) joining 36°23'50"N 6°19'10"W 36°22'19"N 6°21'05"W 36°19'47"N 6°19'28"W 36°20'43"N 6°18'22"W			
	Can topmark to buoy Can topmark to buoy Legend "ODAS" to buoy	36°35'55"N 6°23'56"W 36°35'13"N 6°19'57"W 36°30'02"N 6°20'01"W		
	Buoy BY, pillar, double cone topmark points upward, Q	36°34'31"N 6°17'34"W		
	(See 2/03-51164)			
	(52(700)00, 12(207), 21(396), 28(536), 35(641), 39(697)01 Cadiz; Spn LL)			
51165	8Ed. 3/11/00	LAST NM 2/03	4/03	
Delete	"ANCHORING AND TRAWLING PROHIBITED" area in vicinity	36°31'00.0"N 6°15'57.0"W		
Relocate	Buoy from 36°32'48.0"N 6°16'59.4"W to	36°32'58.8"N 6°17'01.2"W		
	(See 2/03-51165)			
Change	Characteristic of buoy "4" to Fl(2) R 4s Characteristic of buoy "3" to Fl(2) G 4s	36°33'32.2"N 6°17'55.5"W 36°33'11.0"N 6°18'09.3"W		
Add	Can topmark to buoy Legend "ODAS" to buoy	36°35'12.9"N 6°19'57.3"W 36°30'00.7"N 6°20'00.0"W		
	Buoy BY, pillar, double cone topmark points upward, Q	36°34'31.2"N 6°17'34.2"W		
	(12(207), 13(235), 14(264), 21(396), 25(476), 39(697), 40(716)01 Cadiz)			
51167	6Ed. 3/11/00	LAST NM 2/03	4/03	
Delete	"ANCHORING AND TRAWLING PROHIBITED" area in vicinity	36°31'00.0"N 6°15'57.0"W		
Relocate	Buoy from 36°32'48.0"N 6°16'59.4"W to	36°32'58.8"N 6°17'01.2"W		
	(See 2/03-51167)			
Change	Characteristic of buoy "3" to Fl(2) G 4s Characteristic of buoy "4" to Fl(2) R 4s	36°33'11.0"N 6°18'09.3"W 36°33'32.2"N 6°17'55.5"W		
Add	Can topmark to buoy	36°35'12.9"N 6°19'57.3"W		
	Buoy BY, pillar, double cone topmark points upward, Q	36°34'31.2"N 6°17'34.2"W		
	(12(207), 13(235), 14(264), 21(396), 25(476), 40(716)01 Cadiz)			
51168	2Ed. 6/25/94	LAST NM 2/03	4/03	
Delete	Racon from light	36°44'16"N 6°28'40"W		
Change	Buoy to R, pillar, can topmark, Fl(2) R 9s	36°35'53"N 6°23'57"W		
Add	Fish haven area with blue tint [K46.1] bound by dotted line (limiting danger line) joining	36°29'15"N 6°24'43"W 36°27'31"N 6°24'34"W 36°27'26"N 6°21'41"W		

(continued on next page)

SECTION I

52085	(Continued)		
Add	Land tint to area bound by shore and solid line joining	39°26'34.1"N 0°19'32.7"W 39°26'27.7"N 0°19'13.7"W 39°26'20.8"N 0°19'17.5"W 39°26'26.8"N 0°19'36.0"W 39°26'24.2"N 0°19'37.9"W 39°26'24.8"N 0°19'39.9"W 39°26'23.5"N 0°19'40.4"W 39°26'23.9"N 0°19'41.5"W 39°26'09.0"N 0°19'49.8"W 39°26'08.3"N 0°19'48.6"W 39°26'07.2"N 0°19'49.1"W 39°26'01.3"N 0°19'30.6"W	
	Light Fl(3) G 9s 6m 1M	39°26'21.5"N 0°19'17.8"W	
	Legend "Under reclamation (2000)"	39°26'22.0"N 0°19'27.0"W	
	Dashed line (dredged channel limit) [I20] joining	39°26'29.2"N 0°18'58.4"W 39°26'15.4"N 0°18'58.7"W 39°26'06.6"N 0°18'45.9"W	
	Light Iso WRG 4s 6m 1M with sectors green 350°-353°, white-005°, red-008°	39°26'50.4"N 0°18'20.4"W	
	Land tint with legend "Ro-Ro" to area bound by shore and solid line joining	39°26'46.8"N 0°19'30.6"W 39°26'46.9"N 0°19'29.4"W 39°26'46.2"N 0°19'27.5"W 39°26'45.2"N 0°19'28.0"W	
	(27(386), 36(489)00, 9(151), 26(504), 27(523), 33(623), 38(689)01 Cadiz)		
52086	2Ed. 8/5/95 LAST NM 1/03	4/03	
Change	Buoy to Y, pillar, "X" topmark, Fl(4)Y 11s	39°39'13"N 0°10'45"W	
	Buoy to Y, pillar, "X" topmark, Fl Y 2s	39°39'05"N 0°10'29"W	
	Buoy to Y, pillar, "X" topmark, Fl Y 2s	39°38'55"N 0°10'37"W	
	Buoy to Y, pillar, "X" topmark, Fl Y 2s	39°39'03"N 0°10'53"W	
Add	(Plan B) Legend "NOTE NO 3"	39°38'30.0"N 0°12'30.0"W	
	Note No. 3 to NOTES "3. Later-date sources indicate extensive dredging and land reclamation in the Port of Sagunto." in left bottom margin of chart (38(689)01 Cadiz; Spn CH 4812)		
52088	2Ed. 3/30/96 LAST NM 45/02	4/03	
Change	Characteristic of light to Fl(3) 27s	38°33'49"N 0°03'00"W	
Add	"Marine farm (buoyed)" area bound by dashed line joining	38°36'59"N 0°01'58"E 38°36'52"N 0°02'02"E 38°36'56"N 0°02'16"E 38°37'04"N 0°02'13"E	
	(40(722)01, 22(406)02 Cadiz)		
53058	2Ed. 6/18/94 LAST NM 40/96	4/03	
Change	Visibility (range) of light to 17M	43°23'42.0"N 4°59'10.2"E	
	(Plan A) Visibility (range) of light to 17M	43°23'42.0"N 4°59'10.2"E	
(12(13)00 Brest)			
53060	14Ed. 9/30/89 LAST NM 51/02	4/03	
Delete	Depth 50 meters Wk	43°08.5'N 5°36.8'E	
(26(28)00 Brest)			
53063	8Ed. 4/20/91 LAST NM 47/02	4/03	
Change	Visibility (range) of light to 17M	43°23.72'N 4°59.17"E	
(12(13)00 Brest)			
53081	8Ed. 1/14/95 LAST NM 30/02	4/03	
Delete	Depth 50 meters Wk (PA)	43°08'30.0"N 5°36'25.0"E	
(26(28)00 Brest)			
54041	7Ed. 6/8/96 LAST NM 35/02	4/03	
	(Plan B)		
Delete	Double dashed line, land tint and legend "Under Construction" in vicinity	43°36'45.0"N 13°29'09.7"E	
	Legend "Works in progress (1995)"	43°36'54.0"N 13°29'12.0"E	
	Double solid line, land tint and light (FR 10m 4M) between	43°36'54.0"N 13°29'30.0"E 43°36'50.2"N 13°29'37.2"E	
	"Dredged to 10m (2000)" area in vicinity	43°37'20.0"N 13°30'16.0"E	
	"Dredged to 12.2m" area in vicinity	43°37'16.5"N 13°30'04.0"E	
	Depth contour (5.5-meter) in vicinity	43°37'02.0"N 13°30'16.8"E	
Substitute	Double solid line for double dashed line in vicinity	43°36'58.0"N 13°29'24.0"E	
	Note: Construction completed		
Change	Legend to "Dredged to 11m (1999)"	43°37'18.0"N 13°29'49.0"E	
Add	Wreck [K28]	43°37'32.0"N 13°30'01.0"E	
	Buoy Y, can, Fl Y 3s	43°37'47.3"N 13°29'26.0"E	
	Buoy Y, can, Fl Y 3s	43°37'43.3"N 13°29'34.0"E	
	Buoy Y, can, Fl Y 3s	43°37'18.4"N 13°29'13.1"E	
	Buoy Y, can, Fl Y 3s	43°37'22.1"N 13°29'04.8"E	
	"PROHIBITED AREA" [N2.2] area bound by purple composite line joining	43°37'47.3"N 13°29'26.0"E 43°37'43.3"N 13°29'34.0"E 43°37'18.4"N 13°29'13.1"E 43°37'22.1"N 13°29'04.8"E	
	Light Fl R 3s 5M	43°37'24.8"N 13°29'13.0"E	
	"Under reclamation (2000)" [F4.1] area bound by dashed line joining	43°37'42.0"N 13°29'26.5"E 43°37'41.2"N 13°29'27.4"E 43°37'23.8"N 13°29'13.0"E 43°36'24.1"N 13°29'12.0"E	
	and delete depths within above area		
	"Under reclamation (2000)" [F31] area bound by shore and dashed line joining	43°37'20.3"N 13°29'42.6"E 43°37'01.0"N 13°29'25.4"E 43°36'58.9"N 13°29'26.0"E	
	and delete depths within above area		
	"Dredged to 10m (2000)" [F4.1] area bound by shore and dashed line joining	43°37'31.2"N 13°29'53.3"E 43°37'26.8"N 13°29'51.8"E 43°37'21.5"N 13°30'08.1"E 43°37'10.0"N 13°30'18.0"E 43°37'20.0"N 13°30'27.0"E	
	and delete hydrography within above dredged area		
	"Dredging in progress" area bound by shore, above dashed line and dashed line joining	43°37'31.5"N 13°29'38.1"E 43°37'31.5"N 13°29'36.8"E 43°37'30.5"N 13°29'37.2"E 43°37'27.2"N 13°29'51.7"E	
	Dashed line between	43°37'26.8"N 13°29'51.8"E 43°37'22.4"N 13°29'50.0"E	
	"Dredged to 10m (1999)" [F4.1] area bound by shore, above dredged area, above dashed line and dashed line joining	43°37'10.0"N 13°30'18.0"E 43°37'05.5"N 13°30'13.0"E 43°37'15.2"N 13°30'01.8"E 43°37'21.2"N 13°30'00.8"E 43°37'20.0"N 13°29'57.0"E	
	and delete depths within above dredged area		
	"Dredged to 12m (1998)" area bound by shore, above dredged area and dashed line between	43°37'14.0"N 13°29'58.6"E 43°37'15.2"N 13°30'01.8"E	
	and delete depths within above dredged area		

SECTION I

NM 4/03

54041 (Continued)

“Dredged to 10m (1998)” area bound by shore, above dredged areas and dashed line between
 43°37'05.5"N 13°30'13.0"E
 43°37'02.8"N 13°30'11.4"E

and delete depths within above dredged area

Dashed line between 43°37'00.7"N 13°30'07.8"E
 43°36'59.1"N 13°30'13.2"E

“Dredged to 6m (1998)” area bound by shore, above dashed line and dashed line between
 43°37'02.8"N 13°30'11.4"E
 43°36'59.1"N 13°30'18.5"E

and delete depths within above dredged area

“Works in progress (1999)” area bound by shore, breakwater and dashed line between
 43°36'46.5"N 13°29'32.4"E
 43°36'56.5"N 13°29'21.0"E

and delete hydrography within above area

“Dredged to 3m (1998)” area bound by shore, above “Works in progress (1999)” area and dashed line joining 43°36'56.5"N 13°29'21.0"E
 43°36'52.0"N 13°29'20.5"E
 43°36'37.9"N 13°29'22.0"E

and delete hydrography within above dredged area

Light Fl(2)R 10s 10m 6M 43°36'41.2"N 13°28'49.1"E
 Light FR 43°36'40.5"N 13°28'53.6"E

Double solid line (breakwater) [F4.1] joining
 43°36'51.8"N 13°29'20.2"E
 43°36'43.8"N 13°29'09.9"E
 43°36'41.6"N 13°29'03.0"E
 43°36'40.8"N 13°28'59.6"E
 43°36'40.5"N 13°28'53.6"E
 43°36'41.2"N 13°28'49.0"E

“Works in progress (2000)” area bound by above breakwater, above dredged area, shore and solid line joining
 43°36'43.8"N 13°29'09.9"E
 43°36'43.2"N 13°29'09.8"E
 43°36'37.4"N 13°29'15.8"E
 43°36'38.0"N 13°29'16.1"E
 43°36'36.0"N 13°29'19.9"E

and delete hydrography within above area

Land tint to area bound by shore, above breakwater, above “Works in progress (2000)” area and solid line joining 43°36'41.6"N 13°29'03.0"E
 43°36'40.7"N 13°29'03.9"E
 43°36'41.9"N 13°29'06.9"E
 43°36'37.8"N 13°29'10.8"E
 43°36'34.2"N 13°29'16.5"E

“Works in progress (1999)” area with land tint bound by shore and solid line joining
 43°36'24.0"N 13°28'51.8"E
 43°36'35.4"N 13°28'54.3"E
 43°36'28.0"N 13°29'01.1"E

Light Fl(2)G 10s 10m 6M 43°36'38.9"N 13°28'53.5"E

Solid line (breakwater) [F4.1] between
 43°36'38.0"N 13°28'51.9"E
 43°36'35.4"N 13°28'54.3"E

(19(11)99, 12(7)00 Genova; Ital CH 209)

54340 8Ed. 7/27/91 LAST NM 3/03

Delete Wreck
 (1(23)02 Athens)

4/03
 37°48.3'N 23°45.9'E

54343 10Ed. 12/9/95 LAST NM 48/02

Delete Wreck
 (1(23)02 Athens)

4/03
 37°48'19"N 23°45'54"E

55102 3Ed. 8/10/96 LAST NM 24/02

Add Light Fl R 3s to buoy “32”
 Light Fl G 3s to buoy “39”
 (17(2426, 2428)98 St. Petersburg)

4/03
 46°35'29"N 31°36'39"E
 46°35'32"N 31°42'13"E

55103 2Ed. 4/6/96 LAST NM 1/03

Delete Buoy (mooring)
 Buoy (mooring)

4/03
 44°35'38.0"N 33°25'20.0"E
 44°35'34.0"N 33°25'26.0"E

Add Buoy (mooring) [Q40]
 Buoy (mooring) [Q40]
 (17(2433)98 St. Petersburg)

44°35'11.3"N 33°25'34.1"E
 44°35'28.5"N 33°25'18.0"E

55104 2Ed. 4/20/96 LAST NM 48/02

Add Buoy (mooring) [Q40]
 Buoy (mooring) [Q40]
 (17(2434)98 St. Petersburg)

44°29'53"N 33°28'57"E
 44°29'35"N 33°29'15"E

55128 2Ed. 3/18/00 LAST NM 1/03

(Plan)

Delete Depth 13 meters

4/03
 44°42'36.5"N 37°50'19.0"E

Substitute Depth 24.8 meters for 26 meters

44°42'12.9"N 37°50'07.7"E

Depth 14.2 meters for 14.5 meters

44°42'23.0"N 37°50'23.7"E

Depth 14.3 meters for 14.7 meters

44°42'23.2"N 37°50'27.2"E

Depth 11.1 meters for 11.2 meters

44°42'24.0"N 37°50'33.5"E

Depth 12.1 meters for 11.4 meters

44°42'33.2"N 37°50'19.2"E

Depth 12.2 meters for 14.3 meters

44°42'32.9"N 37°50'14.7"E

Add Depth 15.4 meters

44°42'22.9"N 37°50'21.7"E

Depth 9.7 meters

44°42'34.4"N 37°50'28.7"E

Depth 12.7 meters

44°42'36.0"N 37°50'16.7"E

Depth 12.3 meters

44°42'36.5"N 37°50'20.1"E

Depth 9.4 meters

44°42'37.2"N 37°50'27.8"E

(17(2436)98 St. Petersburg; Rus CH 38172)

62194 8Ed. 1/19/02 LAST NM 36/02

Relocate Buoy from 29°38'53.4"N 32°22'45.0"E to

29°38'53.4"N 32°23'07.8"E

Buoy from 29°38'45.0"N 32°22'45.0"E to

29°38'45.0"N 32°23'07.8"E

Pilot station symbol from

29°38'47.4"N 32°24'31.2"E to 29°38'54.0"N 32°25'39.0"E

Add “Waiting area” [N1.1] bound by

purple dashed line joining

29°41'18.0"N 32°25'46.8"E

29°39'18.0"N 32°25'46.8"E

29°39'18.0"N 32°27'30.0"E

Buoy G, conical, cone topmark, Fl(2) G 5s

29°38'53.4"N 32°22'21.6"E

Buoy R, can, can topmark, Fl(2) R 5s

29°38'45.0"N 32°22'21.6"E

(49(5269)02 Taunton)

62302 2Ed. 1/13/96 LAST NM 44/01

(Plan)

Add Chartlet, depicting changes in hydrography,

topography and aids to navigation, from

Subsection I-2

14°31'30.0"N 49°08'00.0"E

(BA CH 3784)

62400 17Ed. 9/23/95 LAST NM 33/02

Add Legend “ENTRY PROHIBITED”

25°02'15"N 54°58'00"E

Purple composite-line greater arc of a circle

(entry prohibited limit), radius 3 miles,

25°01'30"N 54°58'18"E

centered

25°01'00"N 55°01'31"E

arc joining

24°59'22"N 54°56'01"E

25°04'26"N 54°57'36"E

Purple composite line (entry prohibited limit)

between

25°04'26"N 54°57'36"E

25°01'00"N 55°01'31"E

(50(5399)02 Taunton)

62464 2Ed. 12/8/01 LAST NM 50/02

Add “ENTRY PROHIBITED” area bound by

purple composite line joining

25°01'55.5"N 55°00'30.0"E

25°01'00.0"N 55°01'32.8"E

25°00'30.0"N 55°01'24.0"E

24°59'30.0"N 55°00'45.0"E

24°59'18.0"N 55°00'30.0"E

Note: Area extends beyond chart border

(50(5399)02 Taunton)

SECTION I

62498	4Ed. 12/8/01 LAST NM 31/02 Add Legend "ENTRY PROHIBITED"	4/03 25°02'15"N 54°58'00"E	71402	1Ed. 7/6/91 LAST NM 46/02 Add Superbuoy SBM [L16] "B2" Mo(U) 10s (134)96 Kuala Lumpur	4/03 3°22'25"N 113°02'51"E
	Purple composite-line lesser arc of a circle (entry prohibited limit), radius 3 miles, centered 25°01'30"N 54°58'18"E arc between 25°01'00"N 55°01'31"E 24°59'00"N 55°00'05"E				
	Purple composite-line lesser arc of a circle (entry prohibited limit), radius 3 miles, centered 25°01'30"N 54°58'18"E arc between 24°59'00"N 54°56'28"E 25°04'24"N 54°57'39"E				
	Purple composite line (entry prohibited limit) between 25°04'24"N 54°57'39"E 25°01'00"N 55°01'31"E (50(5399)02 Taunton)				
62499	4Ed. 12/8/01 LAST NM 50/02 Add Legend "ENTRY PROHIBITED"	4/03 25°02'15.0"N 54°58'00.0"E	72103	2Ed. 6/13/98 LAST NM 29/02 Change Buoy to G, conical, cone topmark, Fl G 5s (1389)02 Jakarta	4/03 0°54'30.0"S 117°18'19.5"E
	Legend "Reclamation in progress (2002)" between 25°01'12.0"N 54°58'48.0"E 25°00'21.0"N 54°58'48.0"E				
	Purple composite-line greater arc of a circle (entry prohibited limit), radius 3 miles, centered 25°01'30.0"N 54°58'18.0"E arc joining 25°01'00.0"N 55°01'31.2"E 24°59'22.5"N 54°56'01.0"E 25°04'26.4"N 54°57'36.0"E				
	Purple composite line (entry prohibited limit) between 25°04'26.4"N 54°57'36.0"E 25°01'00.0"N 55°01'31.2"E (50(5399)02 Taunton)				
63020	15Ed. 6/26/93 LAST NM 31/02 Change Characteristic of light to Fl(3) (See 27/02-63020) (49(5278)02 Taunton)	4/03 21°51.9"N 91°50.5"E	74005	2Ed. 4/8/95 LAST NM 51/02 Delete Wreck (PA) (21(581)00 Wollongong)	4/03 12°53.2"S 143°36.4"E
63330	9Ed. 4/13/91 LAST NM 39/02 Change Characteristic of light to Fl(3) 10s (See 27/02-63330)	4/03 21°51.9"N 91°50.7"E	74183	11Ed. 10/17/98 LAST NM 42/02 Add Solid line joining 27°24'07.0"S 153°09'53.2"E 27°24'10.0"S 153°09'16.0"E 27°24'10.9"S 153°09'16.4"E 27°24'11.0"S 153°09'19.2"E 27°24'13.5"S 153°09'19.5"E 27°24'16.6"S 153°09'15.7"E and delete land tint area seaward of above line	4/03 27°24'18.4"S 153°09'17.4"E 27°24'18.3"S 153°09'14.8"E 27°24'20.5"S 153°09'11.0"E and delete land tint area seaward of above line (21(577)00 Wollongong)
	Add Dangerous wreck [K28] Dangerous wreck [K28] Dangerous wreck [K28] (48(5152), 49(5278)02 Taunton)	22°14.7"N 91°44.0"E 22°16.5"N 91°42.9"E 22°17.6"N 91°42.8"E	74186	7Ed. 10/3/98 LAST NM 34/02 Add Legend "Works in progress (2002)" (Plan C) (19(612)02 Wollongong)	4/03 27°28'05.5"S 153°02'21.5"E
63337	15Ed. 8/8/92 LAST NM 39/02 Change Characteristic of light to Fl(3) 10s (See 27/02-63337)	4/03 21°51'54"N 91°50'32"E	74240	8Ed. 7/22/95 LAST NM 42/02 Add Depth 121 meters (italicized) [I14] (21(579)00 Wollongong)	4/03 18°37.0"S 148°15.0"E
	Add Dangerous wreck [K28] Dangerous wreck [K28] Dangerous wreck [K28] (48(5152), 49(5278)02 Taunton)	22°14'47"N 91°43'53"E 22°16'36"N 91°42'43"E 22°17'38"N 91°42'35"E	74261	9Ed. 5/23/98 LAST NM 49/02 Add Blue tint to area bound by existing shoal and dotted line joining 15°35'43"S 145°38'07"E 15°36'17"S 145°39'06"E 15°36'38"S 145°39'53"E 15°37'45"S 145°39'52"E 15°38'03"S 145°39'28"E 15°38'07"S 145°39'07"E and delete former area limit within above area (21(580)00 Wollongong)	4/03
71027	9Ed. 9/19/98 LAST NM 2/03 Delete Light	4/03 7°55.7"N 109°57.1"E	74272	7Ed. 8/23/97 LAST NM 32/02 Delete Wreck (PA) Add Depth 22.6 meters Wk [K26] (21(581)00 Wollongong)	4/03 12°53'07"S 143°36'28"E
	Add Light symbol [P1] (48(5155)02 Taunton)	7°48.8"N 109°56.9"E	74295	3Ed. 9/19/98 LAST NM 22/02 Change Line 10 of TIDAL INFORMATION block to "Tidal heights for Ince Point, Turtle Head and Goods Island are transmitted every four minutes on VHF channels 68 and 88." (21(583)00 Wollongong)	4/03 10°24'50.0"S 142°18'45.0"E
71340	11Ed. 7/25/92 LAST NM 2/03 Delete Light at platform	4/03 4°41.2"N 112°29.7"E	74455	3Ed. 6/7/97 LAST NM 1/03 Delete Dotted line and legend "Rep (1998)" centered 15°15.5"S 124°39.7"E	4/03
	Add Wreck [K24]	3°47.8"N 113°29.3"E			
	Superbuoy SBM [L16] "B2" Mo(U) 10s (134), 5(73)96, 9(198)00 Kuala Lumpur	3°22.4"N 113°02.9"E			
			Add Double dotted line (shoal limit) with legend "Rep (2002)" 0.2 mile wide on centerline between 15°14.7"S 124°39.8"E 15°15.3"S 124°39.5"E		
				Rock which covers and uncovers [K11] (23(736)02 Wollongong)	
				14°59.9"S 124°45.7"E	

SECTION I

NM 4/03

74515	4Ed. 7/5/97 LAST NM 39/02 Add Submarine pipeline [L40.1] between (23(738)02 Wollongong)	20°54.2'S 114°54.6'E 20°55.1'S 114°54.4'E	4/03	93721	5Ed. 6/5/99 LAST NM 50/02 Change Color of beacon to BY Color of beacon to BY	22°17'32"N 113°53'51"E 22°18'50"N 113°59'37"E	4/03	
74517	3Ed. 7/6/96 LAST NM 41/02 Add Submarine pipeline [L40.1] with legend "Woollybutt Prod Wells" between (23(738)02 Wollongong)	20°54'11"S 114°54'36"E 20°55'04"S 114°54'22"E	4/03	Add Submarine cable [L30.1] joining	22°12'57"N 113°56'59"E 22°11'42"N 113°57'28"E 22°08'58"N 113°57'30"E	22°22'15"N 113°57'12"E 22°22'01"N 113°57'20"E 22°21'44"N 113°57'26"E 22°21'20"N 113°57'26"E 22°20'21"N 113°57'07"E 22°20'10"N 113°57'05"E 22°19'27"N 113°57'03"E 22°18'46"N 113°56'51"E 22°18'38"N 113°56'46"E 22°18'43"N 113°56'26"E	4/03	
74560	10Ed. 7/18/98 LAST NM 50/02 (Plan A) Delete Buoy (See 46/02-74560) (22(715)02 Wollongong)	28°45'07.8"S 114°34'54.6"E	4/03	Submarine cable [L30.1] joining	22°22'15"N 113°57'12"E 22°22'01"N 113°57'20"E 22°21'44"N 113°57'26"E 22°21'20"N 113°57'26"E 22°20'21"N 113°57'07"E 22°20'10"N 113°57'05"E 22°19'27"N 113°57'03"E 22°18'46"N 113°56'51"E 22°18'38"N 113°56'46"E 22°18'43"N 113°56'26"E	Cable landing beacon [Q123]	22°18'43"N 113°56'26"E	4/03
75025	9Ed. 12/10/94 LAST NM 2/03 Add Submarine pipeline (gas) [L40.1] between (23(745)02 Wollongong)	38°30.0'S 147°46.2"E 38°11.3'S 147°26.5"E	4/03	Buoy "Weather 2" Y, pillar, Fl Y 9s	22°17'28"N 113°52'56"E	Depth 7.8 meters Depth 7.9 meters Depth 9.1 meters Depth 11.3 meters Depth 11.9 meters (See 24/01, 9/02-93721)	22°21'56"N 113°54'20"E 22°21'11"N 113°54'09"E 22°25'39"N 113°53'22"E 22°25'31"N 113°53'22"E 22°25'10"N 113°52'33"E	4/03
75144	3Ed. 4/22/95 LAST NM 51/02 Delete Buoy (PA) Buoy (PA)	34°24'19"S 136°09'17"E 34°23'01"S 136°06'47"E	4/03	Add Beacon R, can topmark Buoy R, spar, can topmark (23(741)02 Wollongong)	34°24'19"S 136°09'13"E 34°22'58"S 136°06'40"E	(17(57), 19(60, 62), 20(65, 66), 25(74)02 Hong Kong)	4/03	
75207	2Ed. 11/9/96 LAST NM 52/02 Add Buoy Y, spar Buoy Y, spar Buoy Y, spar (23(744)02 Wollongong)	41°08'32.6"S 146°49'03.7"E 41°08'31.0"S 146°47'58.9"E 41°08'22.7"S 146°48'04.9"E	4/03	93730	3Ed. 6/29/96 LAST NM 2/03 Change Legend to "DUMPING GROUND (Ammunition) (disused)"	(19(64)02 Hong Kong)	22°15.9'N 114°28.1'E	4/03
75220	12Ed. 7/13/96 LAST NM 49/02 Add Submarine pipeline [L40.1] with legend "Gas" joining (23(745)02 Wollongong)	38°30.0'S 147°46.2'E 38°29.9'S 147°44.9'E 38°17.1'S 147°32.1'E 38°15.8'S 147°30.3'E 38°11.8'S 147°26.6'E 38°11.1'S 147°26.2'E	4/03	93733	13Ed. 6/28/97 LAST NM 45/02 Change Legend to "EXPLOSIVES DUMPING GROUND (disused)"	(16(55), 19(64)02 Hong Kong)	22°15'54"N 114°28'09"E	4/03
					Color of beacon to W		22°16'00"N 114°03'00"E	
75240	4Ed. 7/1/95 LAST NM 2/03 Add Submarine pipeline (gas) [L40.1] joining (23(745)02 Wollongong)	38°30.0'S 147°46.2'E 38°29.9'S 147°44.9'E 38°17.1'S 147°32.1'E 38°15.8'S 147°30.3'E 38°11.8'S 147°26.6'E 38°11.1'S 147°26.2'E	4/03	93734	11Ed. 4/19/97 LAST NM 45/02 Delete Buoy "Cement" Buoy "Cement 1" Buoy "Cement 6" (25(75)02 Hong Kong)		22°12'37.1"N 114°07'56.0"E 22°12'48.1"N 114°08'09.8"E 22°12'35.1"N 114°08'13.2"E	4/03
76052	8Ed. 1/16/99 LAST NM 21/02 (Panel B) Delete Buoy and legend "Compass dolphin" (NZ CH 5322)	36°50'36.5"S 174°47'36.5"E	4/03	93736	22Ed. 6/27/98 LAST NM 41/02 Delete Buoy "A41" Buoy "A45" Buoy "B27" Depth 0.9 meter		22°18'07.0"N 114°06'20.8"E 22°17'53.5"N 114°06'22.9"E 22°18'32.5"N 114°06'36.8"E 22°17'05.9"N 114°11'15.9"E	4/03
					Depth contour (2-meter) between		22°17'07.6"N 114°11'13.2"E 22°17'05.1"N 114°11'18.2"E	
93006	2Ed. 7/29/95 LAST NM 45/02 Change Legend to "Dumping Ground (Ammunition) (disused)" (19(64)02 Hong Kong)	22°15.9'N 114°28.5'E	4/03		Purple composite line and legend "ANCHORING RESTRICTED AREA CAUTION NO 2" between		22°22'02.5"N 114°04'44.0"E 22°21'31.0"N 114°04'44.0"E	
93020	2Ed. 7/16/83 LAST NM 38/02 Delete Light (PA) (48(5155)02 Taunton)	7°55.7'N 109°57.1'E	4/03		Legend "ANCHORING RESTRICTED AREA CAUTION NO 2"		22°21'00.0"N 114°02'21.0"E	
93049	1Ed. 8/30/97 LAST NM 45/02 Delete Light (PA) (48(5155)02 Taunton)	7°55'42"N 109°57'06"E	4/03	Change Color of beacon to W	22°15'57.5"N 114°03'02.3"E			
		7°48.8'N 109°56.9'E		Add Light QY to buoy "A74" Light QY to buoy "A78" Depth 2.8 meters Depth 2.9 meters	22°18'17.0"N 114°06'34.9"E 22°18'02.0"N 114°06'35.8"E 22°17'06.7"N 114°11'01.9"E 22°17'08.0"N 114°11'16.9"E			
				Depth 1.9 meters enclosed by depth contour (2-meter)	22°17'10.0"N 114°11'14.4"E			
				Depth contour (2-meter) between		22°17'07.6"N 114°11'13.2"E 22°17'04.3"N 114°11'15.0"E		
				Depth 8.5 meters		22°17'12.2"N 114°06'51.9"E		
		7°48'48"N 109°56'54"E					(continued on next page)	

93736	(Continued)			
	Legend "Special Area (see Note No. 6)"			
	22°20'28.0"N 114°03'28.0"E			
	Note No. 6 to NOTES			
	"6. Vessels with a length exceeding 10 meters shall navigate only in a southeasterly direction."	22°21'12.0"N 114°12'44.0"E		
	(7(21)01, 16(55), 19(63), 21(67), 22(69), 23(71)02 Hong Kong)			
94420	3Ed. 9/23/95 LAST NM 39/02	4/03		
Change	Visibility (range) of light to 18M	38°58.1'N 121°54.3'E		
(17(330)02 Tianjin)				
94421	10Ed. 3/23/96 LAST NM 45/02	4/03		
Change	Visibility (range) of light to 18M	38°58'03"N 121°54'19"E		
Add	Light Fl G 5s 20m 10M	39°00'12"N 121°54'15"E		
(4(51), 17(330)02 Tianjin)				
95082	9Ed. 5/28/94 LAST NM 1/03	4/03		
Relocate	Buoy "11" from 35°59'05"N 126°37'25"E to 35°59'05"N 126°37'19"E			
	(See 1/03-95082)			
	(48(649)02 Inchon)			
95083	8Ed. 5/28/94 LAST NM 1/03	4/03		
Relocate	Buoy "11" from 35°59'05.0"N 126°37'25.0"E to 35°59'05.0"N 126°37'19.0"E			
	(See 1/03-95083)			
	(48(649)02 Inchon)			
95100	12Ed. 3/2/96 LAST NM 1/03	4/03		
Change	Height of light to 72m	33°31'17"N 126°32'44"E		
	Visibility (range) of light to 9M	33°57'42"N 126°18'06"E		
	(53(621, 626)99 Inchon)			
95102	8Ed. 8/12/95 LAST NM 1/03	4/03		
Add	Purple tint area (traffic separation zone) bound by limit joining	34°16'21"N 126°54'04"E 34°15'22"N 126°49'03"E 34°15'12"N 126°49'03"E 34°16'11"N 126°54'06"E		
	Purple tint area (traffic separation zone) bound by limit joining	34°17'01"N 126°48'36"E 34°17'01"N 126°48'24"E 34°15'39"N 126°48'24"E 34°15'39"N 126°48'36"E		
	Purple tint area (traffic separation zone) bound by limit joining	34°15'16"N 126°47'57"E 34°15'20"N 126°45'19"E 34°15'10"N 126°45'19"E 34°15'06"N 126°47'57"E		
	Purple tint area (traffic separation zone) bound by limit joining	34°14'45"N 126°48'36"E 34°14'45"N 126°48'24"E 34°13'36"N 126°48'24"E 34°13'36"N 126°48'36"E		
	Purple heavy dashed line (outside limit of traffic lane) joining	34°16'42"N 126°53'57"E 34°15'50"N 126°49'30"E 34°17'01"N 126°49'03"E		
	Purple heavy dashed line (outside limit of traffic lane) joining	34°17'01"N 126°47'57"E 34°15'39"N 126°47'57"E 34°15'42"N 126°45'20"E		
	Purple heavy dashed line (outside limit of traffic lane) joining	34°14'47"N 126°45'18"E 34°14'44"N 126°47'57"E 34°13'36"N 126°47'57"E		
	Purple heavy dashed line (outside limit of traffic lane) joining	34°13'36"N 126°49'04"E 34°14'49"N 126°49'04"E 34°15'49"N 126°54'12"E		
	(48(646)02 Inchon)			
95103	8Ed. 5/18/96 LAST NM 52/02	4/03		
Change	Light to Fl R 4s 13m 9M	33°25'00"N 126°15'12"E		
	Light to Fl R 5s 15m 9M	33°12'48"N 126°15'00"E		
	Visibility (range) of light to 9M	33°57'42"N 126°18'06"E		
	Height of light to 72m	33°31'17"N 126°32'44"E		
	(53(621, 624-626)99 Inchon)			
95120	7Ed. 12/2/95 LAST NM 1/03	4/03		
Change	Height of light to 72m	33°31'17"N 126°32'44"E		
	Light to Fl R 5s 15m 9M	33°12'48"N 126°15'00"E		
	(53(621, 625)99 Inchon)			
95282	7Ed. 7/14/90 LAST NM 52/02	4/03		
Add	Buoy "A" G, pillar, can topmark, Fl G 4s	35°28'48.3"N 135°23'02.2"E		
	Buoy "B" G, pillar, can topmark, Fl G 4s	35°28'47.3"N 135°22'54.4"E		
	Buoy "C" G, pillar, can topmark, Fl G 4s	35°28'46.3"N 135°22'47.5"E		
	(1(4)99 Tokyo)			
96938	4Ed. 1/18/97 LAST NM 9/02	4/03		
Add	Light Fl G 3s 10m 6M	44°52'11"N 141°44'05"E		
	(1(2)99 Tokyo)			
96939	3Ed. 1/18/97 LAST NM 41/01	4/03		
Add	Light Fl G 3s 10m 6M	44°52'11"N 141°44'05"E		
	(1(2)99 Tokyo)			
97180	6Ed. 7/19/97 LAST NM 48/02	4/03		
Change	Visibility (range) of light to 9M	34°31'54"N 136°54'16"E		
	(See 46/02-97180)			
	(47(1616)02 Tokyo)			
97181	20Ed. 3/26/94 LAST NM 1/03	4/03		
Change	Visibility (range) of light to 9M	34°31'54"N 136°54'16"E		
	(See 46/02-97181)			
	(47(1616)02 Tokyo)			
97182	13Ed. 1/1/94 LAST NM 1/03	4/03		
Change	Visibility (range) of light to 9M	34°31'54.0"N 136°54'16.0"E		
	(See 46/02-97182)			
	(47(1616)02 Tokyo)			
97204	9Ed. 2/12/94 LAST NM 52/02	4/03		
Add	Light Fl R 3s 9m 5M	34°31'56.4"N 134°53'34.0"E		
	(30(1027), 47(1617)02 Tokyo)			
97382	2Ed. 9/6/97 LAST NM 45/02	4/03		
Delete	Dashed line and legend "Fish Nets" in vicinity	32°11'12.0"N 130°21'34.8"E		
	Dashed line in vicinity	32°11'21.9"N 130°21'36.2"E		
	Dashed line and legend "Fish Nets" in vicinity	32°11'43.0"N 130°21'28.2"E		
	Dashed line in vicinity	32°11'29.0"N 130°21'35.0"E		
	Dashed line and legend "Fish Nets" in vicinity	32°12'05.0"N 130°21'41.0"E		
	Dashed line and legend "Fish Nets" in vicinity	32°12'19.8"N 130°22'10.0"E		
	(1(9)99 Tokyo; Jpn CH W1240)			
97387	2Ed. 4/1/95 LAST NM 33/01	4/03		
Delete	Dashed line and legend "Fish Nets" in vicinity	32°11'15.0"N 130°21'36.0"E		
	Dashed line and legend "Fish Nets" in vicinity	32°12'00.0"N 130°21'42.0"E		
	(1(9)99 Tokyo; Jpn CH W1240)			