

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*13026	Pilgrim Power Plant Security Zone Buoy A					White with orange bands, can.	Marked "Restricted Area" 7/03
*13027	Pilgrim Power Plant Security Zone Buoy B					White with orange bands, can.	Marked "Restricted Area" 7/03
*13028	<i>Pilgrim Power Plant Security Zone Lighted Buoy C</i>		FI Y 4s		4	White with orange bands.	Marked "Restricted Area" 7/03
*13029	Pilgrim Power Plant Security Zone Buoy D					White with orange bands, can.	Marked "Restricted Area" 7/03
CAPE COD BAY (Chart 13246)							
Cape Cod Canal Approach							
13030	Pilgrim Power Plant Security Zone Buoy E	41 56 54 N 70 34 30 W				White with orange bands, can.	Marked "Restricted Area" * * * 7/03
*13031	Pilgrim Power Plant Security Zone Buoy F					White with orange bands, can.	Marked "Restricted Area" 7/03
*13032	Pilgrim Power Plant Security Zone Buoy G					White with orange bands, can.	Marked "Restricted Area" 7/03
*13033	Pilgrim Power Plant Security Zone Buoy H					White with orange bands, can.	Marked "Restricted Area" 7/03
*13034	Pilgrim Power Plant Security Zone Buoy L					White with orange bands, can.	Marked "Restricted Area" 7/03
*13034.1	<i>Pilgrim Power Plant Security Zone Lighted Buoy J</i>		FI Y 4s		4	White with orange bands, can.	Marked "Restricted Area" 7/03
*13034.2	Pilgrim Power Plant Security Zone Buoy K					White with orange bands, can.	Marked "Restricted Area" 7/03
*13034.3	Pilgrim Power Plant Security Zone Buoy I					White with orange bands, can.	Marked "Restricted Area" 7/03
Silver Eel Pond							
21055	- Entrance Lighted Whistle Buoy SE	41 15 36 N 72 02 12 W	Mo(A)		4	Red and white.	* * * 7/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*22911	Chester Ferry Dock North Light A	41 25 10 N 72 25 57 W	FI W 2.5s	19	4	On dolphin center pile.	7/03
*22912	Chester Ferry Dock South Light B	41 25 09 N 72 25 57 W	FI Y 2.5s	20	4	On dolphin center pile.	7/03
*22913	Hadlyme Ferry Dock North Light A	41 25 12 N 72 25 43 W	FI Y 2.5s	21	4	On dolphin center pile.	7/03
*22914	Hadlyme Ferry Dock South Light B	41 25 12 N 72 25 43 W	FI W 2.5s	20	4	On dolphin center pile.	7/03
28335	- Channel Buoy 5					Green can.	Private aid.
38645	- LIGHT 147	42 18 13 N 73 46 58 W	Q G	46	4	SG on skeleton tower.	7/03
		*					7/03
38660	- LIGHT 152	42 19 16 N 73 46 59 W	FI R 4s	26	4	TR on skeleton tower.	7/03
		*					7/03
38665	- LIGHT 153	42 19 54 N 73 47 10 W	FI G 6s	52	4	SG on skeleton tower.	7/03
		*					7/03
38680	- LIGHT 157	42 20 31 N 73 47 18 W	FI G 4s	26	4	SG on skeleton tower.	7/03
		*					7/03
38700	- LIGHT 161	42 21 24 N 73 47 33 W	Q G	24	4	SG on skeleton tower.	7/03
		*					7/03
38715	- LIGHT 166 On flats.	42 22 37 N 73 47 33 W	Q R	24	4	TR on skeleton tower.	7/03
		*					7/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
SEA GIRT TO LITTLE EGG INLET (Chart 12323)							
Barneгат Inlet							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
875 25	- Outer Lighted Whistle Buoy B1	39 44 29 N 74 03 51 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
		*					7/03
8120	SEVENFOOT KNOLL LIGHT	39 09 19 N 76 24 33 W	FI W 6s (R sector)	58	W 9 R 7	On skeleton tower.	Red from 344° to 134°.
							* 7/03
Port Tobacco River							
17770	- LIGHT 1	38 26 38 N 77 01 55 W	FI G 2.5s	17	4	SG on pile.	
		*					7/03
Upper Potomac River							
<i>Channel buoys located 75 feet outside channel limit.</i>							
17815	- LIGHT 5	38 24 19 N 77 02 34 W	FI G 6s	44	5	SG on skeleton tower with small white house on piles.	
		*					7/03
17880	- LIGHT 15		FI G 4s	15	5	SG on multi-pile structure.	
					*	*	7/03
18275	- CHANNEL LIGHT 6		FI R 4s	15	4	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
					*		7/03
18355	HALLOWING POINT LIGHT	38 38 18 N 77 07 53 W	FI W 4s	20	6	NG on pile.	
		*					7/03
18693	- Daybeacon 16						* 7/03
34945	- LIGHT 4	40 06 10 N 74 03 22 W	FI R 4s	15	3	TR on multi-pile structure.	Light equipment removed from Nov. 15 to May 1.
				*			7/03

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
22575	- Lighted Buoy 10B		Q R		3	Red.	
		*					7/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
22600.5	- RANGE FRONT PASSING LIGHT	27 41 55 N 82 32 50 W	Q W	17	5	On same structure as Cut C Channel Range Front Light.	Visible all around.
			*				* 7/03
22760.5	- RANGE FRONT PASSING LIGHT	27 45 48 N 82 31 14 W	Q W	17	5	On same structure as Cut E Channel Range Front Light.	Visible all around.
			*				* 7/03
22765.5	- RANGE REAR PASSING LIGHT	27 46 25 N 82 31 01 W	FI W 4s	20	5	On same structure as Cut E Channel Range Rear Light.	Visible all around.
							* 7/03
30745	- RANGE FRONT LIGHT	18 27 25 N 66 07 42 W	Q W	23		On skeleton tower on piles.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
			*			*	* 7/03
30745.5	- RANGE FRONT PASSING LIGHT	18 27 25 N 66 07 42 W	Q W	25	5	On same structure as Bahia De San Juan Range Front Light.	Visible all around.
	*		*	*		*	* 7/03
*Delete Headings:							
*BAHIA DE SAN JUAN (Chart 25670)							
*Bahia De San Juan							
30750	- RANGE REAR LIGHT 240 yards, 180.5° from front light.	18 27 18 N 66 07 43 W	Oc W 4s	56		On skeleton tower.	Visible 0.5° each side of rangeline. Lighted throughout 24 hours.
			*			*	7/03
30815	<i>San Juan Harbor Anchorage F Lighted Buoy A</i>	18 27 01 N 66 06 59 W	FI Y 2.5s		3	Yellow.	
	*	*	*		*	*	7/03
55775.5	- Daybeacon 41					SG-SY on pile.	
						*	7/03

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5225	- LIGHT 44 300 feet outside channel limit.	30 24 35 N 88 00 54 W	FI R 2.5s	17	4	TR on pile.	Ra ref.
		*					7/03
6646	- WRECK LIGHT WR8	30 18 53 N 88 20 28 W	Q W	17	3	NW on pile.	Ra ref.
	*						7/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9079	SQUARE HANKERCHIEF SHOAL LIGHT SH	30 15 49 N 89 19 37 W	FI (2+1) G 6s	17	3	JG on pile.	
	*						7/03
BARATARIA BAY AND APPROACHES (Chart 11358)							
Barataria Bay							
St. Denis Approach							
15995	-LIGHT 2	29 41 31 N 90 05 32 W				TR on pile cluster.	Private aid.
	*	*				*	7/03
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2002							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1885	- Channel Buoy 2	32 41 10 N 117 09 22 W				Red nun.	
		*					7/03
1890	- Channel Buoy 3	32 41 00 N 117 09 27 W				Green.	
		*					7/03
2010	- Channel Lighted Buoy 32	32 39 47 N 117 07 34 W	FI R 4s		3	Red.	
		*					7/03
2035	- Channel Lighted Buoy 36	32 39 19 N 117 07 27 W	FI R 4s		3	Red.	
		*					7/03
San Diego Bay							
2040	- Channel Lighted Buoy 38	32 39 04 N 117 07 23 W	FI R 2.5s		3	Red.	
		*					7/03
2282	- WEIR LIGHT WEST END	32 45 25 N 117 15 01 W	FI W 2.5s	19	6	NW on pile worded DANGER SUBMERGED JETTY.	
		*					7/03
2283	- WEIR LIGHT EAST END	32 45 26 N 117 14 56 W	FI W 2.5s	19	4	NW on pile worded DANGER SUBMERGED JETTY.	
		*					7/03
2305	- Harbor Buoy 3	33 12 30 N 117 24 02 W				Green can.	
		*					7/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2317	-Danger Buoy	33 12 31 N 117 23 56 W				White can with orange band worded ROCKS.	
		*					7/03
9255	- LIGHT 6	43 40 11 N 124 11 56 W	FI R 4s	24	4	TR on skeleton tower.	Higher intensity beam up and down channel. BELL: 1 stroke ev 20s. Operates continuously. Ra ref.
							* 7/03
12430	- LIGHT 6	45 44 13 N 120 34 36 W	FI R 2.5s	61	4	TR on platform.	
		*					7/03
Lake Wallula							
Boise Cascade							
12942	WORDEN FARMS PUMP STATION LIGHT A	46 05 08 N 118 55 29 W	FI Y 4s	3		On steel structure.	Private aid.
							* 7/03
LAKE HERBERT G. WEST (Chart 18546)							
Lower Monumental							
13510	- LIGHT 4	46 34 12 N 118 30 39 W	FI R 4s	10	3	TR on platform.	
		*					7/03
13515	- LIGHT 5	46 34 45 N 118 29 43 W	FI G 2.5s	15	3	SG on pile.	Ra ref.
		*					7/03
13520	- LIGHT 6	46 34 40 N 118 29 06 W	FI R 6s	45	4	TR on skeleton tower.	
		*					7/03
13525	- LIGHT 7	46 35 09 N 118 29 09 W	FI G 4s	63	4	SG on skeleton tower.	
		*					7/03
13550	- LIGHT 14	46 34 47 N 118 24 55 W	FI R 4s	17	4	TR on platform.	
		*					7/03
13565	- LIGHT 18	46 34 43 N 118 22 58 W	FI R 6s	15	4	TR on platform.	
		*					7/03
13590	- LIGHT 24	46 35 29 N 118 16 49 W	FI R 2.5s	10	4	TR on platform.	
		*					7/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
13595	- LIGHT 25	46 35 51 N 118 16 06 W	FI G 4s	17	4	SG on platform.	
		*					7/03
13630	- LIGHT 35	46 33 35 N 118 08 11 W	FI G 6s	14	4	SG on platform.	
		*					7/03
13715	- LIGHT 5	46 35 20 N 117 54 53 W	FI G 2.5s	15	3	SG on pile.	
		*					7/03
13720	- LIGHT 6	46 35 13 N 117 53 00 W	FI R 2.5s	18	4	TR on platform.	
		*					7/03
13750	- LIGHT 12	46 37 18 N 117 49 04 W	FI R 2.5s	58	4	TR on platform.	
		*					7/03
13760	- LIGHT 14	46 38 57 N 117 46 01 W	FI R 4s	13	4	TR on platform.	
		*					7/03
13775	- LIGHT 17	46 41 27 N 117 45 07 W	FI G 6s	13	4	SG on platform.	
		*					7/03
13780	- LIGHT 18	46 41 44 N 117 42 50 W	FI R 4s	27	3	TR on platform.	
		*					7/03
13800	- LIGHT 22	46 42 02 N 117 39 35 W	FI R 2.5s	20	4	TR on pile.	
		*					7/03
13810	- LIGHT 24	46 41 49 N 117 38 55 W	FI R 4s	27	3	TR on single pile.	
		*					7/03
13845	ALMOTA RANGE FRONT LIGHT	46 41 34 N 117 29 29 W	Q R	30		KRW on pile structure.	Visible all around; higher intensity on rangeline.
		*					7/03
13880	- LIGHT 39	46 42 05 N 117 28 45 W	FI G 2.5s	18	3	SG on platform.	
		*					7/03
13895	- LIGHT 43	46 41 59 N 117 27 44 W	FI G 4s	15	3	SG on platform.	
		*					7/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2002

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Lower Granite Reservoir							
13940	- LIGHT 4	46 38 58 N 117 23 49 W	FI R 4s	33	3	TR on skeleton tower.	
		*					7/03
25995	CAINES HEAD LIGHT	59 58 59 N 149 23 16 W	FI W 4s	35	5	NR on pile.	Obscured from 043° to 214°.
							* 7/03
30865	MANAGAHA ISLAND LIGHT	15 14 27 N 145 42 45 E	FI W 6s (G & R sectors)	75	6	NB on spindle.	Green from 030° to 040°. White from 040° to 047°. Red from 047° to 057°.
		*	*				* 7/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.