

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*4447	- Buoy 4					Red nun.	25/03
*5783	Sheepscot River Buoy 20A					Red nun.	25/03
*18344	<i>Providence River Monitoring Lighted Buoy A</i>		FI Y 4s		2	Yellow.	Private aid. 25/03
37300	- Channel Lighted Buoy 10	40 38 37 N 74 07 41 W	Q R			Red.	25/03
		*					25/03
37310	- Channel Lighted Buoy 12	40 38 33 N 74 08 17 W	FI R 4s		4	Red.	25/03
		*					25/03
37325	<i>Bergen Point Lighted Buoy 14</i>	40 38 29 N 74 08 42 W	FI R 4s		4	Red.	25/03
		*					25/03
NEW YORK HARBOR (Chart 12327)							
Newark Bay							
37385	- Channel Lighted Buoy 2	40 38 37 N 74 09 07 W	Q R		4	Red.	25/03
		*					25/03
*38071	Chelsea Yatch Club Buoy I					White and orange.	Private aid. 25/03
*38072	Chelsea Yatch Club Buoy J					White and orange.	Private aid. 25/03
*38073	Chelsea Yatch Club Buoy D					White and orange.	Private aid. 25/03

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*4857	- Buoy 9					Green can.	25/03
*4867	- Buoy 12A					Red nun.	25/03
*5037	- Channel Buoy 10A					Red nun.	25/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*11933	- HRSD Williamsburg WWTP Outfall Warning Buoy A	37 12 45 N 76 38 59 W				White/Orange buoy worded DANGER PIPELINE DO NOT ANCHOR.	Private aid. 25/03
18430	- Lighted Buoy 4		FI R 2.5s			Red.	Private aid. 25/03
	*		*			*	25/03
18435	- Lighted Buoy 5		Q G			Green.	Private aid. 25/03
	*		*			*	25/03
Little Hunting Creek Northern Extension							
18511.1	- Lighted Buoy 1A	38 42 24 N 77 03 38 W	Q G			Green.	Private aid. 25/03
	*		*			*	25/03
18511.7	- Lighted Buoy 7A		FI G 2.5s			Green.	Private aid. 25/03
			*				25/03
*Add Heading: *Lake Ogleton							
*19837	- Buoy 1	38 56 47 N 76 27 54 W				Green can.	Private aid. 25/03
*19837.1	- Buoy 1					Red nun.	Private aid. 25/03
*19837.2	- Buoy 3					Green can.	Private aid. 25/03
*19837.3	- Buoy 4					Red nun.	Private aid. 25/03
*19837.4	- Buoy 5					Red nun.	Private aid. 25/03
*19837.5	- Buoy 6					Red nun.	Private aid. 25/03
*19837.6	- Buoy 7					Green can.	Private aid. 25/03
30385	SMITH ISLAND RANGE FRONT LIGHT	33 53 42 N 78 00 16 W	Q R	10		On white skeleton structure on piles.	Visible on range line only. Lighted throughout 24 hours. 25/03
		*	*			*	*
30390	SMITH ISLAND RANGE REAR LIGHT 871 yards, 007.4° from front light.		FR	43		On white skeleton structure on piles.	Visible on range line only. Lighted throughout 24 hours. 25/03
			*			*	*

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
39725	- Buoy 154					Red nun with yellow triangle.	
	*					*	25/03
39726	- Buoy 154A					Red nun with yellow triangle.	
	*					*	25/03

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
BAHIA DE FAJARDO AND APPROACHES (Chart 25667)							
31155	Cabo San Juan Light	18 22 54 N 65 37 06 W	FI W 15s	260	24	Cylindrical tower on front of white rectangular dwelling; black band around base.	
					*		25/03

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
313	<i>Science Applications International Corporation Instrument Lighted Buoy A1</i>						<i>Remove from list.</i>
							* 25/03
395	<i>Sun 108-2 Lighted Mooring Buoy</i>						<i>Remove from list.</i>
							* 25/03
510	Vastar 170-20 Buoy Marks Subsea Installation	29 01 48 N 89 53 06 W				White with orange bands.	SIGN: VASTAR-GI-32-3. Private aid.
	*						* 25/03
663	<i>Shell 237-4 Lighted Buoy Marks subsea installation.</i>						<i>Remove from list.</i>
							* 25/03
670	<i>TENNECO 154-3 Lighted Horn Buoy Marks subsea installation.</i>						<i>Remove from list.</i>
							* 25/03
675	Union Pacific 104-1 Buoy Marks subsea installation.						<i>Remove from list.</i>
							* 25/03
690	<i>Murphy SPE-20-32 Lighted Buoy Marks subsea installation.</i>						<i>Remove from list.</i>
							* 25/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
725	<i>Chevron 196-40 Lighted Buoy</i> Marks subsea installation.						<i>Remove from list.</i> * 25/03
850	<i>Devon-112-20 Lighted Buoy</i> Marks subsea installation.						<i>Remove from list.</i> * 25/03
867	<i>Hall Houston Lighted Buoy</i> Marks subsea installation.						<i>Remove from list.</i> * 25/03
960	<i>NIPPON 100-1 Lighted Buoy</i> Marks subsea installation.						<i>Remove from list.</i> * 25/03
967	<i>Enron 103-1 Lighted Buoy</i> Marks Subsea installation						<i>Remove from list.</i> * 25/03
970	<i>Tenneco 131-10 Lighted Horn Buoy</i> Marks subsea installation.						<i>Remove from list.</i> * 25/03
972	<i>Spinnaker-102-3 Lighted Buoy</i> Marks subsea installation.						<i>Remove from list.</i> * 25/03
985	<i>Chevron 212-42 Lighted Buoy</i> Marks subsea installation.						<i>Remove from list.</i> * 25/03
987	<i>Shell 223-2 Lighted Buoy</i> Marks subsea installation.						<i>Remove from list.</i> * 25/03
1060	<i>King Ranch Oil 102-1 Lighted Buoy</i> Marks subsea installation.						<i>Remove from list.</i> * 25/03
1185	<i>McMoran 125-2 Lighted Horn Buoy</i> Marks subsea installation.						<i>Remove from list.</i> * 25/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1215	<i>Brooklyn Union 106-2 Lighted Buoy Marks subsea installation.</i>						<i>Remove from list.</i>
							* 25/03
1265	<i>LLOG-108-1 Lighted Buoy</i>						<i>Remove from list.</i>
							* 25/03
1325	<i>Santa Fe 107-2 Lighted Buoy Marks subsea installation.</i>						<i>Remove from list.</i>
							* 25/03
1335	<i>Enron 106-10 Lighted Horn Buoy Marks subsea installation.</i>						<i>Remove from list.</i>
							* 25/03
1375	<i>Brooklyn Union 103-8 Lighted Buoy Marks subsea installation.</i>						<i>Remove from list.</i>
							* 25/03
	*Delete Heading: *Bayou St. John						
4940	<i>ESCAMBIA COUNTY ENVIROMENTAL SURVEY LIGHT</i>						<i>Remove from list.</i>
							* 25/03
7640	<i>U.S.M. Gulf Coast Research Lighted Buoy A</i>						<i>Remove from list.</i>
							* 25/03
8140	<i>U.S.M. Gulf Coast Research Lighted Buoy C</i>						<i>Remove from list.</i>
							* 25/03
8170	<i>U.S.M. Gulf Coast Research Lighted Buoy D</i>						<i>Remove from list.</i>
							* 25/03
9000	- LIGHT 7		FI G 4s	17	4	SG on dolphin.	Ra ref.
					*		25/03
9030	- LIGHT 3		FI G 4s	17	4	SG on dolphin.	Ra ref.
					*		25/03
9050	- LIGHT 5		FI G 4s	17	4	SG on dolphin.	Ra ref.
					*		25/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9215	- LIGHT 11		FI G 2.5s	17	3	SG on dolphin.	Ra ref. 25/03
					*		
9245	- LIGHT 15		FI G 2.5s	17	3	SG on pile.	Ra ref. 25/03
					*		
9320	- LIGHT 35		FI G 4s	17	4	SG on dolphin.	Ra ref. 25/03
					*		
9468	LAKE BORGNE WR LIGHT 2	30 06 37 N 89 30 45 W	Q R	17	3	TR on pile.	 25/03
					*		
Bayou Yscloskey							
9480	- LIGHT 2	29 52 20 N 89 40 26 W	FI R 6s	17	4	TR on dolphin.	 25/03
		*			*		
9570	- LIGHT 3	30 10 24 N 89 41 20 W	FI G 4s	17	4	SG on dolphin.	Ra ref. 25/03
		*			*		
Southern Natural Gas							
Lacombe Bayou							
9855	- ENTRANCE LIGHT 2	30 15 04 N 89 57 06 W	FI R 4s	17	4	TR on dolphin.	 25/03
					*		
10000	- BREAKWATER LIGHT		Q G	8	4	Cap on Bulkhead.	 25/03
			*		*	*	
Tangipahoa River							
10370	- LIGHT 2	30 19 42 N 90 15 40 W	FI R 4s	17	4	TR on dolphin.	 25/03
					*		
Amite River							
10455	- LIGHT 1	30 17 49 N 90 33 24 W	FI G 4s	25	4	SG on skeleton tower.	 25/03
		*			*		
Blind River							
10470	- LIGHT 2	30 12 13 N 90 34 36 W	FI R 4s	17	4	TR on pile.	 25/03
		*			*		

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
LAKE BORGNE AND APPROACHES (Chart 11371)							
10485	CAL-KY PIPELINE LIGHT CP-4B	30 07 54 N 89 05 00 W	FI Y 2.5s	13		Pile.	Private aid.
	*					*	25/03
10500	CAL-KY PIPELINE LIGHT CP-55	30 02 54 N 89 06 30 W	FI Y 2.5s	15		Pile.	Private aid.
	*					*	25/03
10505	CAL-KY PIPELINE LIGHT CP-4A	29 58 42 N 89 07 48 W	FI Y 2.5s	13		Pile.	Private aid.
	*					*	25/03
10510	CAL-KY PIPELINE LIGHT CP-4	29 54 12 N 89 09 18 W	FI Y 2.5s				Private aid.
	*						25/03
10545	- LIGHT 5		FI G 4s	17	4	SG on dolphin.	
						*	25/03
10675	- LIGHT 24A	29 31 22 N 89 09 52 W	FI R 2.5s	17	3	TR on pile.	
		*				*	25/03
11065	- LIGHT 118		FI R 2.5s	17	3	TR on pile.	
						*	25/03
	*Delete Heading: *Breton Sound						
12317	HELIS BLACK BAY CHANNEL LIGHT 2						Remove from list.
							* 25/03
12318	HELIS BLACK BAY CHANNEL LIGHT 4						Remove from list.
							* 25/03
12319	HELIS BLACK BAY CHANNEL LIGHT 6						Remove from list.
							* 25/03
12353.3	- LIGHT 5	29 32 01 N 89 14 59 W	FI G 4s	17	4	SG on pile.	
		*				*	25/03
12353.7	- LIGHT 9	29 30 15 N 89 15 53 W	FI G 4s	17	4	SG on pile.	Ra ref.
		*				*	25/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12380	- LIGHT 6 50 feet outside channel limit.		FI R 6s	17	4	TR on pile.	Ra ref. * 25/03
12385	- LIGHT 7	29 23 03 N 89 18 18 W	FI G 6s	17	4	SG on pile.	* 25/03
12395	- LIGHT 9 50 feet outside channel limit.		FI G 4s	17	4	SG on dolphin.	* 25/03
12595	OLD GRAND BAYOU LIGHT 10		Iso R 6s	35	4	TR on skeleton tower on piles.	* 25/03
12730	- LIGHT 6		Iso R 6s	45	6	TR on skeleton tower on piles.	* 25/03
12760	- LIGHT 12		FI R 4s	45	4	TR on skeleton tower on piles.	* 25/03
12873	- HEAD RANGE FRONT PASSING LIGHT		FI W 4s	17	5	On same structure as Southwest Pass Head Range Front Light.	* 25/03
14995	- LIGHT 13	29 08 41 N 89 25 05 W	FI G 4s	17	4	SG on pile.	* 25/03
15005	- LIGHT 17	29 09 05 N 89 24 25 W	FI G 6s	17	4	SG on pile.	* 25/03
15010	- LIGHT 18	29 09 02 N 89 24 26 W	FI R 6s	17	4	TR on pile.	* 25/03
15012	- LIGHT 19		FI G 4s	17	4	SG on pile.	Ra ref. * 25/03
*Delete Note:							
BARATARIA AND BAYOU LAFOURCHE WATERWAYS (Chart 11365)							
Barataria Waterway							
<i>*Lights and daybeacons located 50 feet outside channel limit.</i>							
15595	CAL-KY PIPELINE LIGHT	29 16 36 N 89 57 24 W	FI Y 2.5s	23		NW on pile worded DO NOT ANCHOR OR DREDGE.	Private aid. * 25/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
16110	- LIGHT 7		FI G 4s	17	3	SG on pile.	Ra ref.
	*		*	*	*		25/03
16150	- LIGHT 21		FI G 2.5S	17	3	SG on pile.	Ra ref.
	*		*	*	*		25/03
21100	PPG SOUTH LOADING TERMINAL DOCK LIGHTS (2)	30 12 54 N 93 16 48 W	FI G	12		On sheerpole caissons.	Private aids.
	*						25/03
21110	PPG RIVERSIDE POWER LIGHT	30 13 12 N 93 16 48 W	FI G	10		On corner of structure.	Private aid.
	*						25/03
21115	PPG CHLORINE LOADING LIGHT	30 13 24 N 93 16 42 W	FI G	16		On corner of dock.	Private aid.
	*						25/03
21120	PPG CAUSTIC LOADING DOCK LIGHTS (2)	30 13 24 N 93 16 36 W	FI G	11		On sheerpole caissons on ends of dock.	Private aids.
	*						25/03
*Delete Headings:							
*CEDAR LAKES TO ESPIRITU SANTO BAY (Chart 11319)							
*East Matagorda Bay							
25765	Geological Survey Tide Gage Daybeacon						<i>Remove from list.</i>
							* 25/03
25770	Geological Survey Tide Gage Daybeacon						<i>Remove from list.</i>
							* 25/03
*Add Headings:							
*CEDAR LAKES TO ESPIRITU SANTO BAY (Chart 11319)							
*East Matagorda Bay							
25775	Geological Survey Tide Gage Daybeacon	28 36 18 N 96 01 12 W				NW on pile worded DANGER TIDE GAGE.	Private aid.
							25/03
26950	- Daybeacon 49						<i>Remove from list.</i>
							* 25/03
26955	- Daybeacon 50						<i>Remove from list.</i>
							* 25/03
26960	- Daybeacon 51						<i>Remove from list.</i>
							* 25/03
26965	- Daybeacon 52						<i>Remove from list.</i>
							* 25/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
26970	- Daybeacon 53						Remove from list. * 25/03
26975	- Daybeacon 54						Remove from list. * 25/03
32785	Cat Island Shoal Instrument Lighted Buoy A Marks submerged instrument.						Remove from list. * 25/03
32790	Cat Island Shoal Instrument Lighted Buoy B Marks submerged instrument.						Remove from list. * 25/03
36245	- Daybeacon 27	28 21 30 N 96 42 46 W				SG on pile.	Ra ref. * 25/03

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
605	Cape Arago Light	43 20 28 N 124 22 31 W	Fl (3) W 30s 0.1s fl 4.9s ec. 0.1s fl 4.9s ec. 0.1s fl 19.9s ec.	100	17	White octagonal tower attached to building. 44	Obscured from 315° to 069°. Lighted throughout 24 hours. Emergency light Iso W 6s, operates at reduced intensity. HORN: 1 blasts ev 30s (3s bl). Fog signal maintained from Apr. 15 to Oct. 15. * 25/03
	Lake Tahoe						
8410	- Buoy A					White can with orange bands.	* 25/03
8420	- Buoy C					White can with orange bands.	* 25/03
8425	- Buoy D					White can with orange bands.	* 25/03
8430	- Buoy E					White can with orange bands.	* 25/03
8436	- Buoy H					White can with orange bands.	* 25/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8440	- Buoy I					White can with orange bands.	
	*					*	25/03
8442	- Buoy J					White can with orange bands.	
	*					*	25/03
8445	- Buoy K					White can with orange bands.	
	*					*	25/03
8450	- Buoy L					White can with orange bands.	
	*					*	25/03
8455	- Buoy M					White can with orange bands.	
	*					*	25/03
8460	- Buoy N					White can with orange bands.	
	*					*	25/03
8462	- Buoy O					White can with orange bands.	
	*					*	25/03
8480	- Buoy P					White can with orange bands.	
	*					*	25/03
8485	- Lighted Danger Buoy Q		FI W 4s		3	White can with orange bands.	
	*						25/03
8486	- Buoy R					White can with orange bands.	
	*						25/03
8488	- Buoy S					White can with orange bands.	
	*						25/03
	*Delete Headings: *LAKE TAHOE (Chart 18665) *Lake Tahoe						
8490	- Buoy T					White can with orange bands.	
	*					*	25/03
8495	- Buoy U					Red nun.	
	*						25/03
8500	- Buoy 32					White can with orange bands.	
						*	25/03
8505	- Buoy W					White can with orange bands.	
	*					*	25/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8510	- Buoy X					White can with orange bands.	
	*					*	25/03
8512	- Buoy Y					White can with orange bands.	
	*						25/03
	*Delete Headings: *LAKE TAHOE (Chart 18665) *Lake Tahoe						
8515	- Buoy Z					White can with orange bands.	
	*					*	25/03
8520	- Lighted Danger Buoy AA		FI W 6s		3	White can with orange bands.	
	*						25/03
8525	- Buoy AB					White can with orange bands.	
	*					*	25/03
30811	Agat Harbor Entrance Lighted Buoy AG	13 22 04 N 144 38 31 E	Mo (A) W		4	Red and white stripes with red spherical topmark.	
		*					25/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.