

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
995	- Lighted Buoy 29	45 07 48 N 67 07 46 W	FI G 2.5s			Green.	
		*					8/04
4580	Whitehead Light	43 58 43 N 69 07 27 W	Oc G 4s	75	6	Gray tower attached to red brick service room. 41	Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si).
							* 8/04
7675	Seventeen-Foot Shoal Lighted Buoy 3	43 39 27 N 70 13 42 W	FI G 4s		4	Green.	
		*					8/04
	*Delete Heading and Note: *Hingham Bay						
	<i>*Aids maintained from May 1 to Oct. 15.</i>						
11765	- Channel Buoy 31					Green can.	Aids maintained from May 1 to Oct. 15.
							8/04
13565	- Lighted Bell Buoy 10	41 31 51 N 70 00 31 W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
		*					8/04
22985	- LIGHT 58	41 29 50 N 72 31 23 W	FI R 4s	28	3	TR on skeleton tower.	
		*				*	8/04
30165	- Lighted Buoy 11	40 44 08 N 72 52 32 W	Q G		3	Green.	Replaced by can from Nov. 1 to May 1.
							* 8/04
40045	- LIGHT 24	43 37 41 N 73 25 23 W	FI R 4s	25	3	TR on skeleton tower on concrete base.	
		*					8/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*4946	-Channel Buoy 1	38 24 28 N 75 04 25 W				Green can.	Private aid.
							8/04
*4946.01	-Channel Buoy 2					Red nun.	Private aid.
							8/04
*4946.02	-Channel Buoy 3					Green can.	Private aid.
							8/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*4946.03	-Channel Buoy 4					Red nun.	Private aid. 8/04
*4946.04	-Channel Buoy 5					Green can.	Private aid. 8/04
*4946.05	-Channel Buoy 6					Red nun.	Private aid. 8/04
*4946.06	-Channel Buoy 7					Green can.	Private aid. 8/04
*4946.07	-Channel Buoy 8					Red nun.	Private aid. 8/04
*4946.08	-Channel Buoy 9					Green can.	Private aid. 8/04
*4946.09	-Channel Buoy 10					Red nun.	Private aid. 8/04
Back River							
13075	- CHANNEL LIGHT 17		FI G 2.5s	15	3	SG on multi-pile structure.	Light equipment removed when endangered by ice. * 8/04
13080	- CHANNEL LIGHT 18		Q R	15	3	TR on pile.	Light equipment removed when endangered by ice. * 8/04
13090	- CHANNEL LIGHT 21		FI G 4s	15	3	SG on pile.	Light equipment removed when endangered by ice. * 8/04
13100	- CHANNEL LIGHT 25		FI G 2.5s	15	3	SG on pile.	Light equipment removed when endangered by ice. * 8/04
13105	- CHANNEL LIGHT 27		FI G 4s	15	3	SG on pile.	Light equipment removed when endangered by ice. * 8/04
13125	- NORTHWEST BRANCH LIGHT 3		FI G 4s	15	3	SG on pile.	Light equipment removed when endangered by ice. * 8/04
31445 36990	- LIGHT 9		FI G 4s	16	4	SG-TY on slatted pile structure.	 * 8/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
31650	- LIGHT 8AS	35 59 11 N 76 35 15 W	FI R 4s	20	5	TR on multi-pile structure.	Higher intensity beam toward 089°.
		*					8/04
36990 31445	- LIGHT 9		FI G 4s	16	4	SG-TY on slatted pile structure.	
						*	8/04
37210	- LIGHT 15		FI G 4s	14	4	SG-SY on pile.	
						*	8/04
37405	- LIGHT 44		FI R 4s	15	3	TR-TY on pile.	
				*			8/04
37440	- LIGHT 55		FI G 4s	15	4	SG-SY on pile.	Light equipment removed from Dec. 1 to Mar. 15.
						*	8/04
37555	- LIGHT 99		Q G	15	3	SG-SY on pile.	
				*			8/04
37575	- LIGHT 105		FI G 4s	15	4	SG-SY on pile.	Light equipment removed from Dec. 1 to Mar. 15.
						*	8/04
37630	- LIGHT 121		FI G 4s	19	4	SG-SY on pile.	Light equipment removed from Dec. 1 to Mar. 15.
						*	8/04
37640	- LIGHT 123		Q G	17	3	SG-SY on pile.	Higher intensity beam up channel.
						*	8/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1505.5 25680.5	CLEARWATER PASS CHANNEL LIGHT 2	27 58 07 N 82 50 19 W	FI R 2.5s	16	3	TR on pile.	
		*					8/04
ST. SIMONS SOUND (Chart 11506)							
St. Simons Sound							
6030 515	<i>St. Simons Lighted Whistle Buoy STS</i>	31 02 49 N 81 14 25 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	*
							8/04
6535	- <i>Lighted Buoy 3</i>		FI G 2.5s		4	Green.	
						*	8/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6560	- Lighted Buoy 8		FI R 6s		4	Red.	
			*				8/04
8195	UPPER PALATKA LIGHT 1	29 38 36 N 81 37 30 W	FI G 4s	12	3	SG on pile.	
						*	8/04
8345	Seven Sisters Islands Daybeacon 33A					SG on pile.	
		*					8/04
8395	TURKEY ISLAND LIGHT 43	29 30 00 N 81 41 00 W	FI G 4s	16	3	SG on dolphin.	
						*	8/04
8410	Stephens Point Shoal Daybeacon	29 29 22 N 81 41 03 W				NW on pile worded DANGER SHOAL.	
						*	8/04
Little Lake George							
8435	- LIGHT 53	29 27 46 N 81 41 10 W	FI G 4s	16	4	SG on dolphin.	
		*					8/04
8510	MOUNT ROYAL LIGHT 63		FI G 4s	16	3	SG on dolphin.	
						*	8/04
8520	- LIGHT 65		FI G 4s	16	3	SG on dolphin.	
						*	8/04
10260 46715	LAKE WORTH SOUTH LIGHT 1	26 45 55 N 80 02 57 W	Q G	12	4	SG-SY on pile.	
		*					8/04
10965	Pacific Reef Daybeacon 3	25 22 25 N 80 09 35 W				SG on pile.	
		*					8/04
17480.01	- Gordon Pass North Obstruction Buoy	26 05 46 N 81 48 09 W				White can with open orange diamond worded DANGER SUBMERGED T- GROIN.	Private aid.
	*						8/04
17480.02	- Gordon Pass South Obstruction Buoy	26 05 41 N 81 48 09 W				White can with open orange diamond worded DANGER SUBMERGED T- GROIN.	Private aid.
	*						8/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
17690	NAPLES SAILING CLUB WEST OBSTRUCTION LIGHT	26 08 18 N 81 47 24 W	FI W 6s	8		NW on pile worded CAUTION MOORING AREA.	Private aid.
	*						8/04
19968	- BOCA GRANDE DOCK LIGHT 2		FI W 4s			Located on Northeast end of dock.	Private aid.
						*	8/04
	*Delete Heading: *MacDill Channel						
23340	- LIGHT 1						<i>Remove from list.</i>
							* 8/04
23345	- Range Front Daybeacon						<i>Remove from list.</i>
							* 8/04
23350	- Range Rear Daybeacon 300 yards, 282° from front daybeacon.						<i>Remove from list.</i>
							* 8/04
23355	- Daybeacon 2						<i>Remove from list.</i>
							* 8/04
23360	- Daybeacon 3						<i>Remove from list.</i>
							* 8/04
23365	- Daybeacon 4						<i>Remove from list.</i>
							* 8/04
	*Add Heading: *MacDill Channel						
23370	- Daybeacon 5					SG on pile.	
							8/04
	Bahia Del Sol						
24530	- Daybeacon 2	27 43 48 N 82 29 12 W				TR on pile.	Private aid.
		*					8/04
	BAHIA DE PONCE AND APPROACHES (Chart 25683)						
31925	Isla Caja De Muertos Light	17 53 35 N 66 31 16 W	FI W 30s	297	10	Gray cylindrical tower on center of flat-roofed dwelling.	
		*					8/04
32225	- Buoy 6		FI R 6s		3	Red.	
	*						8/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
32250	- Buoy 11						Remove from list. * 8/04
32255	- Buoy 12						Remove from list. * 8/04
37165	- LIGHT 239A		FIG 2.5s *	18	3	SG-SY on dolphin.	8/04
38353	- Daybeacon 3					SG-SY on pile. *	8/04
39545	- LIGHT 82	29 42 45 N 81 14 39 W	FIR 4s *	12	3	TR-TY on pile.	8/04
Lake Worth Inlet - Hillsboro Inlet							
Lake Worth South							
46715 10260	- LIGHT 1	26 45 55 N 80 02 57 W	Q G *	12	4	SG-SY on pile.	8/04
49730	- Featherbed Bank Shoal Light South	25 30 07 N 80 13 15 W	FI W 4s	14	5	NB on pile. *	8/04
56055	- Daybeacon 5						Remove from list. * 8/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Delete Heading: *Mexico Beach Channel							
3150	- Lighted Buoy 1						Remove from list. * 8/04
3155	- Lighted Buoy 2						Remove from list. * 8/04
3160	- Lighted Buoy 3						Remove from list. * 8/04
3165	- Lighted Buoy 4						Remove from list. * 8/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4045	FORT McREE LEADING LIGHT						<i>Remove from list.</i>
							* 8/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Kauai Island							
29850	Makahuena Point Light	21 52 06 N 159 26 36 W	FI W 2.5s	80	8 NB on post. 20		Obscured from 110° to 237.5°.
					*		8/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.